

reference

Abdala et al. 2008
 Abdala et al. 2010
 Abdala et al. 2011
 Abdala et al. 2014
 Afrasiab and Mohamad 2009
 Aguirre-Penafiel et al. 2014
 Allen Allison
 Al-Safadi 1989
 Alvarez and Valentin 1988
 Amarasিংhe et al. 2014
 Amarasিংhe et al. 2014a
 Amarasিংhe et al. 2015
 Amarasিংhe et al. 2015a
 Ananjeva et al. 2007
 Ananjeva et al. 2011
 Ananjeva et al. 2017
 Andreone and Greer 2002
 Annandale 1904
 Aplin et al. 1993
 Arakelyan et al. 2013
 Ariano-Sanchez et al. 2011
 Arnold et al. 2008
 Arosemena and Ibanez 1993
 Arredondo and Sanchez-Pacheco 2010
 Asela et al. 2012
 Atlas of living Australia
 Austin et al. 2004
 Avila et al. 2004
 Avila et al. 2007
 Avila et al. 2009
 Avila et al. 2010
 Avila et al. 2011
 Avila et al. 2012
 Avila et al. 2012b
 Avila et al. 2014
 Avila et al. 2015
 Avila-Pires and Hoogmoed 2000

source

Abdala, C. S., Quinteros, A. S. and Espinoza, R. E. 2008. Two new species of Liolaemus (Iguania: Liolaemidae) from the Puna of Northwestern Argentina. *Herpetologica*, 64: 458-471.
 Abdala, C. S., Quinteros, A. S., Scrocchi, G. J. and Stazzonelli, J. C. 2010. Three new species of the Liolaemus elongatus group (Iguania: Liolaemidae) from Argentina. *Cuadernos de Herpetologia*, 24: 93-109.
 Abdala, C. S., Quinteros, A. S., Arias, F., Portelli, S. and Palavecino, A. 2011. A new species of the Liolaemus darwini group (Iguania: Liolaemidae) from Salta Province, Argentina. *Zootaxa* 2968: 26-38.
 Abdala, C. S., Procopio, D. E., Stellatelli, O. A., Travaini, A., Rodriguez, A. and Monachesi, M. R. R. 2014. New Patagonian species of Liolaemus (Iguania: Liolaemidae) and novelty in the lepidosis of the southernmost lizard of the world: *Liolaemus magellanicus*. *Zootaxa* 3866: 526-542.
 Afrasiab, S. R. and Mohamad, S. I. 2009. A study on cave-dwelling geckos in Iraq, with the description of a new species from Saffine mountain (Reptilia: Gekkonidae). *Zoology in the Middle East* 47: 49-56.
 Aguirre-Penafiel, V., Torres-Carvajal, O., Nunes, P. M. S., Peck, M. R. and Maddock, S. T. 2014. A new species of Riama Gray, 1858 (Squamata: Gymnophthalmidae) from the tropical Andes. *Zootaxa* 3866: 246-260.
 Hawaii Biological Survey, Bishop Museum, Honolulu, HI 96817, USA.
 Al-Safadi, M. M. 1989. A new species of semaphore gecko (Pristurus: Gekkonidae) from Yemen Arab Republic. *Proceedings of the Egyptian Academy of Sciences* 39: 9-15.
 Alvarez, T. and Valentin, N. 1988. Descripción de una nueva especie de Lepidophyma (Reptilia: Xantusiidae) de Chiapas, Mexico. *Anales De La Escuela Nacional De Ciencias Biologicas Mexico* 32: 123-130.
 Amarasিংhe, A. A. T., Karunarathna, D. M. S. S., Hallermann, J., Fujinuma, J., Grillitsch, H. and Campbell, P. D. A new species of the genus Calotes (Squamata: Agamidae) from high elevations of the Knuckles Massif of Sri Lanka. *Zootaxa* 3785: 59-78.
 Amarasিংhe, T. A. A. Karunarathna, D. M. S. S. and Fujinuma, J. 2014. A new Calotes species from Sri Lanka with a redescription of Calotes liolepis Boulenger, 1885. *Herpetologica*, 70: 323-338.
 Amarasিংhe, A. A. T., Karunarathna, D. M. S. S., Campbell, P. D. and Ineich, I. 2015. Systematics and ecology of Oligodon sublineatus Dumeril, Bibron & Duméril, 1854, an endemic snake of Sri Lanka, including the designation of a lectotype. *Zoosystematics and Evolution* 91: 71-80.
 Amarasিংhe, A. A. T., Harvey, M. B., Riyanto, A. and Smith, E. N. 2015. A new species of Cnemaspis (Reptilia: Gekkonidae) from Sumatra, Indonesia. *Herpetologica*, 71: 160-167.
 Ananjeva, N. B., Orlov, N. L., Truong, N. Q. and Nazarov, R. A. 2007. A new species of Pseudocophotis (Agamidae: Acrodonta: Lacertilia: Reptilia) from central Vietnam. *Russian Journal of Herpetology* 14: 153-160.
 Ananjeva, N. B., Orlov, N. L., Nguyen, T. T. and Ryabov, S. A. 2011. A new species of Acanthosaura (Agamidae, Sauria) from northwest Vietnam. *Russian Journal of Herpetology* 18: 195-202.
 Ananjeva, N. B., N. L. and Nguyen, T. T. 2017. A new species of Japalura (Agamidae: Lacertilia: Reptilia) from central highland, Vietnam. *Asian Herpetological Research* 8: 14-21.
 Andreone, F. and Greer, A. E. 2002. Malagasy scincid lizards: descriptions of nine new species, with notes on the morphology, reproduction and taxonomy of some previously described species (Reptilia, Squamata: Scincidae). *Journal of Zoology* 258: 139-181.
 Annandale, N. 1904. Contributions to Oriental herpetology I. The lizards of the Andamans, with the description of a new gecko and a note on the reproduced tail in Ptychozoon homalocephalum. *Journal of the Asiatic Society of Bengal*, 73: 12-22.
 Aplin, K. P., How, R. A. and Boeadi. 1993. A new species of the Glaphyromorphus-isolepis species group (Lacertilia Scincidae) From Sumba Island, Indonesia. *Records of the Western Australian Museum* 16: 235-242.
 Arakelyan, M., Petrosyan, R., Ilgaz, C., Kumlutas, Y., Durmus, S. H., Tayhan, Y. and Danielyan, F. 2013. A skeletochronological study of parthenogenetic lizards of genus Darevskia from Turkey. *Acta Herpetologica* 8: 99-104.
 Ariano-Sanchez, D., Torres-Almazan, M. and Urbina-Aguilar, A. 2011. Rediscovery of Abronia frosti (Sauria: Anguillidae) from a cloud forest in Cuchumatanes Highlands in northwestern Guatemala: habitat characterization and conservation status. *Herpetological Review*, 42: 196-198.
 Arnold, E. N., Vasconcelos, R., Harris, D. J., Mateo, J. A. and Carranza, S. 2008. Systematics, biogeography and evolution of the endemic Hemidactylus geckos (Reptilia, Squamata, Gekkonidae) of the Cape Verde Islands: based on morphology and mitochondrial and nuclear DNA sequences. *Zoologica Scripta*, 37: 619-636.
 Arosemena, F. A. and Ibanez, D. R. 1993. Una especie nueva de Anolis (Squamata: Iguanidae) del grupo fuscoauratus de Fortuna, Panama. [A new species of Anolis (Squamata: Iguanidae) of the fuscoauratus group from Fortuna, Panama]. *Revista de Biología Tropical* 41: 267- 272.
 Arredondo, J. C. and Sanchez-Pacheco, S. J. 2010. New endemic species of Riama (Squamata: Gymnophthalmidae) from northern Colombia. *Journal of Herpetology*, 44: 610-617.
 Asela, M. D. C., Ukuwela, K. D. B., Bandara, I. N., Kandambi, H. K. D., Surasinghe, T. D. and Karunarathna, D. M. S. S. 2012. Natural history and current distribution patterns of Calotes liolepis Boulenger, 1885 (Reptilia: Agamidae: Draconinae) in Sri Lanka. *Herpetotropics* 8: 39-48.
<http://www.ala.org.au/>
 Austin, J. J., Arnold, E. N. and Jones, C. G. 2004. Reconstructing an island radiation using ancient and recent DNA: the extinct and living day geckos (Phelsuma) of the Mascarene islands. *Molecular Phylogenetics and Evolution* 31: 109-122.
 Avila, L. J., Perez, C. H. F., Morando, M. and Sites, J. W. 2004. Phylogenetic relationships of lizards of the Liolaemus petrophilus group (Squamata, Liolaemidae), with description of two new species from western Argentina. *Herpetologica* 60: 187-203.
 Avila, L. J., Frutos, N., Perez, C. H. F. and Morando, M. 2007. Reptilia, Iguania, Liolaemidae, Liolaemus somuncurae: Distribution extension. *Check List* 3: 11-13.
 Avila, L. J., Morando, M., Perez, D. R. and Sites, J. W. 2009. A new species of Liolaemus from Anelo sand dunes, northern Patagonia, Neuquen, Argentina, and molecular phylogenetic relationships of the Liolaemus wiegmanni species group (Squamata, Iguania, Liolaemini). *Zootaxa* 2234: 39-55.
 Avila, L. J., Perez, C. H. F., Morando, M. and Sites, J. W. 2010. A new species of Liolaemus (Reptilia: Squamata) from southwestern Rio Negro province, northern Patagonia, Argentina. *Zootaxa* 2434: 47-59.
 Avila, L. J., Perez, C. H. F., Perez, D. R. and Morando, M. 2011. Two new mountain lizard species of the Phymaturus genus (Squamata: Iguania) from northwestern Patagonia, Argentina. *Zootaxa* 2924: 1-21.
 Avila, L. J., Perez, C. H. F., Minoli, I., and Morando, M. 2012. A new species of Homonota (Reptilia: Squamata: Gekkota: Phyllodactylidae) from the Ventania mountain range, Southeastern Pampas, Buenos Aires Province, Argentina. *Zootaxa* 3431: 19-36.
 Avila, L. J., Perez, C. H. F., Medina, C. D., Sites, J. W. and Morando, M. 2012. A new species of lizard of the Liolaemus elongatus clade (Reptilia: Iguania: Liolaemini) from Curi Leuvu River Valley, northern Patagonia, Neuquen, Argentina. *Zootaxa* 3325: 37-52.
 Avila, L. J., Perez, C. H. F., Minoli, I. and Morando, M. 2014. A new lizard of the Phymaturus genus (Squamata: Liolaemidae) from Sierra Grande, northeastern Patagonia, Argentina. *Zootaxa* 3793: 99-118.
 Avila, L. J., Medina, C. D., Perez, C. H. F., Sites, J. W. and Morando, M. 2015. Molecular phylogenetic relationships of the lizard clade Liolaemus elongatus (Iguania: Liolaemini) with the description of a new species from an isolated volcanic peak in northern Patagonia. *Zootaxa* 3947: 67-84.
 Avila-Pires, T. C. S. and Hoogmoed, M. S. 2000. On two new species of Pseudogonatodes Ruthven, 1915. (Reptilia: Squamata: Gekkonidae), with remarks on the distribution of some other sphaerodactyl lizards. *Zoologische Mededelingen* 73: 209-223.

- Ayala and Harris 1984
Ayala et al. 1984
Bahir and Maduwage 2005
Baig and Masroor 2006
Banda-Leal et al. 2017
Barbour and Loveridge 1928
Barts et al. 2001
Bates et al. 2014
Batista et al. 2015
Batuwita and Bahir 2005
Batuwita and Udugampala 2017
Bauer 2003
Bauer 2006
Bauer 2010
Bauer and Doughty 2012
Bauer and Gunther 1992
Bauer and Menegon 2006
Bauer and Russell 1986
Bauer and Sadlier 2000
Bauer et al. 1998
Bauer et al. 2003
Bauer et al. 2004
Bauer et al. 2006
Bauer et al. 2006b
Bauer et al. 2006e
Bauer et al. 2006f
Bauer et al. 2008
Bauer et al. 2009
Bauer et al. 2012
Bauer et al. 2013
Bedriaga 1912
Bell and Daltry 2012
Bell and Patterson 2008
Benavides et al. 2009
Bentz et al. 2011
Bernal-Carlo and Roze 2005
Bezy and Camarillo 1997
Bezy and Camarillo 2002
Bhupathy et al. 2009
Biswas 1975
Bobrov 1992
Bobrov 2013
Bobrov and Semenov 2008
- Ayala, S. C. and Harris, D. M. 1984. A new microteiid lizard (*Alopoglossus*) from the Pacific rainforest of Colombia. *Herpetologica* 40: 154-158.
- Ayala, S. C., Harris, D. M. and Williams, E. E. 1984. *Anolis menta*, sp. n. (Sauria, Iguanidae), a new tigrinus group anole from the west side of Santa Marta Mountains, Colombia. *Papeis Avulsos de Zoologia* 35: 135-145.
- Bahir, M. M. and Maduwage, K. P. 2005. *Calotes desilvai*, a new species of agamid lizard From Morningside forest, Sri Lanka. *Raffles Bulletin of Zoology, Supplement* 12: 381–392
- Baig, K. J. and Masroor, R. 2006. A new species of Eremias (Sauria: Lacertidae) from Cholistan Desert, Pakistan. *Russian Journal of Herpetology* 13: 167-174
- Banda-Leal, J., los Reyes, M. N. and Bryson, R. W. 2017. A new species of pygmy alligator lizard (Squamata: Anguillidae) from Nuevo Leon, Mexico. *Journal of Herpetology*, 51: 223-226.
- Barbour, T. and Loveridge, A. 1928. New skinks of the genus *Scelotes* from Mozambique and Madagascar. *Proceedings of the New England Zoological Club* 10: 63-65.
- Barts, M., Boone, J. and Hulbert, F. 2001. Die dickfingergeckos des sudlichen Afrikas. Teil I. Die haltung und vermehrung des Tsodilo-geckos, *Pachydactylus tsodiloensis* Haacke, 1966. *Sauria*, 23: 15-19.
- Bates, M. F., Branch, W. R., Bauer, A. M., Burger, M., Marais, J., Alexander, G. J. and de Villiers, M. S. editors. 2014. Atlas and red list of the reptiles of South Africa, Lesotho and Swaziland. *Suricata* 1. South African National Biodiversity Institute, Pretoria.
- Batista, A., Ponce, M., Vesely, M., Mebert, K., Hertz, A., Kohler, G., Carrizo, A. and Lotzkat, S. 2015. Revision of the genus *Lepidoblepharis* (Reptilia: Squamata: Sphaerodactylidae) in Central America, with the description of three new species. *Zootaxa* 3994: 187-221.
- Batuwita, S. and Bahir, M. M. 2005. Description of five new species of *Cyrtodactylus* (Reptilia: Gekkonidae) from Sri Lanka. *Raffles Bulletin of Zoology Supplement* No. 12: 351–380.
- Batuwita, S. and Udugampala, S. 2017. Description of a new species of *Cnemaspis* (Squamata: Gekkonidae) from Knuckles Range of Sri Lanka. *Zootaxa* 4254: 82-90.
- Bauer, A. M. 2003. Descriptions of seven new *Cyrtodactylus* (Squamata: Gekkonidae) with a key to the species of Myanmar (Burma). *Proceedings of the California Academy of Sciences* 54: 463-498.
- Bauer, A. M. 2006. A review of the gekkotan lizards of Benin, with the description of a new species of *Hemidactylus* (Squamata : Gekkonidae). *Zootaxa* 1242: 1-20.
- Bauer, A. M. 2010. A new species of *Pachydactylus* (Squamata: Gekkonidae) from the Otavi Highlands of northern Namibia. *Bonn Zoological Bulletin* 57: 257-266.
- Bauer, A. M. and Doughty, P. 2012. A new bent-toed gecko (Squamata: Gekkonidae: Cyrtodactylus) from the Kimberley region, Western Australia. *Zootaxa* 3187: 32-42.
- Bauer, A. M. and Gunther, R. 1992. A preliminary report of the reptile fauna of the kingdom of Bhutan with the description of a new species of scincid lizard (Reptilia: Scincidae). *Asiatic Herpetological Research* 4: 23-36.
- Bauer, A. M. and Menegon, M. 2006. A new species of prehensile-tailed gecko, *Urocotyledon* (Squamata: Gekkonidae), from the Udzungwa Mountains, Tanzania. *African Journal of Herpetology* 55: 13-22.
- Bauer, A. M. and Russell, A. P. 1986. *Hoplodactylus delcourti* n. sp. (Reptilia: Gekkonidae), the largest known gecko. *New Zealand Journal of Zoology* 13: 141-148.
- Bauer, A. M. and Sadlier, R. A. 2000. The herpetofauna of New Caledonia. Society for the Study of Amphibians and Reptiles, St. Louis.
- Bauer, A. M., Whitaker, A. H. and Sadlier, R. A. 1998. Two new species of the genus *Bavayia* (Reptilia: Squamata: Diplodactylidae) from New Caledonia, Southwest Pacific. *Pacific Science* 52: 342-355.
- Bauer, A. M., Sumontha, G. M. and Pauwels O. S. G. 2003. Two new species of *Cyrtodactylus* (Reptilia: Squamata: Gekkonidae) from Thailand. *Zootaxa* 376: 1-18.
- Bauer, A. M., Sumontha, M., Grossmann, W., Pauwels, O. S. G. and Vogel, G. 2004. A new species of *Dixonius* (Squamata: Gekkonidae) from Kanchanaburi Province, Western Thailand. *Current Herpetology* 23: 17-26.
- Bauer, A. M., Barts, M. and Hulbert, F. 2006. A new species of the *Pachydactylus weberi* group (Reptilia: Squamata: Gekkonidae) from the Orange River, with comments on its natural history. *Salamandra* 42: 83-92.
- Bauer, A. M., Jackman, T., Sadlier, R. A. and Whitaker, A. H. 2006. A revision of the *Bavayia validiclavus* group (Squamata: Gekkota: Diplodactylidae), a clade of New Caledonian geckos exhibiting microendemism. *Proceedings of the California Academy of Sciences* 57: 503-547.
- Bauer, A. M., LeBreton, M., Chirio, L., Ineich, I. and Kouete, M. T. 2006. New species of *Hemidactylus* (Squamata: Gekkonidae) from Cameroon. *African Journal of Herpetology* 55: 83-93.
- Bauer, A. M., Lamb, T. and Branch, W. R. 2006. A revision of the *Pachydactylus serval* and *P. weberi* groups (Reptilia: Gekkota: Gekkonidae) of Southern Africa, with the description of eight new species. *Proceedings of the California Academy of Sciences* 57: 595-709.
- Bauer, A. M., Giri, V. B., Greenbaum, E., Jackman, T. R., Dharne, M. S. and Shouche, Y. S. 2008. On the systematics of the gekkonid genus *Teratolepis* Gunther, 1869: another one bites the dust. *Hamadryad*, 33: 13-27.
- Bauer, A. M., Jackman, T., Sadlier, R. A. and Whitaker, A. H. 2009. Review and phylogeny of the New Caledonian diplodactylid gekkotan genus *Eurydactylodes* Wermuth, 1965, with the description of a new species. in Grandcolas P. (ed.), *Zoologia Neocaledonia* 7. Biodiversity studies in New Caledonia. *Memoires du Museum national d'Histoire naturelle* 198: 13-36.
- Bauer, A. M., Jackman, T. R., Sadlier, R. A. and Whitaker, A. H. 2012. Revision of the giant geckos of New Caledonia (Reptilia: Diplodactylidae: Rhacodactylus). *Zootaxa* 3404: 1-52.
- Bauer, A. M., Masroor, R., Titus-Mcquillan, J., Heinicke, M. P., Daza, J. D. and Jackman, T. R. 2013. A preliminary phylogeny of the Palearctic naked-toed geckos (Reptilia: Squamata: Gekkonidae) with taxonomic implications. *Zootaxa* 3599: 301-324.
- Bedriaga, J. V. 1912. Amphibien und Reptilien. Bearbeitet von Dr. J. v. Bedriaga. St. Petersburg.
- Bell, E. A. and Daltry, J. C. 2012. Feasibility study for the eradication of black rats *Rattus rattus* from Redonda, with new observations on the island's biodiversity and ecology. Report from Wildlife Management International Ltd and Fauna & Flora International to the Offshore Islands Conservation Programme, St John's, Antigua and Barbuda.
- Bell, T. P. and Patterson, G. B. 2008. A rare alpine skink *Oligosoma pikitanga* n. sp. (Reptilia: Scincidae) from Llawrenny Peaks, Fiordland, New Zealand. *Zootaxa* 1882: 57-68.
- Benavides, E. Baum, R., Snell, H. M., Snell, H. L. and Sites, J. W. 2009. Island biogeography of Galapagos lava lizards (Tropiduridae: Microlophus): species diversity and colonization of the archipelago. *Evolution* 63: 1606-1626.
- Bentz, E. J., Rodriguez, M. J. R., John, R. R., Henderson, R. W. and Powell, R. 2011. Population densities, activity, microhabitats, and thermal biology of a unique crevice- and litter-dwelling assemblage of reptiles on Union Island, St. Vincent and the Grenadines. *Herpetological Conservation and Biology* 6: 40-50.
- Carlo, A. B. and Roze, J. A. 2005. Lizards of the genus *Anolis* (Reptilia: Polychrotidae) from Sierra Nevada de Santa Marta, Colombia, with description of two new species. *Novedades Colombianas Nueva Epoca* 8: 9-26.
- Bezy, R. L. and Camarillo, R. J. L. 1997. A new species of *Lepidophyma* (Sauria: Xantusiidae) from Oaxaca, Mexico. *Contributions in Science, Los Angeles* 465: 1-8.
- Bezy, R. L. and Camarillo, J. L. 2002. Systematics of xantusiid lizards of the genus *Lepidophyma*. *Los Angeles County Museum Contributions in Science* 493: 1-41
- Bhupathy, S., Chettri, B. and Bauer, A. M. 2009. Rediscovery and revalidation of *Takydromus sikkimensis* (Gunther, 1888) (Squamata: Lacertidae) from Sikkim, India. *Journal of Herpetology* 43: 267-274.
- Biswas, S. 1975. Reptilia from Bhutan with description of a new species of *Calotes Rafinesque*. *Journal of the Bombay Natural History Society* 72: 774-777.
- Bobrov, V. V. 1992. A new scincid lizard (Reptilia Sauria Scincidae) from Vietnam. *Zoologicheskii Zhurnal* 71: 156-158.
- Bobrov, V.V. 2013. A new species of grass lizard (Reptilia, Sauria, Lacertidae, Takydromus) from southern Vietnam. [in Russian]. *СОВРЕМЕННАЯ ГЕРПИТОЛОГИЯ* 13: 97-100.
- Bobrov, V. V. and Semenov, D. V. 2008. The lizards of Vietnam. (in Russian: *Yashcheritsy Vietnam*). Pensoft.

- Bocourt 1870 Bocourt, F. 1870. Description de quelques sauriens nouveaux originaires de l'Amerique meridionale. Archives Du Muséum d'Histoire Naturelle, Paris, 6: 11-18.
- Boettger 1913 Boettger, O. 1913. Reptilien und amphibien von Madagascar, den inseln und dem Festland Ostafrikas. Pp. 269-375. In: Voeltzkow, A. Reise in Ostafrika in den Jahren 1903-1905. Wissenschaftliche Ergebnisse. Vol. 3. Systematische Arbeiten. Schweizerbart'sche Verlagsbuchhandlung, Nägele und Sproesser, Stuttgart
- Bohme 1976 Bohme, W. 1976. Über die gattung Eugongylus Fitzinger, mit Beschreibung einer neuen Art (Reptilia: Scincidae). Bonner Zoologische Beiträge 27: 245-251.
- Bohme 1979 Bohme, W. 1979. Eine neue art der gattung Leiopisma Dumeril et Bibron, 1839 aus Neukaledonien (Reptilia: Sauria: Scincidae). Salamandra, 15: 140-145.
- Bohme 1981 Bohme, W. 1981. A new lygosomine skink from Thailand (Reptilia: Scincidae). Bollettino del Museo Civico di Storia Naturale di Verona 8: 375-382.
- Bohme and Ziegler 2005 Bohme, W. and Ziegler, T. 2005. A new monitor lizard from Halmahera, Moluccas, Indonesia (Reptilia: Squamata: Varanidae). Salamandra 41: 51-59.
- Botov et al. 2015 Botov, A., Phung, T. M., Nguyen, T. Q., Bauer, A. M., Brennan, I. G. and Ziegler, T. 2015. A new species of Dixonius (Squamata: Gekkonidae) from Phu Quy Island, Vietnam. Zootaxa 4040: 48-58.
- Boulenger 1880 Boulenger, G. A. 1880. Reptiles et batraciens recueillis par M. Emile de Ville dans les Andes de l'equateur. Bulletin de la Societe Zoologique de France 5: 41-48.
- Boulenger 1887 Boulenger, G. A. 1887. Catalogue of the Lizards in the British Museum (Nat. Hist.) III. Lacertidae, Gerrhosauridae, Scincidae, Anelytropidae, Dibamidae. Trustees of the British Museum, London.
- Boulenger 1897a Boulenger, G. A. 1897. A list of the reptiles and batrachians collected in northern Nyasaland by Mr. Alex. Whyte, F.Z.S., and presented to the British Museum by Sir Harry H. Johnston, K.C.B.; with descriptions of new species. Proceedings of the Zoological Society of London, 65 (3), 800-803.
- Boulenger 1906 Boulenger, G. A. 1906. Report on the reptiles collected by the late L. Fea in West Africa. Annali del Museo Civico di Storia Naturale di Genova 42: 196-216.
- Boulenger 1914 Boulenger, G. A. 1914. Contributo allo studio della fauna Libica. Annali del Museo civico di storia naturale di Genova 6: 79-80.
- Boulenger 1917 Boulenger, G. A. 1917. Descriptions of new lizards of the family Lacertidae. Annals and Magazine of Natural History 19: 277-279.
- Bourret 1937 Bourret, R. 1937. Notes herpetologiques sur l'indochine francaise. XV. Lezards et serpents recu au laboratoire des Sciences Naturelles de l'Universite au cours de l'annee 1937. Descriptions de deux especes et de deux varietes nouvelles. Bulletin Generale de l'Instruction Publique 5. Gouvernement General de l'Indochine, pp. 57-82.
- Branch et al. 2005 Branch, W. R., Rodel, M-O. and Marais, J. 2005. Herpetological survey of the Niassa Game Reserve, northern Mozambique – Part I: Reptiles. Salamandra 41: 195-214.
- Branch et al. 2011 Branch, W. R., Bauer, A. M., Jackman, T. R. and Heinicke, M. 2011. A new species of the Pachydactylus weberi complex (Reptilia: Squamata: Gekkonidae) from the Namibrand Reserve, southern Namibia. Breviora, 524: 1-15.
- Branch et al. 2014 Branch, W. R., Bayliss, J. and Tolley, K. A. 2014. Pygmy chameleons of the Rhampholeon platyceps complex (Squamata: Chamaeleonidae): Description of four new species from isolated 'sky islands' of northern Mozambique. Zootaxa 3814: 1-36.
- Breitman et al. 2011 Breitman, M. F., Avila, L. J., Sites, J. W. and Morando, M. 2011. Lizards from the end of the world: Phylogenetic relationships of the Liolaemus lineomaculatus section (Squamata: Iguania: Liolaemini). Molecular Phylogenetics and Evolution 59: 364-376.
- Breitman et al. 2011b Breitman, M. F., Perez, C. H. F., Parra, M., Morando, M., Sites, J. W. and Avila, L. J. 2011. New species of lizard from the magellanic clade of the Liolaemus lineomaculatus section (Squamata: Iguania: Liolaemidae) from southern Patagonia. Zootaxa 3123: 32-48.
- Breuil 2002 Breuil, M. 2002. Histoire naturelle des amphibiens et reptiles terrestres de l'archipel Guadeloupeen (Broche). Museum National d'Histoire Naturelle, Paris.
- Broadley 1989 Broadley, D. G. 1989. A reappraisal of the genus Panaspis Cope, with the description of a new species of Leptosiaphos (Reptilia: Scincidae) from Tanzania. Arnoldia 9: 439-449.
- Broadley 1990 Broadley, D. G. 1990. FitzSimons' snakes of Southern Africa. Jonathan Ball and Ad. Donker Publishers, Parklands.
- Brown 1991 Brown, W. C. 1991. Lizards of the genus Emoia (Scincidae) with observations on their ecology and biogeography. Memoirs of the California Academy of Sciences 15: 1-94.
- Brown and Alcalá 1961 Brown, W. C. and Alcalá, A. C. 1961. A new sphenomorphid lizard from Palawan Island, Philippines. Occasional papers of the California Academy of Sciences 32: 1-4.
- Brown and Alcalá 1978 Brown, W. C. and Alcalá, A. C. 1978. Philippine lizards of the family Gekkonidae. Silliman University Press, Dumaguete City, Philippines.
- Brown and Gibbons 1986 Brown, W. C. and Gibbons, J. R. H. 1986. Species of the Emoia samoensis group of lizards (Scincidae) in the Fiji Islands, with descriptions of two new species. Proceedings of the California Academy of Sciences 44: 41-53.
- Brown and Parker 1973 Brown, W. C. and Parker, F. 1973. A new species of Cyrtodactylus (Gekkonidae) from New Guinea with a key to species from the island. Breviora 417: 1-7.
- Brown and Tanner 1949 Brown, W. C. and Tanner, V. M. 1949. Rediscovery of the genus Pseudogekko with description of a new species from the Solomon Islands. The Great Basin Naturalist, 9: 41-45.
- Brown et al. 1992 Brown, W. C., McCoy, M. and Rodda, G. H. 1992. A new Lepidodactylus (Reptilia: Gekkonidae) from Guadalcanal Island, Solomons. Proceedings of the Biological Society of Washington 105: 440-442.
- Brown et al. 2000 Brown, R. M., Supriatna, J. and Ota, H. 2000. Discovery of a new species of Luperosaurus (Squamata; Gekkonidae) from Sulawesi, with a phylogenetic analysis of the genus, and comments on the status of Luperosaurus serraticaudus. Copeia 2000: 191-209.
- Brown et al. 2007 Brown, R. M., Diesmos, A. C. and Duya, M. V. 2007. A new Luperosaurus (Squamata: Gekkonidae) from the Sierra Madre de Luzon Island, Philippines. Raffles Bulletin of Zoology 55: 167-174.
- Brown et al. 2008 Brown, R. M., Oliveros, C. H., Siler, C. D. and Diesmos, A. C. 2008. A new Gekko from the Babuyan Islands, northern Philippines. Herpetologica, 64: 305-320.
- Brown et al. 2009 Brown, R. M., Oliveros, C. H., Siler, C. D. and Diesmos, A. C. 2009. Phylogeny of Gekko from the northern Philippines, and description of a new species from Calayan Island. Journal of Herpetology, 43: 620-635.
- Brown et al. 2010a Brown, R. M., Diesmos, A. C., Duya, M. V., Garcia, H. J. D. and Rico, E. L. B. 2010. New forest gecko (Squamata; Gekkonidae; genus Luperosaurus) from Mt. Mantalingajan, southern Palawan Island, Philippines. Journal of Herpetology 44: 37-48.
- Brown et al. 2010b Brown, R. M., Linkem, C. W., Balete, D., Duya, M. V., Diesmos, A. C. and Ferner, J. W. 2010. Species boundaries in Philippine montane forest skinks (Genus Sphenomorphus): three new species from the mountains of Luzon and clarification of the status of the poorly known S. beyeri, S. knollmanae, and S. laterimaculatus. Scientific Papers of the Natural History Museum, University of Kansas 42: 1-27.
- Brown et al. 2014 Brown, J. L., Cameron, A., Yoder, A. D. and Vences, M. 2014. A necessarily complex model to explain the biogeography of the amphibians and reptiles of Madagascar. Nature Communications 5: e5046.
- Brygoo 1971 Brygoo, E. R. 1971. Reptiles. Sauriens. Chamaeleonidae. Genre Chamaeleo. Faune de Madagascar. ORSTOM et CNRS, Paris 33: 1-318.
- Brygoo et al. 1972 Brygoo, E. R., Blanc, C. P. and Domergue, C. A. 1972. Notes sur les Brookesia (Chamaeleonides) de Madagascar. VII. Brookesia de l'Andringitra: observations sur B. nasus Boulenger, 1887; description de B.n. pauliani n. subsp. Bulletin du Museum National d'Histoire Naturelle, Paris 42: 591-600.
- Bryson and Graham 2010 Bryson, R. W. and Graham, M. R. 2010. A new alligator lizard from northeastern Mexico. Herpetologica 66: 92-98.
- Buden 2007 Buden, D. W. 2007. A new species of the genus Lepidodactylus Fitzinger (Squamata: Gekkonidae) from the Mortlock Islands, Chuuk State, Federated States of Micronesia. Pacific Science 61: 407-414.
- Cabrera and Monguillot 2006 Cabrera, M. R. and Monguillot, J. C. 2006. A new Andean species of Liolaemus of the darwini Complex (Reptilia: Iguaniae). Zootaxa 1106: 35-43.
- Cacciali and Scott 2015 Cacciali, P. and Scott, N. J. 2015. Key to the Ophiodes (Squamata: Sauria: Diploglossidae) of Paraguay with the description of a new species. Zootaxa 3980: 42-50.
- Cacciali et al. 2007 Cacciali, P., Avila, I. and Bauer, F. 2007. A new species of Homonota (Squamata, Gekkonidae) from Paraguay, with a key to the genus. Phyllomedusa 6: 137-146.
- Cadle 1991 Cadle, J. E. 1991. Systematics of lizards of the genus Stenocercus (Iguania Tropicuridae) from northern Peru. New species and comments on relationships and distribution patterns. Proceedings of the Academy of Natural Sciences of Philadelphia 143: 1-96.
- Cadle and Chuna 1995 Cadle, J. E. and Chuna, M. P. 1995. A new lizard of the genus Macropholidus (Teiidae) from a relictual humid forest of northwestern Peru, and notes on Macropholidus ruthveni Noble. Breviora 501: 1-39.

- Caicedo-Portilla 2014
Caicedo-Portilla, J. R. 2014. Rediscovery of *Mabuya berengeriae*, *Mabuya pergravis* (Squamata: Scincidae) and *Coniophanes andresensis* (Squamata: Colubridae), and assesment of its threatened status in the San Andres and Providencia Islands, Colombia. *Caldasia* 36: 181-201.
- Camacho et al. 2016
Camacho, A., Recoder, R., Teixeira, M., Kohlsdorf, T., Rodrigues, M. T. and Lee, M. S. Y. 2016. Overcoming phylogenetic and geographic uncertainties to test for correlates of range size evolution in gymnophthalmid lizards. *Ecography* 39:
- Campbell 1982
Campbell 1994
Campbell and Brodie 1999
Campbell and Frost 1993
Campbell et al. 1998
Campos-Rodriguez and Lopez-Vidal 2007
Canseco-Marquez et al. 2008
Canto 2007
Carvalho 2016
Castro-Herrera et al. 2012
Cei 1978
Cei 1986
Ceriaco 2015
Chan and Norhayati 2010
Chan et al. 2010
Chan-Ard and Makchai 2011
Chan-Ard et al. 2011
Chan-ard et al. 2015
Chapple and Hitchmough 2016
Chapple et al. 2011
Chavez et al. 2011
Chiari et al. 2009
Chirio and LeBreton 2007
Cobos et al. 2016
Cochran 1927
Cogger 2000
Colli et al. 2016
Connette et al. 2017
Conradie et al. 2016
Corbalan et al. 2016
Corn and Dalby 1973
Corry et al. 2010
Costa et al. 2015
Costandius and Mouton 2006
Couper et al. 1993
Couper et al. 2008
Couper et al. 2008b
Couper et al. 2010
Crottini et al. 2011
- Campbell, J. A. 1982. A new species of *Abronia* (Sauria, Anguinae) from the Sierra Juarez, Oaxaca, Mexico. *Herpetologica* 38: 355–361.
Campbell, J. A. 1994. A new species of elongate *Abronia* (Squamata: Anguinae) from Chiapas, Mexico. *Herpetologica*, 50: 1-7.
Campbell, J. A. and Brodie, E. D. 1999. A new species of *Abronia* (Squamata: Anguinae) from the southeastern highlands of Guatemala. *Herpetologica* 55: 161–174.
Campbell, J. A. and Frost, D. R. 1993. Anguid lizards of the genus *Abronia*: revisionary notes on the species of nuclear Central America and adjacent Mexico, descriptions of four additional species, with a phylogenetic hypothesis for the genus and an identification key. *Bulletin of the American Museum of Natural History* 216: 1-121.
Campbell, J. A., Sasa, M., Acevedo, M. E. and Mendelson, J. R. 1998. A new species of *Abronia* (Squamata: Anguinae) from the high Cuchumatanes of Guatemala. *Herpetologica* 54: 221-234.
Campos-Rodriguez, J. I. and Lopez-Vidal, C. J. 2007. Annotated checklist of type specimens in the herpetological collection of the Escuela Nacional de Ciencias Biologicas, IPN, Mexico. *The Southwestern Naturalist*, 52: 323-326.
Canseco-Marquez, L., Guitierrez-Mayen, G. and Mendoza-Hernandez, A. A. 2008. A new species of night-lizard of the genus *Lepidophyma* (Squamata: Xantusiidae) from the Cuicatlan Valley, Oaxaca, Mexico. *Zootaxa* 1750: 59-67.
Canto, R. 2007. Notes on the occurrence of *Varanus auffenbergi* on Roti Island. *Biawak* 1: 24-25.
Carvalho, A. L. G. 2016. Three new species of the *Tropidurus spinulosus* Group (Squamata: Tropiduridae) from Eastern Paraguay. *American Museum Novitates* 3853: 1-44.
Castro-Herrera, F., Valencia, A. and Villaquirán, D. 2012. Diversidad de anfibios y reptiles del Parque Nacional Natural Isla Gorgona. *Feriva Impresores SA Cali*, Colombia.
Cei, J. M. 1978. A new species of *Liolaemus* (Sauria: Iguanidae) from the Andean Mountains of the southern Mendoza volcanic region of Argentina. *Occasional Papers of the Museum of Natural History, University of Kansas* 76: 1-6.
Cei, J. M. 1986. Reptiles del centro, centro-oeste y sur de la Argentina. *Herpetofauna de las zonas aridas y semiaridas*. Museo Regionale di Scienze Naturali, Torino. 527 pp.
Ceriaco, L. M. P. 2015. Lost in the middle of the sea, found in the back of the shelf: A new giant species of *Trachylepis* (Squamata: Scincidae) from Tinhosa Grande islet, Gulf of Guinea. *Zootaxa* 3973: 511-527.
Chan, K. O. and Norhayati, A. 2010. A new insular species of *Cyrtodactylus* (Squamata: Gekkonidae) from northeastern Peninsular Malaysia, Malaysia. *Zootaxa* 2389: 47-56.
Chan, K. O., Grismer, L. L., Anuar, S., Quah, E., Muin, M. A., Savage, A. E., Grismer, J. L., Ahmad, N., Remigio, A.-C. and Greer, L. F. 2010. A new endemic rock Gecko *Cnemaspis Strauch 1887* (Squamata: Gekkonidae) from Gunung Jerai, Kedah, northwestern Peninsular Malaysia. *Zootaxa* 2576: 59-68.
Chan-ard, T. and Makchai, S. 2011. A new insular species of *Cyrtodactylus* Gray, 1827 (Squamata, Gekkonidae), from the Surin Islands, Phang-nga Province, Southern Thailand. *Thailand Natural History Museum Journal* 5: 7-15.
Chan-ard, T., Cota, M., Makchai, S. and Lhaotaew, S. 2011. A new species of *Larutia* (Squamata: Scincidae) found in peninsular Thailand. *The Thailand Natural History Museum Journal* 5: 57-65.
Chan-ard, T., Parr, J. W. K. and Nabhitabhata, J. 2015. A field guide to the reptiles of Thailand. Oxford University Press, Oxford.
Chapple, D. G. and Hitchmough, R. A. 2016. Biogeography of New Zealand lizards. Pages 109-131 in Chapple, D. G. Editor. *New Zealand lizards*. Springer, New York.
Chapple, D. G., Bell, T. P., Chapple, S. N. J., Miller, K. A., Daugherty, C. H. and Patterson, C. H. 2011. Phylogeography and taxonomic revision of the New Zealand cryptic skink (*Oligosoma inconspicuum*; Reptilia: Scincidae) species complex. *Zootaxa* 2782: 1-33.
Chavez, G., Siu-Ting, K., Duran, V. and Venegas, P. J. 2011. Two new species of Andean gymnophthalmid lizards of the genus *Euspondylus* (Reptilia, Squamata) from central and southern Peru. *ZooKeys* 109: 1-17.
Chiari, Y., Vieites, D. R., Guo, J., Bora, P. and Vences, M. 2009. High haplotype diversity in a microendemic Malagasy gecko species, *Lygodactylus mirabilis* (Pasteur, 1962). *Zootaxa* 2269: 43-52.
Chirio, L. and LeBreton, M. 2007. Atlas des reptiles du Cameroun. Publications Scientifiques du Museum national d'Histoire naturelle, Paris.
Cobos, A., Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S. and Muin, M. A. 2016. Phylogenetic relationships of geckos of the *Hemiphyllodactylus harterti* group, a new species from Penang Island, Peninsular Malaysia, and a likely case of true cryptic speciation. *Zootaxa* 4107: 367-380.
Cochran, D. M. 1927. New reptiles and batrachians collected by Dr. Hugh M. Smith in Siam. *Proceedings of the Biological Society of Washington*, 40: 179-192.
Cogger, H. G. 2000. Reptiles and amphibians of Australia. 6th ed. Sanibel Island, FL : Ralph Curtis Publishing.
Colli, G. R., Fenker, J., Tedeschi, L. G., Barreto-Lima, A. F., Mott, T. and Ribeiro, S. L. B. 2016. In the depths of obscurity: Knowledge gaps and extinction risk of Brazilian worm lizards (Squamata, Amphisbaenidae). *Biological Conservation*
- Connette, G. M., Oswald, P., Thura, M. K., Connette, K. J. L., Grindley, M. E., Songer, M., Zug, G. R. and Mulcahy, D. G. 2017. Rapid forest clearing in a Myanmar proposed national park threatens two newly discovered species of geckos (Gekkonidae: *Cyrtodactylus*). *PloS One*, 12: e0174432.
Conradie, W., Bills, R. and Branch, W. R. 2016. The herpetofauna of the Cubango, Cuito, and lower Cuando river catchments of south-eastern Angola. *Amphibian & Reptile Conservation* 10: 6-36.
Corbalan, V., Debandi, G., Scolaro, J. A. and Ojeda, A. A. 2016. DNA barcoding of *Phymaturus* lizards reveals conflicts in species delimitation within the patagonic Clade. *Journal of Herpetology*, 50: 654-666.
Corn, M. J. and Dalby, P. L. 1973. Systematics of the anoles of San Andres and Providencia islands, Colombia. *Journal of Herpetology*, 7: 63-74
Corry, E., Martin, L., Morton, M. N., Hilton, G. M., Young, R. P. and Garcia, G. 2010. A species action plan for the Montserrat galliwasp *Diploglossus montisserrati*. Department of Environment, Montserrat.
Costa, H. C., Resende, F. C., Teixeira, M., Vecchio, F. D. and Clemente, C. A. 2015. A new *Amphisbaena* (Squamata: Amphisbaenidae) from southern Espinhaço Range, southeastern Brazil. *Anais da Academia Brasileira de Ciencias (Annals of the Brazilian Academy of Sciences)* 87: 891-901.
Costandius, E. and Mouton, P. Le F. N. 2006. Sexual size dimorphism in montane cordylid lizards: a case study of the dwarf crag lizard, *Pseudocordylus nebulosus*. *African Zoology* 41: 103–112.
Couper, P. J., Covacevich, J. A. and Moritz, C. 1993. A review of the leaf-tailed geckos endemic to eastern Australia: a new genus, four new species, and other new data. *Memoirs of the Queensland Museum* 34: 95-124
Couper, P. J., Hamley, B. and Hoskin, C. J. 2008. A new species of *Phyllurus* (Lacertilia: Gekkonidae) from the Kilkivan district of south-eastern Queensland. *Memoirs of the Queensland Museum* 52: 139-147.
Couper, P. J., Sadler, R. A., Shea, G. M. and Wilmer, J. W. 2008. A reassessment of *Saltuarius swaini* (Lacertilia: Diplodactylidae) in southeastern Queensland and New South Wales; two new taxa, phylogeny, biogeography and conservation. *Records of the Australia Museum* 60: 87-118.
Couper, P. J., Limpus, C. J., McDonald, K. R. and Amey, A. P. 2010. A new species of *Proablepharus* (Scincidae: Lygosominae) from Mt Surprise, north-eastern Queensland, Australia. *Zootaxa* 2433: 62-68.
Crottini, A., Gehring, P.-S., Glaw, F., Harris, D. J., Lima, A. and Vences, M. 2011. Deciphering the cryptic species diversity of dull-coloured day geckos *Phelsuma* (Squamata: Gekkonidae) from Madagascar, with description of a new species. *Zootaxa*, 2982: 40-48.

- Crottini et al. 2012 Crottini, A., Miralles, A., Glaw, F., Harris, D. J., Lima, A. and Vences, M. 2012. Description of a new pygmy chameleon (Chamaeleonidae: Brookesia) from central Madagascar. *Zootaxa* 3490: 63-74.
- Crottini et al. 2015 Crottini, A., Harris, D. J., Miralles, A., Glaw, F., Jenkins, R. K. B., Randrianantoandro, J. C., Bauer, A. M. and Vences, M. 2015. Morphology and molecules reveal two new species of the poorly studied gecko genus *Paragehyra* (Squamata: Gekkonidae) from Madagascar. *Organisms Diversity & Evolution* 15: 175-198.
- Dandge and Tiple 2015 Dandge, P. H. and Tiple, A. D. 2015. A new species of rupicolus gecko of the genus *Hemidactylus* Oken, 1817 (Reptilia: Squamata: Gekkonidae) from Maharashtra, Central India. *Russian Journal of Herpetology* 22: 233-240. 442104, Maharashtra,
- Daniel Pincheira-Donoso School of Life Sciences, Joseph Banks Laboratories, University of Lincoln, Brayford Campus, Lincoln, LN6 7DL, UK.
- Darevsky and Orlov 1994 Darevsky, I. S. and Orlov, N. L. 1994. Eine bemerkenswerte neue, grosswuchsiges Art der Gattung Gekko: *Gekko ulikovskii* sp. nov. aus Zentralvietnam. *Salamandra* 30: 71-75.
- Darevsky and Orlov 1997 Darevsky, I. S. and Orlov, N. L. 1997. A new genus and species of scincid lizard from Vietnam: first asiatic skink with double rows of basal subdigital pads. *Journal of Herpetology* 31: 323-326.
- Das 1991 Das, I. 1991. A new species of *Mabuya* from Tamil Nadu State, Southern India (Squamata: Scincidae). *Journal of Herpetology* 25: 342-344.
- Das 1993 Das, I. 1993. *Cnemaspis gordongekkoi*, a new gecko from Lombok, Indonesia, and the biogeography of oriental species of *Cnemaspis* (Squamata: Sauria: Gekkonidae). *Hamadryad* 18: 1-9.
- Das 1999 Das, I. 1999. *Anguis melanostictus* Schneider, 1801, a valid species of *Barkudia* (Sauria: Scincidae) from southeastern India. *Asiatic Herpetological Research* 8: 13-17.
- Das 2004 Das, I. 2004. *Lizards of Borneo*. Natural History Publications (Borneo), Kota Kinabalu.
- Das 2005 Das, I. 2005. Revision of the genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae), from the Mentawai and adjacent archipelagos off western Sumatra, Indonesia, with the description of four new species. *Journal of Herpetology* 39: 233-247.
- Das 2007 Das, I. 2007. "Not available". Lizard species erroneously or doubtfully reported from Borneo. *Sarawak Museum Journal, New Series* 62: 151-174.
- Das and Lakim 2008 Das, I. and Lakim, M. 2008. A second specimen of *Complicitus nigrigularis* (Ota & Hikida, 1991). *Hamadryad* 32: 82-84.
- Das and Leong 2004 Das, I. and Leong, T.-M. 2004. A new species of *Cnemaspis* (Sauria: Gekkonidae) from Southern Thailand. *Current Herpetology* 23: 63-71.
- Das and Lim 2003 Das, I. and Lim, K. K. P. 2003. Two new species of *Dibamus* (Squamata: Dibamidae) from Borneo. *Raffles Bulletin of Zoology* 51: 137-141.
- Das and Lim 2005 Das, I. and Lim, K. K. P. 2005. New species of *Dibamus* (Squamata: Dibamidae) from Pulau Nias, Indonesia. *Journal of Herpetology*, 39: 113-117.
- Das and Lim 2009 Das, I. and Lim, K. K. P. 2009. A new species of *Dibamus* (Squamata: Dibamidae) from Pulau Simeuleu, Mentawai Archipelago, Indonesia. *Zootaxa* 2088: 15-23.
- Das and Yaakob 2003 Das, I. and Yaakob, N. 2003. A new species of *Dibamus* (Squamata: Dibamidae) from Peninsular Malaysia. *Raffles Bulletin of Zoology*, 51: 149-153.
- Das et al. 1998 Das, I., Dattagupta, B. and Gayen, N. 1998. Systematic status of *Lygosoma himalayana* *tragbulensis* Alcock, "1897" 1898. (Sauria: Scincidae) collected by the Pamir boundary commission, 1885. *Russian Journal of Herpetology* 5: 147-150.
- Datta-Roy et al. 2013 Datta-Roy, A., Das, I., Bauer, A. M., Tron, R. K. L. and Karanth, P. 2013. Lizard wears shades. A spectacled *Sphenomorphus* (Squamata: Scincidae), from the sacred forests of Mawphlang, Meghalaya, North-east India. *Zootaxa* 3701: 257-276.
- David et al. 2011 David, P., Nguyen, T. Q., Schneider, N., and Ziegler, T. 2011. A new species of the genus *Cyrtodactylus* Gray, 1827 from central Laos (Squamata: Gekkonidae). *Zootaxa* 2833: 29-40.
- Davis et al. 2014 Davis, D. R., Feller, K. D., Brown, R. M. and Siler, C. D. 2014. Evaluating the diversity of Philippine slender skinks of the *Brachymeles bonitae* complex (Reptilia: Squamata: Scincidae): redescription of *B. tridactylus* and descriptions of two new species. *Journal of Herpetology*, 48: 480-494.
- Davis et al. 2016 Davis, D. R., Geheber, A. D., 2., Watters, J. L., Penrod, M. L., Feller, K. D., Ashford, A., Kouri, J., Nguyen, D., Shauberger, K., Sheatsley, K., Winfrey, C., Wong, R., Sanguila, M. B., Brown, R. M. and Siler, C. D. 2016. Additions to Philippine slender skinks of the *Brachymeles bonitae* Complex (Reptilia: Squamata: Scincidae) III: a new species from Tablas Island. *Zootaxa* 4132: 30-43.
- de Espinoza 1983 de Espinoza, C. N. 1983. List of Peruvian *Anolis* with distributional data (Sauria: Iguanidae). Pages 406-411 in Rhodin, A. and K. Miyata, editors. *Advances in Herpetology and Evolutionary Biology*. Museum of Comparative Zoology, Cambridge, MA.
- de Freitas et al. 2012 Freitas, M. A., Verissimo, D. and Uhlig, V. 2012. Squamate reptiles of the central Chapada Diamantina, with a focus on the municipality of Mucuge, state of Bahia, Brazil. *Check List*, 8: 16-22.
- de Oca et al. 2017 de Oca, A. N.-M. Barley, A. J., Meza-Lazaro, R. N., Garcia-Vazquez, U. O., Zamora-Abrego, J. G., Thomson, R. C. and Leache, A. D. 2017. Phylogenomics and species delimitation in the knob-scaled lizards of the genus *Xenosaurus* (Squamata: Xenosauridae) using ddRADseq data reveal a substantial underestimation of diversity. *Molecular Phylogenetics and Evolution* 106: 241-253.
- de Witte 1933 de Witte, G. F. 1933. *Batraciens et reptiles recueillis par M.L. Burgeon au Ruwenzori, au Kivu et au Tanganika*. *Revue de Zoologie et de Botanique Africaine* 24: 111-123.
- Deepak et al. 2016 Deepak, V., Giri, V. B., Asif, M., Dutta, S. K., Vyas, R., Zambre, A. M., Bhosale, H. and Karanth, K. P. 2016. Systematics and phylogeny of *Sitana* (Reptilia: Agamidae) of Peninsular India, with the description of one new genus and five new species. *Contributions to Zoology*, 85: 67-111.
- Deepak et al. 2016a Deepak, V., Giri, V. B., Asif, M., Dutta, S. K., Vyas, R., Zambre, A. M., Bhosale, H. and Karanth, K. P. 2016. Systematics and phylogeny of *Sitana* (Reptilia: Agamidae) of Peninsular India, with the description of one new genus and five new species. *Contributions to Zoology*, 85: 67-111.
- Del Canto 2007 Del Canto, R. 2007. Notes on the Occurrence of *Varanus auffenbergi* on Roti Island. *Biawak* 1: 24-25.
- Demangel 2016 Demangel, D. 2016. *Guia de Campo. Reptiles del centro sur de Chile*. la Corporación Chilena de la Madera, Corma. Concepcion.
- Diaz and Cadiz 2012 Diaz, L. M. and Cadiz, A. 2012. The rediscovery of the Guantanamo striped curlytail (Leiocephalus onaneyi). *IRCF Reptiles & Amphibians*, 19: 11-13.
- Diaz et al. 1996 Diaz, L. M., Estrada, A. R. and Moreno, L. V. 1996. A new species of *Anolis* (Sauria: Iguanidae) from the Sierra de Trinidad, Sancti Spiritus, Cuba. *Caribbean Journal of Science*, 32: 54-58.
- Dirksen and De la Riva 1999 Dirksen, L. and De la Riva, I. 1999. The lizards and amphisbaenians of Bolivia (Reptilia, Squamata): checklist, localities, and bibliography. *Graellsia* 55: 199-215.
- Doan and Adams 2015 Doan, T. M. and Adams, G. 2015. A novel species of *Euspondylus* (Squamata: Gymnophthalmidae) from the Andes Mountains of central Peru. *Zootaxa* 4033: 129-136.
- Doan and Lamar 2012 Doan, T. M. and Lamar, W. W. 2012. A new montane species of *Cercosaura* (Squamata: Gymnophthalmidae) from Colombia, with notes on the distribution of the genus. *Zootaxa* 3565: 44-54.
- Doan and Schargel 2003 Doan, T. M. and Schargel, W. E. 2003. Bridging the gap in Proctoporus distribution: a new species (Squamata: Gymnophthalmidae) from the Andes of Venezuela. *Herpetologica* 59: 68-75.
- Donnelly and Myers 1991 Donnelly, M.A. and Myers, C.W. 1991. Herpetological results of the 1990 Venezuelan Expedition to the summit of Cerro Guaiquinima, with new tepui reptiles. *American Museum Novitates* (3017): 1-54.
- Donnelly et al. 2006 Donnelly, M. A., Macculloch, R. D., Ugarte, C. A. and Kizirian, D. 2006. A new riparian gymnophthalmid (Squamata) from Guyana. *Copeia*, 2006: 396-403.
- Donoso-Barros 1973 Donoso-Barros, R. 1973. Un nuevo saurio de Bolivia (Lacertilia Iguanidae). *Neotropica*, 19: 132-134.
- Downs and Wirminghaus 1997 Downs, C. T. and Wirminghaus, J. O. 1997. The terrestrial vertebrates of the Bazaruto Archipelago, Mozambique: a biogeographical perspective. *Journal of Biogeography*, 24: 591-602.
- Dunger 1964 Dunger, G. T. 1964. *Baikia africana* (family Amphisbaenidae): ecology and individual variation. *Annals and Magazine of Natural History, Series* 13, 7: 217-221.
- Dunger 1968 Dunger, G. T. 1968. The lizards and snakes of Nigeria. Part 5: The amphisbaenids of Nigeria including a description of 3 new species. *Nigerian Field* 33: 167-192.
- Dunn 1927 Dunn, E. R. 1927. Results of the Douglas Burden Expedition to the Island of Komodo. 3. Lizards from the East Indies. *American Museum novitates* 288: 1-13.
- Echevarria and Venegas 2015 Echevarria, L. Y. and Venegas, P. J. 2015. A new elusive species of *Petracola* (Squamata: Gymnophthalmidae) from the Utcubamba basin in the Andes of northern Peru. *Amphibian & Reptile Conservation* 9: 26-33.

- Echevarria et al. 2015 Echevarria, L. Y., Barboza, A. C. and Venegas, P. J. 2015. A new species of montane gymnophthalmid lizard, genus *Cercosaura* (Squamata: Gymnophthalmidae), from the Amazon slope of northern Peru. *Amphibian & Reptile Conservation* 9: 34-44.
- Eifler and Eifler 2014 Eifler, D. A. and Eifler, M. A. 2014. Social foraging in the lizard *Ameiva corax*. *Behavioral Ecology* 25: 1347-1352.
- Ellis and Pauwels 2012 Ellis, M. and Pauwels, O. S. G. 2012. The bent-toed geckos (*Cyrtodactylus*) of the caves and karst of Thailand. *Cave and Karst Science* 39:
- Eremchenko 2003 Eremchenko, V. K. 2003. Generic and specific redefinition and redescription of the North-Vietnam skink (*Scincella melanosticta* (Boulenger, 1887)). *Izvestiya Vuzov* (= Proceedings of Universities and Institutes), Bishkek: 20-28.
- Eremchenko et al. 1998 Eremchenko, V., Shah, K. B. and Panfilov, A. M. 1998. Two new species of skinks (Scincidae: Ligosominae) from Nepal. In: V. K. Eremchenko, N. Helfenberger, K. B. Shah and A. M. Panfilov. *News Nat. Acad. Sci. Kirgiz Republic, Bishkek* 4: 41-45.
- Esqueda et al. 2004 Esqueda, L. F., La Marca, E. and Praderio, M. J. 2004. A new species of high tepui lizard of the genus *Riolama* (Squamata: Gymnophthalmidae) from Marahuaca mountain, Amazonas state, Venezuela. *Herpetotropicos*, 1: 11-17.
- Etheridge 2000 Etheridge, R. 2000. A review of lizards of the *Liolaemus wiegmannii* group (Squamata, Iguania, Tropiduridae), and a history of morphological change in the sand-dwelling species. *Herpetological Monographs*, 14: 293-352.
- Fathinia et al. 2011 Fathinia, B., Karamiani, R., Darvishnia, H., Heidari, N. and Rastegar-Pouyani, N. 2011. A new species of Carinotoecko (Sauria: Gekkonidae) from Ilam Province, western Iran. *Amphibian and Reptile Conservation* 5: 61-74.
- Feria-Ortiz and Garcia-Vazquez 2012 Feria-Ortiz, M. and Garcia-Vazquez, U. O. 2012. A new species of Plestiodon (Squamata: Scincidae) from Sierra Madre del Sur of Guerrero, Mexico. *Zootaxa* 3339: 57-68.
- Ferner et al. 1997 Ferner, J. W., Brown, R. M. and Greer, A. E. 1997. A new genus and species of moist closed canopy forest skinks from the Philippines. *Journal of Herpetology*, 31: 187-192.
- Fitch 1976 Fitch, H. S. 1976. Sexual size differences in the mainland anoles. *Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence*. 50: 1-21.
- Flecks et al. 2012 Flecks, M., Schmitz, A., Bohme, W., Henkel, F. W. and Ineich, I. 2012. A new species of *Gehyra* Gray, 1834 (Squamata, Gekkonidae) from the Loyalty Islands and Vanuatu, and phylogenetic relationships in the genus *Gehyra* in Melanesia. *Zoosystema* 34: 203-221.
- Fong and Diaz 2004 Fong, A. and Diaz, L. M. 2004. Two new species of *Sphaerodactylus* (Sauria: Gekkonidae) from the southeastern coast of Cuba. *Solenodon* 4: 73-84.
- Fong and Garrido 2000 Fong, G. A. and Garrido, O. H. 2000. Nueva especie de *Anolis* (Sauria: Iguanidae) de la region norte de Cuba oriental. *Revista de Biología Tropical* 48: 665-670.
- Fred Kraus Department of Ecology and Evolutionary Biology, University of Michigan, Ann-Arbor, MI 48109-1048, USA.
- Fritts 1972 Fritts, T. H. 1972. New species of lizards of the genus *Stenocercus* from Peru (Sauria: Iguanidae). *Occasional Papers of the University of Kansas Museum of Natural History* 10: 1-21.
- Gamble et al. 2015 Gamble, T., Coryell, J., Ezaz, T., Lynch, J., Scantlebury, D. P. and Zarkower, D. 2015. Restriction site-associated DNA sequencing (RAD-seq) reveals an extraordinary number of transitions among gecko sex-determining systems. *Molecular Biology and Evolution* 32: 1296-1309.
- Gans 1963 Gans, C. 1963. Notes on amphisbaenids (Amphisbaenia: Reptilia). 10. Redescription and redefinition of *Amphisbaena pericensis* Noble from the Mountains of Northwestern Peru. *Breviora* 189: 1-15.
- Gans 1976 Gans, C. 1976. Three new spade-snouted amphisbaenians from Angola (Amphisbaenia, Reptilia). *American Museum Novitates* 2590: 1-11.
- Gans 1987 Gans, C. 1987. Studies on amphisbaenians (Reptilia). 7. The small round-headed species (*Cynisca*) from western Africa. *American Museum Novitates* 2896: 1-84.
- Gans and Kraklau 1989 Gans, C. and Kraklau, D. M. 1989. Studies on amphisbaenians (Reptilia) 8. Two genera of small species from East Africa (*Geocalamus* and *Loveridgea*). *American Museum Novitates* 2944: 1-28.
- Gao and Huo 2002 Gao, Z.-F. and Huo, M. 2002. Description of a new *Japalura* species from western Sichuan Province, China. *Sichuan Journal of Zoology* 21: 3-5.
- Garcia-Perez 1995 Garcia-Perez, J. E. 1995. Una nueva especie de *Ameiva bifrontata* (Sauria: Teiidae) del bolsón-rido de Lagunillas, Cordillera de Merida, Venezuela. *Revista Unellez de Ciencia y Tecnología* 13: 127-144.
- Garcia-Perez and Yustiz 1995 Garcia-Perez, J. E. and Yustiz, E. E. 1995. Una nueva especie de *Proctoporus* (Sauria: Gymnophthalmidae) de los Andes de Venezuela. *Revista de Ecología Latinoamericana* 4: 1-5.
- Garcia-Vazquez et al. 2010 Garcia-Vazquez, U. O., Canseco-Marquez, L. and Aguilar-Lopez, J. L. 2010. A new species of night lizard of the genus *Lepidophyma* (Squamata: Xantusiidae) from southern Puebla, Mexico. *Zootaxa* 2657: 47-54.
- Garrido 1982 Garrido, O. H. 1982. Nueva especie de *Anolis* (Lacertilia, Iguanidae) para Cuba. *Donana. Acta Vertebrata* 9: 131-137.
- Garrido and Hedges 1992 Garrido, O. H. and Hedges, S. B. 1992. Three new grass anoles (Sauria: Iguanidae) from Cuba. *Caribbean Journal of Science* 28: 21-29.
- Garrido and Hedges 2001 Garrido, O. H. and Hedges, S. B. 2001. A new anole from the northern slopes of the Sierra Maestra in eastern Cuba. *Journal of Herpetology* 35: 378-383.
- Garrido and Moreno 1998 Garrido, O. H. and Moreno, L. V. 1998. Nueva especie de *Anolis* (Lacertilia: Iguanidae) del Pico Turquino, Sierra Maestra, Cuba. *Avicennia* 8/9: 35-40.
- Garrison et al. 2016 Garrison, G., Phillips, M., Eifler, M. and Eifler, D. 2016. Intraspecific variation in opportunistic use of trophic resources by the lizard *Ameiva corax* (Squamata: Teiidae). *Amphibia-Reptilia* 37: 331-334.
- GBIF.org Global Biodiversity Information Facility, <http://www.gbif.org/>
- Geheber et al. 2016 Geheber, A. D., Davis, D. R., Watters, J. L., Penrod, M. L., Feller, K. D., Davey, C. S., Ellsworth, E. D., Flanagan, R. L., Heitz, B. B., Moore, T., Nguyen, M. D. C., Roberts, A., Sutto, J., Sanguila, M. B., Linkem, C. W., Brown, R. M. and Siler, C. D. 2016. Additions to Philippine slender skinks of the *Brachymeles bonitae* complex (Reptilia: Squamata: Scincidae) I: a new species from Lubang Island. *Zootaxa* 4132: 1-14.
- Geissler et al. 2012 Geissler, P., Hartmann, T. and Neang, T. 2012. A new species of the genus *Lygosoma* Hardwicke & Gray, 1827 (Squamata: Scincidae) from northeastern Cambodia, with an updated identification key to the genus *Lygosoma* in mainland Southeast Asia. *3190*: 56-68.
- Gentile and Snell 2009 Gentile, G. and Snell, H. 2009. *Conolophus marthae* sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galapagos archipelago. *Zootaxa*, 2201: 1-10.
- Gentile et al. 2016 Gentile, G., Marquez, C., Snell, H. L., Tapia, W. and Izurieta, A. 2016. Conservation of a new flagship species: The Galapagos pink land iguana (*Conolophus marthae* Gentile and Snell, 2009). Pages 315-336 in F. M. Angelici, Editor, *Pblematic wildlife. A cross-disciplinary approach*. Springer, New York.
- Giri and Bauer 2008 Giri, V. B. and Bauer, A. M. 2008. A new ground-dwelling *Hemidactylus* (Squamata: Gekkonidae) from Maharashtra, with a key to the *Hemidactylus* of India. *Zootaxa* 1700: 21-34.
- Giri et al. 2009 Giri, V. B., Agarwal, I. and Bauer, A. M. 2009. Designation of a neotype for *Cnemaspis mysoriensis* (Jerdon 1853) (Sauria: Gekkonidae), with a redescription and notes on its distribution and habitat. *Russian Journal of Herpetology* 16: 256-264.
- Giri et al. 2009c Giri, V., Bauer, A. M., Vyas, R. and Patil, S. 2009. New species of rock-dwelling *Hemidactylus* (Squamata: Gekkonidae) from Gujarat, India. *Journal of Herpetology*, 43: 385-393.
- Glaw et al. 2010 Glaw, F., Gehring, P.-S., Köhler, J., Franzen, M. and Vences, M. 2010. A new dwarf species of day gecko, genus *Phelsuma*, from the Ankarana pinnacle karst in northern Madagascar. *Salamandra* 46: 83-92.
- Glaw et al. 2012 Glaw, F., Köhler, J., Townsend, T. M. and Vences, M. 2012. Rivaling the world's smallest reptiles: discovery of miniaturized and microendemic new species of leaf chameleons (*Brookesia*) from Northern Madagascar. *PLoS ONE* 7(2): e31314.
- Glaw et al. 2014 Glaw, F., Rosler, H., Ineich, I., Gehring, P.-S., Köhler, J. and Vences, M. 2014. A new species of nocturnal gecko (*Paroedura*) from karstic limestone in northern Madagascar. *Zoosystematics and Evolution* 90: 249-259.
- Gonzalez-Gutierrez 2015 Gonzalez-Gutierrez, P. A. 2015. Distribution area of *Lioleumus confusus* Núñez & Pincheira-Donoso 2006, an endemic species of the O'Higgins Region. *Boletín Chileno de Herpetología* 2: 20-21.
- Goris and Maeda 2004 Goris, R. C. and Maeda, N. 2004. Guide to the amphibians and reptiles of Japan. Krieger Publications, Malabar, FL.
- Gorzula and Senaris 1999 Gorzula, S. and Senaris, J. C. 1999. Contribution to the herpetofauna of the Venezuelan Guayana I. A data base. *Scientia Guianae* 8: 1-270.

- Greenbaum et al. 2012 Greenbaum, E., Stanley, E. L., Kusamba, C., Moninga, W. M., Goldberg, S. R. and Bursey, C. R. 2012. A new species of *Cordylus* (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. *African Journal of Herpetology*, 61: 14-39.
- Greenbaum et al. 2012a Greenbaum, E., Stanley, E. L., Kusamba, C., Moninga, W. M., Goldberg, S. R. and Bursey, C. R. 2012. A new species of *Cordylus* (Squamata: Cordylidae) from the Marungu Plateau of south-eastern Democratic Republic of the Congo. *African Journal of Herpetology*, 61: 14-39.
- Greer 1985 Greer, A. E. 1985. The relationship of the lizard genera *Anelytropis* and *Dibamus*. *Journal of Herpetology* 19: 116-156.
- Greer 1991 Greer, A. E. 1991. Two new species of *Menetia* from northeastern Queensland, with comments on the generic diagnoses of *Lygisaurus* and *Menetia*. *Journal of herpetology*, 25: 268-272.
- Greer 1997 Greer, A. E. 1997. *Leptoseps*: A new genus of scincid lizards from Southeast Asia. *Journal of Herpetology* 31 (3): 393-398
- Greer and Haacke 1982 Greer, A. E. and Haacke, W. D. 1982. A new and unusual species of *Lygosoma* (Lacertilia: Scincidae) from the Horn of Africa. *Annals of the Transvaal Museum* 33: 153-164.
- Greer and Parker 1971 Greer, A. E. and Parker, F. 1971. A new scincid lizard from Bougainville, Solomon Islands. *Breviora* 364: 1-11.
- Grismer 2002 Grismer, L. L. 2002. Amphibians and reptiles of Baja California including its Pacific islands and the islands in the Sea of Cortes. University of California Press, Berkeley.
- Grismer 2005 Grismer, L. L. 2005. New species of bent-toed gecko (*Cyrtodactylus* Gray 1827) from Pulau Aur, Johor, West Malaysia. *Journal of Herpetology*, 39: 424-432.
- Grismer 2006 Grismer, L. L. 2006. Two new species of skinks (Genus *Sphenomorphus* Fitzinger 1843) from the Seribu Archipelago. *Herpetological Natural History* 9: 151-162.
- Grismer 2010 Grismer, L. L. 2010. The first record of the genus *Cnemaspis* Strauch (Squamata: Gekkonidae) from Laos with the description of a new species. *Zootaxa*, 2475: 55-63.
- Grismer 2011 Grismer, L. L. 2011. Lizards of Peninsular Malaysia, Singapore and their adjacent archipelagos. Edition Chimaira, Frankfurt am Main.
- Grismer and Das 2006 Grismer, L. L. and Das, I. 2006. A new species of gekkonid lizard of the genus *Cnemaspis* Strauch 1887 from Pulau Pemanggil, Johor, West Malaysia. *Herpetological Natural History* 10: 1-7.
- Grismer and Ngo 2007 Grismer, L. L. and Ngo, V. T. 2007. Four new species of the gekkonid genus *Cnemaspis* Strauch 1887 (Reptilia: Squamata) from southern Vietnam. *Herpetologica*, 63: 482-500.
- Grismer and Onn 2010 Grismer, L. L. and Onn, C. K. 2010. Another new rock gecko (genus *Cnemaspis* Strauch 1887) from Pulau Langkawi, Kedah, Peninsular Malaysia. *Zootaxa*, 2419: 51-62.
- Grismer et al. 2003 Grismer, L. L., Leong, T. M. and Yaakob, N. S. 2003. Two new southeast Asian skinks of the genus *Larutia* and intrageneric phylogenetic relationships. *Herpetologica*: 59: 552-564.
- Grismer et al. 2008 Grismer, L. L., Grismer, J. L., Wood, P. L. and Onn, C. K. 2008. The distribution, taxonomy, and redescription of the geckos *Cnemaspis affinis* (Stoliczka 1887) and *C. flavolineata* (Nicholls 1949) with descriptions of a new montane species and two new lowland, karst-dwelling species from Peninsular Malaysia. *Zootaxa* 1931: 1-24.
- Grismer et al. 2008 Grismer, L. L., Grismer, J. L., Wood, P. L. and Onn, C. K. 2008. The distribution, taxonomy, and redescription of the geckos *Cnemaspis affinis* (Stoliczka 1887) and *C. flavolineata* (Nicholls 1949) with descriptions of a new montane species and two new lowland, karst-dwelling species from Peninsular Malaysia. *Zootaxa* 1931: 1-24.
- Grismer et al. 2009 Grismer, L. L., Ahmad, N. and Onn, C. K. 2009. A new, diminutive, upland *Sphenomorphus* Fitzinger 1843 (Squamata: Scincidae) from the Belum-Temengor forest complex, Peninsular Malaysia. *Zootaxa*, 2312: 27-38.
- Grismer et al. 2010 Grismer, J. L., Grismer, L. L. and Chav, T. 2010. New species of *Cnemaspis* Strauch 1887 (Squamata: Gekkonidae) from Southwestern Cambodia. *Journal of Herpetology* 44: 28-36.
- Grismer et al. 2011 Grismer, L.L., Huat, E.Q.S., Siler, C.D., ChanK. O. , Wood P.L., Grismer, J.L., Mohd Sah, S.A.M. 2011. Peninsular Malaysia's first limbless lizard: a new species of skink of the genus *Larutia* (Böhme) from Pulau Pinang with a phylogeny of the genus. *Zootaxa* 2799: 29-40
- Grismer et al. 2012 Grismer, L. L., Wood, P. L. and Lim, K. K. P. 2012. *Cyrtodactylus majulah*, a new species of bent-toed gecko (Reptilia: Squamata: Gekkonidae) from Singapore and the Riau Archipelago. *Raffles Bulletin of Zoology* 60: 487-499.
- Grismer et al. 2012b Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S., Muin, M. A., Sumontha, M., Ahmad, N., Bauer, A. M., Wangkulangkul, S., Grismer, J. L. and Pauwels, O. S. G. 2012. A phylogeny and taxonomy of the Thai-Malay Peninsula Bent-toed Geckos of the *Cyrtodactylus pulchellus* complex (Squamata: Gekkonidae): combined morphological and molecular analyses with descriptions of seven new species. *Zootaxa* 3520: 1-55.
- Grismer et al. 2013 Grismer, L. L., Anuar, S., Muin, M. A., Quah, E. S. H. and Wood, P. L. 2013. Phylogenetic relationships and description of a new upland species of Bent-toed Gecko (*Cyrtodactylus* Gray, 1827) of the *C. sworderi* complex from northeastern Peninsular Malaysia. *Zootaxa* 3616: 239-252.
- Grismer et al. 2014 Grismer, J. L., Bauer, A. M., Grismer, L. L., Thirakhupt, K., Aowphol, A., Oaks, J. R., Wood, P. L., Onn, C. K., Thy, N., Cota, M. and Jackman, T. 2014. Multiple origins of parthenogenesis, and a revised species phylogeny for the Southeast Asian butterfly lizards, *Leiolepis*. *Biological Journal of the Linnean Society* 113: 1080-1093.
- Grismer et al. 2015 Grismer, L. L., Wood, P. L., Anuar, S., Quah, E. S. H., Muin, M. A., Onn, C. K., Sumarli, A. X. and Loreda, A. I. 2015. Repeated evolution of sympatric, palaeoendemic species in closely related, co-distributed lineages of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) across a sky-island archipelago in Peninsular Malaysia. *Zoological Journal of the Linnean Society*, 174: 859-876.
- Grismer et al. 2015a Grismer, L. L., Wood, P. L., Anuar, S., Quah, E. S. H., Muin, M. A., Onn, C. K., Sumarli, A. X. and Loreda, A. I. 2015. Repeated evolution of sympatric, palaeoendemic species in closely related, co-distributed lineages of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) across a sky-island archipelago in Peninsular Malaysia. *Zoological Journal of the Linnean Society*, 174: 859-876.
- Grismer et al. 2015c Grismer, L. L., Wood, P. L., Quah, E. S. H., Anuar, S., Ngadi, E. and Ahmad, N. 2015. A new insular species of Rock Gecko (*Cnemaspis* Boulenger) from Pulau Langkawi, Kedah, Peninsular Malaysia. *Zootaxa* 3985: 203-218.
- Grismer et al. 2016 Grismer, J. L., Schulte, J. A., Alexander, A., Wagner, P., Travers, S. L., Buehler, M. D., Welton, L. J. and Brown, R. M. 2016. The Eurasian invasion: phylogenomic data reveal multiple Southeast Asian origins for Indian dragon Lizards. *BMC Evolutionary Biology* 16: 43.
- Grismer et al. 2016a Grismer, L. L., Muin, M. A., Wood, P. L., Anuar, S. and Linkem, C. W. 2016. The transfer of two clades of Malaysian *Sphenomorphus* Fitzinger (Squamata: Scincidae) into the genus *Tythoscincus* Linkem, Diesmos, & Brown and the description of a new Malaysian swamp-dwelling species. *Zootaxa* 4092: 231-242.
- Grismer et al. 2016b Grismer, L. L., Quah, E. S. H., Wood, P. L., Anuar, S., Muin, A., Davis, H. R., Murdoch, M. L., Grismer, J. L., Cota, M. and Cobos, A. J. 2016. Dragons in the mist: three new species of *Pseudocalotes* Fitzinger (Squamata: Agamidae) from the sky island archipelago of Peninsular Malaysia. *Zootaxa* 4136: 461-490.
- Grismer et al. 2016c Grismer, L. L., Wood, P. L., Anuar, S., Davis, H. R. Cobos, A. J. and Murdoch, M. L. 2016. A new species of karst forest Bent-toed Gecko (genus *Cyrtodactylus* Gray) not yet threatened by foreign cement companies and a summary of Peninsular Malaysia's endemic karst forest herpetofauna and the need for its conservation. *Zootaxa* 4061: 1-17.
- Grismer et al. 2016d Grismer, L. L., Wood, P. L., Anuar, S., Grismer, M. S., Quah, E. S. H., Murdoch, M. L., Muin, M. A., Davis, H. R., Aguilar, C., Klabacka, R., Cobos, A. J., Aowphol, A. and Sites, J. W. 2016. Two new Bent-toed Geckos of the *Cyrtodactylus pulchellus* complex from Peninsular Malaysia and multiple instances of convergent adaptation to limestone forest ecosystems. *Zootaxa* 4105: 401-429.
- Gutsche and Streich 2009 Gutsche, A. and Streich, W. J. 2009. Demography and endangerment of the Utila Island spiny-tailed iguana, *Ctenosaura bakeri*. *Journal of Herpetology*, 43: 105-113.
- Haacke 1997 Haacke, W. D. 1997. Systematics and biogeography of the southern African scincine genus *Typhlacontias* (Reptilia: Scincidae). *Bonner Zoologische Beiträge* 47: 139-163.
- Hailey et al. 2011 Hailey, A., Wilson, B. S., and Horrocks, J. A. editors. 2011. Conservation of Caribbean Island herpetofaunas volume 2: regional accounts of the West Indies. Brill, Leiden.
- Hallermann 2000 Hallermann, J. 2000. A new species of *Calotes* from the Moluccas (Indonesia) with notes on the biogeography of the genus (*Sauria*: Agamidae). *Bonner Zoologische Beiträge* 49: 155-163.
- Hallermann 2004 Hallermann, J. 2004. A new species of the genus *Bronchocela* from the tropical rain forest of southern Vietnam. *Russian Journal of Herpetology*, 11: 30-34.
- Hallermann 2005 Hallermann, J. 2005. A taxonomic review of the genus *Bronchocela* (Squamata: Agamidae), with description of a new species from Vietnam. *Russian Journal of Herpetology* 12: 167-182.

- Hallmen and Huy 2012
 Harikrishnan et al. 2012
 Harris 1994
 Harris and Ayala 1987
 Harris and Kluge 1984
 Hartmann et al. 2016
 Harvey et al. 2014
 Harvey et al. 2015
 Harvey et al. 2016
 Hedges and Conn 2012
 Hedges et al. 2016
 Heredia et al. 2013
 Heredia et al. 2014
 Hewitt and Methuen 1913
 Hews 1993
 Hikida 1989
 Hikida et al. 2002
 Honda et al. 1997
 Honda et al. 2001
 Hoogmoed 1989
 Horner 2007
 Horner 2007a
 Hoskin 2013
 Hoskin 2014
 Hoskin and Couper 2004
 Hoskin and Couper 2013
 Hoskin and Couper 2014
 Hoskin and Higgie 2008
 Hosseinzadeh et al. 2014
http://calphotos.berkeley.edu/cgi/img_query?enlarge=0000+0000+
<http://herpatlas.sdnhm.org/species/overview/swollen-nosed-side-bl>
<http://socoislands.weebly.com/reptiles.html>
<http://www.anoleannals.org/2016/05/24/carrot-rock-and-the-enden>
<http://www.anoleannals.org/2016/06/02/first-ever-recorded-introduct>
<http://www.flickrriver.com/search/Hemiphyllocladactylus+chiangmaie>
<http://www.ms-goniurosaurus.de/Fertige%20Homepage%20Gecko>
http://www.natureswindow.dk/Cyrtodactylus_soba.html
 Huerta et al. 2015
 Ibarra-Vidal 2005
 inaturalist
 Indraneil Das
 Ineich 1999
 Ineich 2008
 Ineich and Chirio 2000
 Ineich and Chirio 2004
 Ineich et al. 2004
 Ineich et al. 2016
 Hallmen, M. and Huy, A. 2012. *Anolis utilensis* (Uta anole). Habitat. Herpetological Review 43: 642-643.
 Harikrishnan, S., Chandramouli, S. R. and Vasudevan, K. 2012. A survey of herpetofauna on Long Island, Andaman and Nicobar Islands, India. Herpetological Bulletin 119: 19-28.
 Harris, D. M. 1994. Review of the teiid lizard genus *Ptychoglossus*. Herpetological Monographs, 8: 226-275.
 Harris, D. M. and Ayala, S. C. 1987. A new *Anadia* (Sauria: Teiidae) from Colombia and restoration of *Anadia pamplonensis* Dunn to species status. Herpetologica 43: 182-190.
 Harris, D. M. and Kluge, A. G. 1984. The *Sphaerodactylus* (Sauria: Gekkonidae) of Middle America. Occasional Papers of the Museum of Zoology, University Of Michigan 706: 1-54.
 Hartmann, L., Mecke, S., Kieckbusch, M., Mader, F. and Kaiser, H. 2016. A new species of bent-toed gecko, genus *Cyrtodactylus* Gray, 1827 (Reptilia: Squamata: Gekkonidae), from Jawa Timur Province, Java, Indonesia, with taxonomic remarks on *C. fumosus* (Muller, 1895). Zootaxa 4067: 552-568.
 Harvey, M. B., Hamidy, A., Kurniawan, N., Shaney, K. and Smith, E. N. 2014. Three new species of *Pseudocalotes* (Squamata: Agamidae) from southern Sumatra, Indonesia. Zootaxa 3841: 211-238.
 Harvey, M. B., O'connell, K. A., Barraza, G., Riyanto, A., Kurniawan, N. and Smith, E. N. 2015. Two new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the Southern Bukit Barisan Range of Sumatra and an estimation of their phylogeny. Zootaxa 4020: 495-516.
 Harvey, M. B., O'connell, K. A., Wostl, E., Riyanto, A., Kurniawan, N., Smith, E. N. and Grismer, L. L. 2016. Redescription *Cyrtodactylus lateralis* (Werner) (Squamata: Gekkonidae) and phylogeny of the prehensile-tailed *Cyrtodactylus*. Zootaxa 4107: 517-540.
 Hedges, S. B. and Conn, C. E. 2012. A new skink fauna from Caribbean islands (Squamata, Mabuyidae, Mabuyinae). Zootaxa 3288: 1-244.
 Hedges, S. B., Lorvelec, O., Barre, N., Berchel, J., Combot, M. D., Vidal, N. and Pavis, C. 2016. A new species of skink from the Guadeloupe Archipelago (Squamata, Mabuyidae, Mabuya). Caribbean Herpetology 53: 1-14.
 Heredia, V. J., Robles, C. and Halloy, M. 2013. A new species of *Liolaemus* from the darwini group (Iguania: Liolaemidae), Tucuman province, Argentina. Zootaxa 3681: 524-538.
 Heredia, V. J., Vicente, N., Robles, C. and Halloy, M. 2014. Mites in the Neotropical lizard *Liolaemus pacha* (Iguania: Liolaemidae): relation to body size, sex and season. South American Journal of Herpetology, 9: 14-19.
 Hewitt, J. and Methuen, P. A. 1913. Descriptions of some new batrachia and lacertilia from South Africa. Transactions of the Royal Society of South Africa, 3: 107-111.
 Hews, D. K. 1993. Food resources affect female distribution and male mating opportunities in the iguanian lizard *Uta palmeri*. Animal Behaviour, 46: 279-291.
 Hikida, T. 1989. A new species of *Eumeces* (Lacertilia: Scincidae) from Fujian Province, China. Copeia, 1989: 89-94.
 Hikida, T., Orlov, N. L., Nabhitabhata, J. and Ota, H. 2002. Three new depressed-bodied water skinks of the genus *Tropidophorus* (Lacertilia: Scincidae) from Thailand and Vietnam. Current Herpetology 21: 9-23.
 Honda, M., Nabhitabhata, J., Ota, H. and Hikida, T. A. 1997. New species of *Dibamus* (Squamata: Dibamidae) from Thailand. Raffles Bulletin of Zoology 45: 275-279.
 Honda, M., Ota, H., Hikida, T. and Darevsky, I. S. 2001. A new species of the worm-like lizard, *Dibamus Dumeril & Bibron* 1839 (Squamata Dibamidae), from Vietnam. Tropical Zoology 14: 119-125.
 Hoogmoed, M. S. 1989. A new species of *Amphisbaena* (Amphisbaenia: Amphisbaenidae) from Suriname. Notes on the herpetofauna of Suriname 11. Studies in honour of Dr. Pieter Wagenaar Hummelinck. Foundation for Scientific Research in Surinam and the Netherlands Antilles 123: 65-73.
 Horner, P. 2007. *Ctenotus quirinus* sp. nov. (Reptilia: Sauria: Scincidae) – a new species of skink from the Northern Territory, with the recognition of *C. brevipes* Storr, 1981 and *C. essingtonii* (Gray, 1842) as distinct species. The Beagle 23: 119-130.
 Horner, P. 2007. Systematics of the snake-eyed skinks, *Cryptoblepharus* Wiegmann (Reptilia: Squamata: Scincidae) – an Australian-based review. The Beagle, supplement 3: 21-198.
 Hoskin, C. J. 2013. A new skink (Scincidae: Saproscincus) from rocky rainforest habitat on Cape Melville, north-east Australia. Zootaxa 3722: 385-395.
 Hoskin, C. J. 2014. A new skink (Scincidae: Carlia) from the rainforest uplands of Cape Melville, north-east Australia. Zootaxa 3869: 224-236.
 Hoskin, C. J. and Couper, P. J. 2004. A new species of *Glaphyromorphus* (Reptilia: Scincidae) from Mt Elliot, north-east Queensland. Australian Journal of Zoology 52: 183-190.
 Hoskin, C. J. and Couper, P. 2013. A spectacular new leaf-tailed gecko (Carphodactylidae: Saltuaris) from the Melville Range, north-east Australia. Zootaxa 3717: 543-558.
 Hoskin, C. J. and Couper, P. 2014. Two new skinks (Scincidae: Glaphyromorphus) from rainforest habitats in north-eastern Australia. Zootaxa 3869: 1-16.
 Hoskin, C. J. and Higgie, M. 2008. A new species of velvet gecko (Diplodactylidae: Oedura) from north-east Queensland, Australia. Zootaxa 1788: 21-36.
 Hosseinzadeh, M. S., Aliabadian, M., Rastegar-Pouyani, E. and Rastegar-Pouyani, N. 2014. Morphological study of *Hemidactylus* geckos (Squamata:Gekkonidae) from Iran. Iranian Journal of Animal Biosystematics 10: 175-184.
http://calphotos.berkeley.edu/cgi/img_query?enlarge=0000+0000+0512+2323
<http://herpatlas.sdnhm.org/species/overview/swollen-nosed-side-blotched-lizard/120/>
<http://socoislands.weebly.com/reptiles.html>
<http://www.anoleannals.org/2016/05/24/carrot-rock-and-the-endemic-anolis-ernestwilliamsi/>
<http://www.anoleannals.org/2016/06/02/first-ever-recorded-introduction-of-endemic-saban-anolis-sabanus/>
<http://www.flickrriver.com/search/Hemiphyllocladactylus+chiangmaie>
<http://www.ms-goniurosaurus.de/Fertige%20Homepage%20Gecko>
http://www.natureswindow.dk/Cyrtodactylus_soba.html
 Huerta, G. E., Toro, J. S. and Ortiz, J. C. 2015. *Liolaemus lonquimayensis* (Squamata: Liolaemidae), a new lizard species for Chile without preloacal pores. Gayana 79: 94-101.
 Ibarra-Vidal, H. 2005. Nueva especie de lagartija del altiplano de Chile, *Liolaemus Lopezi* Sp.N. (Reptilia, Tropiduridae, Liolaeminae). Boletín de la Sociedad de Biología de Concepcion 76: 7-14.
 Online nature observations repository, <http://www.inaturalist.org/>
 Institute of Biodiversity and Environmental Conservation, Universiti Malaysia Sarawak, 94300 Kota Samarahan, Sarawak, Malaysia.
 Ineich, I. 1999. Reptiles & amphibiens de la Republique de Djibouti. Rapport sur la mission herpetologique.
 Ineich, I. 2008. A new arboreal *Lepidodactylus* (Reptilia: Gekkonidae) from Espiritu Santo Island, Vanuatu: from egg to holotype. Zootaxa 1918: 26-38.
 Ineich, I. and Chirio, L. 2000. Description d'un nouveau scincide de Republique Centrafricaine (Lacertilia: Mabuya pendeana). Bulletin de la Societe Zoologique de France 125: 197-204.
 Ineich, I. and Chirio, L. 2004. L'archipel afro-montagnard et les affinités de son herpetofaune: description d'une espe`ce nouvelle indiquant des relations phyletiques entre le Cameroun et l'Afrique de l'est (Lacertilia, Scincidae, genre *Trachylepis*). Bulletin de la Societe Zoologique de France 129: 317–331.
 Ineich, I., Schmitz, A., Chirio, L. and LeBreton, M. 2004. New species of *Leptosiphos* (Scincidae) from Adamaoua Massif, Central-Northern Province, Cameroon. Journal of Herpetology 38: 546-550.
 Ineich, I., Glaw, F. and Vences, M. 2016. A new species of *Blaesodactylus* (Squamata: Gekkonidae) from Tsingy limestone outcrops in Namoroka National Park, north-western Madagascar. Zootaxa 4109: 523-541.

- Inger and Stuebing 1994
Inger, R. F. and Stuebing, R. B. 1994. First record of the lizard genus *Pseudocalotes* (Lacertilia: Agamidae) in Borneo, with description of a new species. *Raffles Bulletin of Zoology*, 42: 961-965.
- Inger et al. 2001
Inger, R. F., Lian, T. F., Lakim, M. and Yambun, P. 2001. New species of the lizard genus *Sphenomorphus*, (Lacertilia: Scincidae), with notes on ecological and geographic distribution of species in Sabah, Malaysia. *Raffles Bulletin of Zoology* 49: 181-189.
- Ingram 1991
Ingram, G. J. 1991. Five new skinks from Queensland rainforests. *Memoirs of the Queensland Museum* 30: 443-453.
- Ingram and Czechura 1990
Ingram, G. J. and Czechura, G. V. 1990. Four new species of striped skinks from Queensland. *Memoirs of the Queensland Museum* 29: 407-410.
- Iskandar et al. 2011
Iskandar, D. T., Rachmansah, A. and Umilaela 2011. A new bent-toed gecko of the genus *Cyrtodactylus* Gray, 1827 (Reptilia, Gekkonidae) from Mount Tompotika, eastern peninsula of Sulawesi, Indonesia. *Zootaxa* 2838: 65-78.
- Iskandar et al. 2017
Iskandar, D. T., McGuire, J. A. and Amarasinghe, A. A. T. 2017. Description of five new day geckos of *Cnemaspis kandiana* group (Sauria:Gekkonidae) from Sumatra and Mentawai Archipelago, Indonesia. *Journal of Herpetology*, 51: 142-153.
- Iturriaga and Gonzalez 2015
Iturriaga, M. and Gonzalez, A. 2015. *Sphaerodactylus bromeliarum*. Size record. *Herpetological Review* 46: 635.
- IUCN
International Union For the Conservation of Nature, <http://www.iucnredlist.org/technical-documents/spatial-data>
- Jacobsen et al. 2014
Jacobsen, N. H. G., Kuhn, A. L., Jackman, T. R. and Bauer, A. M. 2014. A phylogenetic analysis of the southern African gecko genus *Afroedura* Loveridge (Squamata: Gekkonidae), with the description of nine new species from Limpopo and Mpumalanga provinces of South Africa. *Zootaxa* 3846: 451-501.
- Janzen 2011
Janzen, P. 2011. Morningside, ein abgelegener Hotspot in Sri Lanka. *Iguana Rundschreiben* 24 (1): 5-11
- Jean-François Trape
Institut de Recherche pour le Développement, Laboratoire de Paludologie et Zoologie Médicale, UMR MIVEGEC, Dakar, Senegal.
- Jono et al. 2015
Jono, T., Bauer, A. M., Brennan, I. and Mori, A. 2015. New species of *Blaesodactylus* (Squamata: Gekkonidae) from Tsingy karstic outcrops in Ankarana National Park, northern Madagascar. *Zootaxa* 3980: 406-416.
- Kamali and Anderson 2015
Kamali, K. and Anderson, S. C. 2015. A new Iranian *Phrynocephalus* (Reptilia: Squamata: Agamidae) from the hottest place on earth and a key to the genus *Phrynocephalus* in southwestern Asia and Arabia. *Zootaxa* 3904: 249-260.
- Karges and Wright 1987
Karges, J. P. and Wright, J. W. 1987. A new species of *Barisia* (Sauria, Anguidae) from Oaxaca, Mexico. *Contributions in Science of the Natural History Museum of Los Angeles County* 381: 1-11.
- Karin et al. 2016
Karin, B. R., Metallinou, M., Weinell, J. L., Jackman, T. R. and Bauer, A. M. 2016. Resolving the higher-order phylogenetic relationships of the circumtropical *Mabuya* group (Squamata: Scincidae): An out-of-Asia diversification. *Molecular Phylogenetics and Evolution* 102: 220-232.
- Karsten et al. 2009
Karsten, K. B., Andriamandimbarisoa, L. N., Fox, S. F. and Raxworthy, C. J. 2009. Sexual selection on body size and secondary sexual characters in 2 closely related, sympatric chameleons in Madagascar. *Behavioral Ecology* 20: 1079-1088.
- Kathriner et al. 2014
Kathriner, A., Bauer, A. M., O'shea, M., Sanchez, C. and Kaiser, H. 2014. Hiding in plain sight: a new species of bent-toed gecko (Squamata: Gekkonidae: *Cyrtodactylus*) from West Timor, collected by Malcolm Smith in 1924. *Zootaxa* 3900: 555-568.
- Khan 1993
Khan, M. S. 1993. A new angular-toed gecko from Pakistan, with remarks on the taxonomy and a key to the species belonging to genus *Cyrtodactylus* (Reptilia: Sauria: Gekkonidae). *Pakistan Journal of Zoology* 25: 67-73.
- Khan 2001
Khan, M. S. 2001. Taxonomic notes on angular-toed Gekkota of Pakistan, with description of a new species of genus *Cyrtopodion*. *Pakistan Journal of Zoology* 31: 13-24.
- Khan 2006
Khan, M. S. 2006. The amphibians and reptiles of Pakistan. Krieger Publishing Company, Malabar.
- Khan and Khan 1997
Khan, M. S. and Khan, M. R. Z. 1997. A new skink from the Thal Desert of Pakistan. *Asiatic Herpetological Research* 7: 61-67.
- Kingdon and Spawls 2010
Kingdon, R. and Spawls, S. 2010. A new gregarious species of *Trachylepis* (Reptilia: Sauria: Scincidae) from Lolui Island, Lake Victoria, Uganda, with a key to Ugandan *Trachylepis*. *African Journal of Herpetology*, 59: 123-132.
- Kissling et al. 2016
Kissling, W. D., Blach-Overgaard, A., Zwaan, R. E. and Wagner, P. 2016. Historical colonization and dispersal limitation supplement climate and topography in shaping species richness of African lizards (Reptilia: Agamidae). *Scientific Reports* 6: 34014.
- Koch et al. 2011
Koch, C., Venegas, P. J., Garcia-Bravo, A. and Bohme, W. 2011. A new bush anole (Iguanidae, Polychrotinae, *Polychrus*) from the upper Marañon basin, Peru, with a redescription of *Polychrus peruvianus* (Noble, 1924) and additional information on *P. guttuosus* Berthold, 1845. *ZooKeys* 141: 79-107.
- Koch et al. 2014
Koch, A., Ernst, N., Eidenmuller, B. and Kraus, F. 2014. New data on the rare *Varanus bogerti* Mertens, 1950 and *V. telenesetes* Sprackland, 1991 (Squamata: Varanidae), two endemic monitor lizard taxa from island groups off southeastern New Guinea. *Herpetological Journal* 24: 111-122.
- Kohler 1996
Kohler, G. 1996. Additions to the known herpetofauna of the Isla de Utila (Islas de la Bahía, Honduras) with description of a new species of the genus *Norops* (Reptilia: Iguanidae). *Senckenbergiana Biologica* 76: 19-28.
- Kohler 2003
Kohler, G. 2003. A new species of *Morunasaurus* from Peru (Reptilia, Squamata, Hoplocercidae). *Senckenbergiana Biologica* 82: 235-241.
- Kohler 2008
Kohler, G. 2008. Reptiles of Central America. 2nd edition. Herpeton Verlag, Offenbach.
- Kohler 2011
Kohler, G. 2011. A new species of anole related to *Anolis altae* from Volcan Tenorio, Costa Rica (Reptilia, Squamata, Polychrotidae). *Zootaxa* 3120: 29-42.
- Kohler and Hedges 2016
Kohler, G. and Hedges, S. B. 2016. A revision of the green anoles of Hispaniola with description of eight new species (Reptilia, Squamata, Dactyloidae). *Novitates Caribaea* 9: 1-135.
- Kohler and Lehr 2004
Kohler, G. and Lehr, E. 2004. Comments on *Euspondylus* and *Proctoporus* (Squamata: Gymnophthalmidae) from Peru, with the description of three new species and a key to the Peruvian species. *Herpetologica* 60: 501-518.
- Kohler and Lehr 2015
Kohler, G. and Lehr, E. 2015. Two new species of lizards of the genus *Stenocercus* (Iguania, Tropiduridae) from central Peru. *Zootaxa* 3956: 413-427.
- Kohler and Smith 2008
Kohler, G. and Smith, E. N. 2008. A new species of anole of the *Norops scheidei* group from western Guatemala (Squamata, Polychrotidae). *Herpetologica*, 64: 216-223.
- Kohler et al. 2010
Kohler, G., Dehling, D. M. and Kohler, J. 2010. Cryptic species and hybridization in the *Anolis polylepsis* complex, with the description of a new species from the Osa Peninsula, Costa Rica (Squamata: Polychrotidae). *Zootaxa* 2718: 23-38.
- Kohler et al. 2010a
Kohler, J., Vences, M., Erbacher, M. and Glaw, F. 2010. Systematics of limbless scincid lizards from northern Madagascar: morphology, phylogenetic relationships and implications for classification (Squamata: Scincidae). *Organisms Diversity and Evolution* 10: 147-159.
- Kohler et al. 2016
Kohler, G., Bobadilla, M. J. R. and Hedges, S. B. 2016. A new dune-dwelling lizard of the genus *Leiocephalus* (Iguania, Leiocephalidae) from the Dominican Republic. *Zootaxa* 4121: 517-532.
- Kok 2005
Kok, P. J. R. 2005. A new genus and species of gymnophthalmid lizard (Squamata: Gymnophthalmidae) from Kaieteur National Park, Guyana. *Biologie*, 75: 35-45.
- Kok 2008
Kok, P. J. R. 2008. A new highland species of *Arthrosaura* Boulenger, 1885 (Squamata: Gymnophthalmidae) from Maringma tepui on the border of Guyana and Brazil. *Zootaxa* 1909: 1-15.
- Kok 2009
Kok, P. J. R. 2009. Lizard in the clouds: a new highland genus and species of *Gymnophthalmidae* (Reptilia: Squamata) from Maringma tepui, western Guyana. *Zootaxa* 1992: 53-67.
- Kok 2011
Kok, P. J. R. 2011. A new species of the genus *Gonatodes* Fitzinger, 1843 (Reptilia: Sphaerodactylidae) from central Guyana, northern South America. *Zootaxa* 3018: 1-12.

- Kok 2015
- Konlek and Lauhachinda 2008
- Kopstein 1926
- Kopstein 1927
- Kraus 2005
- Kraus 2008
- Krause et al. 2013
- Kunya et al. 2014
- Kunya et al. 2015
- Kunz and Borges-Martins 2013
- Kurita and Hikida 2014
- Kurita et al. 2017
- La Marca and Garcia Perez 1990
- La Marca and Garcia-Perez 1990
- Lancini 1963
- Lanza 1978
- Lanza 1983
- Lanza and Poggesi 1975
- Laurent 1982
- Lazcano et al. 2011
- Lazell 1964
- Lazell 1983
- Le et al. 2016
- Lidh de Jeude 1905
- Lin and Yao 2016
- Linkem and Brown 2013
- Linkem et al. 2008
- Linkem et al. 2010
- Lloyd 2015
- Lobo and Nenda 2015
- Lobo et al. 2010
- Lobo et al. 2013
- Loehr 2010
- Logan et al. 2013
- Lopez-Victoria et al. 2011
- Lopez-Victoria et al. 2013
- Lotzkat et al. 2010
- Loveridge 1932
- Loveridge 1941
- Lovich 2001
- Luu et al. 2011
- Luu et al. 2014a
- Luu et al. 2014b
- Luu et al. 2014b
- Luu et al. 2015a
- Luu et al. 2015a
- Kok, P. J. R. 2015. A new species of the Pantepui endemic genus *Riolama* (Squamata: Gymnophthalmidae) from the summit of Murisipán-tepui, with the erection of a new gymnophthalmid subfamily. *Zoological Journal of the Linnean Society*, 174: 500-518.
- Konlek, K. and Lauhachinda, V. 2008. Species of reptile in limestone forest and religious territory, Khaowong Subdistrict, Phra Phutthabat District, Saraburi Province. *Journal of Wildlife in Thailand*, 15: 54-67.
- Kopstein, P. F. 1926. Reptilien von den Molukken und den benachbarten Inseln. *Zoologische Mededelingen* 1: 71-112.
- Kopstein, P. F. 1927. Die reptilienfauna der Sula-Inseln. *Treubia*, 9: 437-446.
- Kraus, F. 2005. The genus *Nactus* (Lacertilia : Gekkonidae): a phylogenetic analysis and description of two new species from the Papuan Region. *Zootaxa* 1061: 1-28.
- Kraus, F. 2008. Taxonomic partitioning of *Cyrtodactylus louisianensis* (Lacertilia: Gekkonidae) from Papua New Guinea. *Zootaxa* 1883: 1-27.
- Krause, V., Ahmadzadeh, F., Moazeni, M., Wagner, P. and Wilms, T. M. 2013. A new species of the genus *Tropicolotes* Peters, 1880 from western Iran (Squamata: Sauria: Gekkonidae). *Zootaxa* 3716: 22-38.
- Kunya, K., Panmongkol, A., Pauwels, O. S. G., Sumontha, M., Meewasana, J., Bunkhwamdi, W. and Dangri, S. 2014. A new forest-dwelling Bent-toed Gecko (Squamata: Gekkonidae: *Cyrtodactylus*) from Doi Suthep, Chiang Mai Province, northern Thailand. *Zootaxa* 3811: 251-261.
- Kunya, K., Sumontha, M., Panitvong, N., Dongkumfu, W., Sirisamphan, T. and Pauwels, O. S. G. 2015. A new forest-dwelling bent-toed gecko (Squamata: Gekkonidae: *Cyrtodactylus*) from Doi Inthanon, Chiang Mai Province, northern Thailand. *Zootaxa* 3905: 573-584.
- Kunz, T. S. and Borges-Martins, M. 2013. A new microendemic species of *Tropidurus* (Squamata: Tropiduridae) from southern Brazil and revalidation of *Tropidurus catalanensis* Gudynas & Skuk, 1983. *Zootaxa* 3681: 413-439.
- Kurita, K. and Hikida, T. 2014. A newspecies of *Plestiodon* (Squamata: Scincidae) from Kuchinoshima Island in the Tokara Group of the Northern Ryukyus, Japan. *Zoological Science* 31: 464-474.
- Kurita, T., Nishikawa, K., Matsui, M. and Hikida, T. 2017. A new species of rock gecko genus *Cnemaspis* (Squamata: Gekkonidae) from Western Sarawak, Malaysia. *Zootaxa*, 4258: 525-538.
- La Marca, E. and Garcia Perez, J. E. 1990. A new species of high Andean *Anadia* (Sauria: Teiidae) from Paramo el Riecito, Estado Trujillo, Venezuela. *Herpetologica* 46: 275-282.
- La Marca, E. and Garcia-Perez, J. E. 1990. A new species of high Andean *Anadia* (Sauria: Teiidae) from Paramo el Riecito, Estado Trujillo, Venezuela. *Herpetologica* 46: 275-282.
- Lancini, A. R. 1963. Una nueva especie del genero *Amphisbaena* (Sauria: Amphisbaenidae) de Venezuela. *Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas, Zoologia*, 6: 1-3.
- Lanza, B. 1978. On some new or interesting east African amphibians and reptiles. *Monitore Zoologico Italiano Supplemento* 10: 229-297.
- Lanza, B. 1983. A list of the Somali amphibians and reptiles. *Monitore Zoologico Italiano, New Series, Supplement* 18: 193-247.
- Lanza, B. and Poggesi, M. 1975. On a new *Eremias* from central Somalia. *Monitore Zoologico Italiano, Supplemento*, 6: 305-312.
- Laurent, R. F. 1982. Deux lizards interessants de la cuvette centrale zairoise. *Revue De Zoologie Africaine* 96: 439-444.
- Lazcano, D., Arnaud, G., Cruz, O. and Garcia-Padilla, E. 2011. Notes on the herpetofauna of the Northwest of Mexico: herpetofauna of Isla El Muerto, Ensenada, Baja California, Mexico. *Bulletin of the Chicago Herpetological Society* 46: 129-133.
- Lazell, J. D. 1964. The anoles (Sauria: Iguanidae) of the Guadeloupen Archipelago. *Bulletin of the Museum of Comparative Zoology* 131: 359-401.
- Lazell, J. D. 1983. Biogeography of the herpetofauna of the British Virgin Islands, with description of a new anole (Sauria: Iguanidae). Pages 100-117 in Rhodin, A. and K. Miyata, editors. *Advances in Herpetology and Evolutionary Biology. Museum of Comparative Zoology. Cambridge, MA.*
- Le, D. T., Nguyen, T. Q., Le, M. D. and Ziegler, T. 2016. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from Ninh Binh Province, Vietnam. *Zootaxa* 4162: 268-282.
- Lidh de Jeude, T. V. 1905. Zoological results of the Dutch scientific expedition to central Borneo. The reptiles. Part I. Lizards. Notes from the Leyden Museum, 25: 187-202.
- Lin, J-T, and Yao, C-J. 2016. A new species of the genus *Gekko* (Squamata: Sauria: Gekkonidae) from Guishan Isle, Yilan County, Taiwan. *National Taiwan Museum Journal* 69: 1-14.
- Linkem, C. W. and Brown, R. M. 2013. Systematic revision of the *Parvosцинus decipiens* (Boulenger, 1894) complex of Philippine forest skinks (Squamata: Scincidae: Lygosominae) with descriptions of seven new species. *Zootaxa* 3700: 501-533.
- Linkem, C. W., Mcguire, J. A., Hayden, C. J., Iqbal, M., Setiadi, Bickford, D. P. and Brown, R. M. 2008. A new species of bent-toe gecko (Gekkonidae: *Cyrtodactylus*) from Sulawesi Island, eastern Indonesia. *Herpetologica*, 64: 224-234.
- Linkem, C. A., Diesmos, A. C. and Brown, R. M. 2010. A new scincid lizard (Genus *Sphenomorphus*) from Palawan Island, Philippines. *Herpetologica* 66: 67-79.
- Lloyd, R. 2015. Twenty-five years buried: Rediscovery of the Bungle Bungle robust slider, *Lerista bunglebungle* (Lacertilia: Sphenomorphidae). *Western Australian Naturalist* 41: 36-41.
- Lobo, F. and Nenda, S. J. 2015. Discovery of two new species of *Phymaturus* (Iguania: Liolaemidae) from Patagonia, Argentina, and occurrence of melanism in the patagonicus group. *Cuadernos de Herpetologia* 29: 5-25.
- Lobo, F., Abdala, S. and Valdecantos, S. 2010. Taxonomic studies of the genus *Phymaturus* (Iguania: Liolaemidae): description of four new species. *South American Journal of Herpetology* 5: 102-126.
- Lobo, F., Laspiur, A. and Acosta, J. C. 2013. Description of new andean species of the genus *Phymaturus* (Iguania: Liolaemidae) from Northwestern Argentina. *Zootaxa* 3683: 117-132.
- Loehr, V. C. T. 2010. Der rooiberg-gurtelschweif, *Cordylus imkeae* Mouton & Van Wyk, 1994: freilandbeobachtungen, pflege und zucht. *Sauria* 32: 53-60.
- Logan, M. L., Huynh, R. K., Precious, R. A. and Calsbeek, R. G. 2013. The impact of climate change measured at relevant spatial scales: new hope for tropical lizards. *Global Change Biology*, 19: 3093-3102.
- Lopez-Victoria, M., Herron, P. E. and Botello, J. C. 2011. Notes on the ecology of the lizards from Malpelo Island, Colombia. *Colombia Boletín de Investigaciones Marinas y Costeras* 40: 79-89.
- Lopez-Victoria, M., Jurczyk, M. and Wolters, V. 2013. Notes on the ecology of the Colombian leaf-toed gecko (*Phyllodactylus transversalis*) endemic to Malpelo Island. *Boletín de Investigaciones Marinas y Costeras* 42: 319-327.
- Lotzkat, S., Hertz, A., Stadler, L., Hamad, N., Carrizo, A. and Kohler, G. 2010. Noteworthy distribution records of reptiles from Western Panama. *Herpetological Review*, 41: 520-523.
- Loveridge, A. 1932. New reptiles and amphibians from Tanganyika Territory and Kenya Colony. *Bulletin of the Museum of Comparative Zoology* 72: 375-387.
- Loveridge, A. 1941. Revision of the African lizards of the family *Amphisbaenidae*. *Bulletin of the Museum of Comparative Zoology* 87: 353-451.
- Lovich, R. 2001. Phylogeography of the night lizard, *Xantusia henshawi*, in southern California: evolution across fault zones. *Herpetologica* 57: 470-487.
- Luu, V. Q., Nguyen, T. Q., Do, H. Q. and Ziegler, T. 2011. A new *Cyrtodactylus* (Squamata: Gekkonidae) from Huong Son limestone forest, Hanoi, northern Vietnam. *Zootaxa* 3129: 39-50.
- Luu, V. Q., Calame, T., Bonkowski, M., Nguyen, T. Q. and Ziegler, T. 2014. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from Khammouane Province, Laos. *Zootaxa* 3760: 54-66.
- Luu, V. Q., Calame, T., Nguyen, T. Q., Le, M. D., Bonkowski, M. and Ziegler, T. 2014. A new species of the *Gekko japonicus* group (Squamata: Gekkonidae) from central Laos. *Zootaxa* 3895: 73-88.
- Luu, V. Q., Calame, T., Nguyen, T. Q., Le, M. D., Bonkowski, M. and Ziegler, T. 2014. A new species of the *Gekko japonicus* group (Squamata: Gekkonidae) from central Laos. *Zootaxa* 3895: 73-88.
- Luu, V. Q., Calame, T., Nguyen, T. Q., Bonkowski, M. and Ziegler, T. 2015. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the limestone forest of Khammouane Province, central Laos. *Zootaxa* 4058: 388-402.
- Luu, V. Q., Calame, T., Nguyen, T. Q., Bonkowski, M. and Ziegler, T. 2015. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the limestone forest of Khammouane Province, central Laos. *Zootaxa* 4058: 388-402.

- Luu et al. 2015b
Luu et al. 2016
Luu et al. 2016a
Luu et al. 2016b
Luu et al. 2016c
Luu et al. 2017
Mahler et al. 2016
Mahler et al. 2016
Mahony 2009
Mahony 2009a
Mamani et al. 2015
Manamendra-Arachchi et al. 2007
Mane and Trape 2015
Manthey 2010
Manthey and Denzer 1991
Manthey and Denzer 2006
Manthey and Grossmann 1997
Manthey et al. 2012
Marambio-Alfaro and Troncoso-Palacios 2014
Mariaux and Tilbury 2006
Marin et al. 2016
Martin et al. 2017
Marx 1956
Maryan et al. 2015
Masroor 2009
Masroor 2009b
Mausfeld and Bohme 2002
Mayer and Lazell 2000
McCoy 2006
McCoy and Webber 1984
McCranie and Hedges 2012
McCranie and Hedges 2013
McCranie and Kohler 2015
McCranie et al. 1992
Mcguire et al. 2007
Mecke et al. 2016
Meiri 2016
- Luu, V. Q., Calame, H., Nguyen, T. Q., Le, M. D. and Ziegler, T. 2015. Morphological and molecular review of the Gekko diversity of Laos with descriptions of three new species. *Zootaxa* 3986: 279-306.
- Luu, V. Q., Bonkowski, M., Nguyen, T. Q., Le, M. D., Schneider, N., Ngo, H. T. and Ziegler, T. 2016. Evolution in karst massifs: Cryptic diversity among bent-toed geckos along the Truong Son Range with descriptions of three new species and one new country record from Laos. *Zootaxa* 4107: 101-140.
- Luu, V. Q., Bonkowski, M., Nguyen, T. Q., Le, M. D., Schneider, N., Ngo, H. T. and Ziegler, T. 2016. Evolution in karst massifs: Cryptic diversity among bent-toed geckos along the Truong Son Range with descriptions of three new species and one new country record from Laos.
- Luu, V. Q., Calame, T., Nguyen, T. Q., Le, M. D., Bonkowski, M. and Ziegler, T. 2016. *Cyrtodactylus rufford*, a new cave-dwelling bent-toed gecko (Squamata: Gekkonidae) from Khammouane Province, central Laos. *Zootaxa* 4067: 185-199.
- Luu, V. Q., Nguyen, T. Q., Le, M. D., Bonkowski, M. and Ziegler, T. 2016. A new species of karst-dwelling bent-toed gecko (Squamata: Gekkonidae) from Khammouane Province, central Laos. *Zootaxa* 4079: 87-102.
- Luu, V. Q., Nguyen, T. Q., Le, M. D., Bonkowski, M. and Ziegler, T. 2017. A new karst dwelling species of the Gekko japonicus group (Squamata: Gekkonidae) from central Laos.
- Mahler, D. L., Lambert, S. M., Geneva, A. J., Ng, J., Hedges, S. B., Losos, J. B. and Glor, R. E. 2016. Discovery of a giant chameleon-like lizard (Anolis) on Hispaniola and its significance to understanding replicated adaptive radiations. *The American Naturalist* 188: 357-364.
- Mahler, D. L., Lambert, S. M., Geneva, A. J., Ng, J., Hedges, S. B., Losos, J. B. and Glor, R. E. 2016. Discovery of a giant chameleon-like lizard (Anolis) on Hispaniola and its significance to understanding replicated adaptive radiations. *The American Naturalist* 188: 357-364.
- Mahony, S. 2009. A new species of gecko of the genus *Hemidactylus* (Reptilia: Gekkonidae) from Andhra Pradesh, India. *Russian Journal of Herpetology* 16: 27-34
- Mahony, S. 2009. A new species of *Japalura* (Reptilia: Agamidae) from northeast India with a discussion of the similar species *Japalura sagittifera* Smith, 1940 and *Japalura planidorsata* Jerdon, 1870. *Zootaxa* 2212: 41-61.
- Mamani, L., Goicoechea, N. and Chaparro, J. C. 2015. A new species of Andean lizard *Proctoporus* (Squamata: Gymnophthalmidae) from montane forest of the historic sanctuary of Machu Picchu, Peru. *Amphibian & Reptile Conservation* 9: 1-11.
- Manamendra-Arachchi, K., Batuwita, S. and Pethiyagoda, R. 2007. A taxonomic revision of the Sri Lankan day-geckos (Reptilia: Gekkonidae: *Cnemaspis*), with description of new species from Sri Lanka and southern India. *Zeylanica* 7: 9-122.
- Mane, Y. and Trape, J. F. 2015. Note sur une collection d'amphisbenes (Squamata, Amphisbaenidae) d'Afrique occidentale. *Bulletin de la Societe Herpetologique de France*, 154: 35-60.
- Manthey, U. 2010. Agamid lizards of southern Asia. *Draconinae 2 - Leiolepidinae*. *Terralog* 7b. Edition Chimaira, Frankfurt.
- Manthey, U. and Denzer, W. 1991. Die echten winkelpkopfagamen der gattung *Gonocephalus* Kaup (Sauria: Agamidae). 1. Die megalepis-gruppe mit *Gonocephalus lacunosus* sp. n. aus Nord-Sumatra. *Sauria* 13: 3-10.
- Manthey, U. and Denzer, W. 2006. A revision of the Melanesia-Australian angel head lizards of the genus *Hypsilurus* (Sauria: Agamidae: Amphibolurinae), with description of four new species and one new subspecies. *Hamadryad*, 30: 1-40.
- Manthey, U. and Grossmann, W. 1997. *Amphibien & Reptilien Sudostasiens*. Munster: Natur und Tier-Verlag.
- Manthey, U., Denzer, W., Mian, H. and Xiaohe, W. 2012. Discovered in historical collections: Two new *Japalura* species (Squamata: Sauria: Agamidae) from Yulong Snow Mountains, Lijiang Prefecture, Yunnan, PR China. *Zootaxa* 3200: 27-48.
- Marambio-Alfaro, Y., Troncoso-Palacios J. 2014. Una nueva especie de *Liolaemus* del grupo de *L. nigromaculatus* (Iguania: Liolaemidae) para la Region de Atacama, Chile. *Basic and Applied Herpetology* 28: 65-77
- Mariaux, J. and Tilbury, C. R. 2006. The pygmy chameleons of the eastern Arc range (Tanzania): Evolutionary relationships and the description of three new species of *Rhampholeon* (Sauria: Chamaeleonidae). *Herpetological Journal* 16: 315-331.
- Marin, A. G., Perez, C. H. F., Minoli, I., Morando, M. and Avila, L. J. 2016. A new lizard species of the *Phymaturus patagonicus* group (Squamata: Liolaemini) from northern Patagonia, Neuquen, Argentina. *Zootaxa* 4121: 412-430.
- Martin, J., Mateus, C., Garcia-Roa, R., Ortega, J. and Carranza, S. 2017. Phylogenetic relationships of the *Chalcides* skink species from the Chafarinas Islands with those from mainland North Africa. *Biochemical Systematics and Ecology*, 71: 187-192.
- Marx, H. 1956. A new lacertid lizard from Angola. *Fieldiana Zoology*, 39: 5-9.
- Maryan, B., Brennan, I. G., Adams, M. and Aplin, K. P. 2015. Molecular and morphological assessment of *Delma australis* Kluge (Squamata: Pygopodidae), with a description of a new species from the biodiversity 'hotspot' of southwestern Western Australia. *Zootaxa* 3946: 301-330.
- Masroor, R. 2009. A new arboreal species of *Cyrtopodion* (Squamata: Gekkonidae) from Deh Akro-II Wetlands Complex, Sindh, Pakistan. *Zootaxa* 2243: 57-67.
- Masroor, R. 2009. Description of a new species of *Eumeces* (Sauria: Scincidae) from Pakistan. *Zootaxa*, 2161: 33-46.
- Mausfeld, P. and Bohme, W. 2002. A new *Mabuya* from Java, Indonesia. *Salamandra* 38: 135-144.
- Mayer, G. C. and Lazell, J. 2000. A new species of *Mabuya* (Sauria: Scincidae) from the British Virgin Islands. *Proceedings of the Biological Society of Washington* 113: 871-886.
- McCoy, M. 2006. *Reptiles of the Solomon Islands*. 2nd edition. Pensoft, Sofia.
- McCoy, M. and Webber, P. 1984. Two new species of scincid lizards of the genus *Emoia* from Santa Cruz and Duff Islands, Solomon Islands. *Copeia*, 1984: 571-578.
- McCranie, J. R. and Hedges, S. B. 2012. Two new species of geckos from Honduras and resurrection of *Sphaerodactylus continentalis* Werner from the synonymy of *Sphaerodactylus millepunctatus* Hallowell (Reptilia, Squamata, Gekkonidae, Sphaerodactylidae). *Zootaxa* 3492: 65-76.
- McCranie, J. R. and Hedges, S. B. 2013. A new species of *Phyllodactylus* (Reptilia, Squamata, Gekkonidae, Phyllodactylidae) from Isla de Guanaja in the Honduran Bay Islands. *Zootaxa* 3694: 51-58.
- McCranie, J. R. and Kohler, G. 2015. The anoles (Reptilia: Squamata: Dactyloidea: Anolis: Norops) of Honduras. systematics, distribution, and conservation. *Bulletin of the Museum of Comparative Zoology, Special Publications Series*, 1: 1-292.
- McCranie, J. R., Wilson, L. D. and Williams, K. L. 1992. A new species of anole of the *Norops crassulus* group (Sauria: Polychridae) from northwestern Honduras. *Caribbean Journal of Science*, 28: 208-215.
- Mcguire, J. A., Brown, R. M., Mumpuni, Riyanto, A. and Andayani, N. 2007. The flying lizards of the *Draco lineatus* group (Squamata: Iguania: Agamidae): a taxonomic revision with descriptions of two new species. *Herpetological Monographs*, 21: 179-212.
- Mecke, S., Hartmann, L., Mader, F., Kieckbusch, M. and Kaiser, H. 2016. Redescription of *Cyrtodactylus fumosus* (Muller, 1895) (Reptilia: Squamata: Gekkonidae), with a revised identification key to the benttoed geckos of Sulawesi. *Acta Herpetologica* 11: 151-160.
- Meiri, S. 2016. Small, rare and trendy: traits and biogeography of lizards described in the 21st century. *Journal of Zoology* doi:10.1111/jzo.12356.

- Melville et al. 2014
Melville, J., Smith, K., Hobson, R., Hunjan, S. and Shoo, L. 2014. The role of integrative taxonomy in the conservation management of cryptic species: the taxonomic status of endangered earless dragons (Agamidae: Tympanocryptis) in the grasslands of Queensland, Australia. *PLoS ONE* 9: e101847. doi:10.1371/journal.pone.0101847
- Mertens 1959
Mertens, R. 1959. Eine panzerschleiche (Ophisaurus) aus Sumatra. *Senckenbergiana Biologica* 40: 109-111.
- Mertens 1971
Mertens, R. 1971. Zur kenntnis des javanischen baumskinks *Dasia leucosticta*. *Senckenbergiana Biologica* 52: 193-196.
- Miller et al. 2012
Miller, E. C., Sellas, A. B. and Drewes, R. C. 2012. A new species of Hemidactylus (Squamata: Gekkonidae) from Principe Island, Gulf of Guinea, West Africa with comments on the African-Atlantic clade of Hemidactylus geckos. *African Journal of Herpetology*, 61: 40-57.
- Miralles et al. 2009
Miralles, A., Fuenmayor, G. R., Bonillo, C., Schargel, W. E., Barros, T., Garcia-Perez, J. E. and Barrio-Amoros, C. L. 2009. Molecular systematics of Caribbean skinks of the genus *Mabuya* (Reptilia, Scincidae), with descriptions of two new species from Venezuela. *Zoological Journal of the Linnean Society*, 156: 598-616.
- Miralles et al. 2011
Miralles, A., Kohler, J., Glaw, F. and Vences, M. 2011. A molecular phylogeny of the “*Madascincus polleni* species complex”, with description of a new species of scincid lizard from the coastal dune area of northern Madagascar. *Zootaxa* 2876: 1-16.
- Miralles et al. 2012
Miralles, A., Anjeriniaina, M., Hipsley, C. A., Muller, J., Glaw, F. and Vences, M. 2012. Variations on a bauplan: description of a new Malagasy “mermaid skink” with flipper-like forelimbs only (Scincidae, *Sirenosincus Sakata* & *Hikida*, 2003). *Zoosystema* 34: 701-719.
- Miralles et al. 2016
Miralles, A., Jono, T., Mori, A., Gandola, R., Erens, J., Kohler, J., Glaw, F. and Vences, M. 2016. A new perspective on the reduction of cephalic scales in fossorial legless skinks (Squamata, Scincidae). *Zoologica Scripta* 45: 380-393.
- Mirza and Raju 2017
Mirza, Z. A. and Raju, D. 2017. A new rupicolous species of gecko of the genus *Hemidactylus* Oken, 1817 from the Satpura Hills, Central India. *Amphibian & Reptile Conservation* 11: 51-71.
- Mirza et al. 2013
Mirza, Z. A., Bhosale, H. and Sanap, R. 2013. First description of male *Hemidactylus sataransis* Giri & Bauer 2008 (Sauria: Gekkonidae) with notes on its natural history, distribution and conservation status. *Hamadryad* 36: 177-180.
- Mirza et al. 2014
Mirza, Z. A., Pal, S., Bhosale, H. S. and Sanap, R. V. 2014. A new species of gecko of the genus *Cnemaspis* Strauch, 1887 from the Western Ghats, India. *Zootaxa* 3815: 494-506.
- Molina and Senaris 2003
Molina, C. and Senaris, J. C. 2003. Una nueva especie del genero *Riolama* (Reptilia: Gymnophthalmidae) de las tierras altas del Estado Amazonas, Venezuela. *Memoria de la Fundacion La Salle de Ciencias Naturales*, 61: 5-19.
- Monard 1940
Monard, A. 1940. Resultats de la mission du Dr. Monard en Guinee Portugaise 1937–1938. *Arquivos do Museu Bocage, Lisbon* 11: 147-182.
- Monard 1949
Monard, A. 1949. Vertebres nouveaux du Cameroun. *Revue Suisse de Zoologie* 56: 731-745.
- Monguillot et al. 2006
Monguillot, J. C., Cabrera, M. R., Acosta, J. C. and Villavicencio, J. 2006. A new species of *Liolaemus* (Reptilia: Iguanidae) from San Guillermo National Park, western Argentina. *Zootaxa* 1361: 33-43.
- Moquard 1906
Mocquard, F. 1906. Description de quelques especes nouvelles de Reptiles. *Bulletin du Museum National d’Histoire Naturelle, Paris* 7: 464-466.
- Morrison 2003
Morrison, C. 2003. A field guide to the herpetofauna of Fiji. Institute of Applied Sciences, University of the South Pacific. Suva, Fiji.
- Morrison 2005
Morrison, C. 2005. Distribution and diversity of Fiji’s terrestrial herpetofauna: implications for forest conservation. *Pacific Science* 59: 481-489.
- Mott et al. 2011
Mott, T., Arruda, L. A. G., Silva, A. F., Silva, J. P., Kawashita-Ribeiro, R. A. and Carvalho, M. A. 2011. Reptilia, Squamata, Gymnophthalmidae, *Arthrosaura reticulata* (O’Shaughnessy, 1881): Distribution extension and new state record. *Check List* 7: 7-8.
- Mouton and Van Wyk 1994
Mouton, P. L. F. N. and Van Wyk, J. H. 1994. Taxonomic status of geographical isolates in the *Cordylus minor* complex (Reptilia: Cordylidae): A description of three new species. *Journal of the Herpetological Association of Africa* 43: 6-18.
- Mozaffari and Parham 2007
Mozaffari, O. and Parham, J. F. 2007. A new species of racerunner lizard (Lacertidae: Eremias) from Iran. *Proceedings of the California Academy of Sciences* 58: 569-574.
- Murphy and Jowers 2013
Murphy, J. C. and Jowers, M. J. 2013. Treerunners, cryptic lizards of the *Plica plica* group (Squamata, Sauria, Tropicuridae) of northern South America. *ZooKeys* 355: 49-77.
- Murphy et al. 2009
Murphy, R. W., Blair, C. and Mendez De La Cruz, F. R. 2009. A new species of leaf-toed gecko, genus *Phyllodactylus* (Squamata: Gekkota: Phyllodactylidae) from Guerrero, Mexico. *South American Journal of Herpetology*, 4: 17-24.
- Myers and Donnelly 1996
Myers, C. W. and Donnelly, M. A. 1996. A new herpetofauna from Cerro Yavi, Venezuela : first results of the Robert G. Goelet American Museum-Terramar expedition to the northwestern Tepuis. *American Museum Novitates* 3172: 1-56.
- Myers and Donnelly 2001
Myers, C. W. and Donnelly, M. A. 2001. Herpetofauna of the Yutaje –Corocoro Massif, Venezuela: second report from the Robert G. Goelet American Museum–Terramar expedition to the northwestern Tepuis. *Bulletin of the American Museum of Natural History* 261: 1-85.
- Myers et al. 2009
Myers, C. W., Fuenmayor, G., R. and Jadin, R. C. 2009. New species of lizards from Auyantepui and La Escalera in the Venezuelan Guayana, with notes on “microteiid” hemipenes (Squamata: Gymnophthalmidae). *American Museum Novitates* 3660: 1-32.
- Nazarov et al. 2008
Nazarov, R. A., Orlov, N. L., Nguyen, N. S. and Ho, T. C. 2008. Taxonomy of naked-toes geckos *Cyrtodactylus irregularis* complex of south Vietnam and description of a new species from Chu Yang Sin Natural Park (Krong Bong district, Dac Lac province, Vietnam). *Russian Journal of Herpetology*. 15 : 141-156.
- Nazarov et al. 2010
Nazarov, R., Ananjeva, N. and Radjabizadeh, M. 2010. Two new species of angular-toed geckoes (Squamata: Gekkonidae) from South Iran. *Russian Journal of Herpetology*, 16: 311-324.
- Nazarov et al. 2011
Nazarov, R. A., Ananjeva, N. and Papenfuss, T. J. 2011. A new species of thin-toed geckos *Cyrtopodion Sensu Lato* (Squamata: Sauria: Gekkonidae) from Balochistan Province, south Pakistan. *Russian Journal of Herpetology* 18: 130-136.
- Nazarov et al. 2012a
Nazarov, R., Poyarkov, N. A., Orlov, N. L., Phung, T. M., Nguyen, T. T., Hoang, D. M. and Ziegler, T. 2012. Two new cryptic species of the *Cyrtodactylus irregularis* complex (Squamata: Gekkonidae) from southern Vietnam. *Zootaxa* 3302: 1-24.
- Nazarov et al. 2012a
Nazarov, R., Poyarkov, N. A., Orlov, N. L., Phung, T. M., Nguyen, T. T., Hoang, D. M. and Ziegler, T. 2012. Two new cryptic species of the *Cyrtodactylus irregularis* complex (Squamata: Gekkonidae) from southern Vietnam. *Zootaxa* 3302: 1-24.
- Nazarov et al. 2012b
Nazarov, R. A., Bondarenko, D. A. and Radjabizadeh, M. 2012. A new species of thin-toed geckos *Cyrtopodion sensu lato* (Squamata: Sauria: Gekkonidae) from Hormozgan Province, south Iran. *Russian Journal of Herpetology* 19: 292-298.
- Nazarov et al. 2013
Nazarov, R., Melnikov, D. and Melnikova, E. 2013. Three new species of *Ptyodactylus* (Reptilia; Squamata; Phyllodactylidae) from the Middle East. *Russian Journal of Herpetology* 20: 147-162.
- Nazarov et al. 2014
Nazarov, R. A., Poyarkov, N. A., Orlov, N. L., Nguyen, S. N., Milto, K. D., Martynov, A. A., Konstantinov, E. L. and Chulisov, A. S. 2014. A review of genus *Cyrtodactylus* (Reptilia: Sauria: Gekkonidae) in fauna of Laos with description of four new species. *Proceedings of the Zoological Institute RAS*, 318: 391-423.
- Neang et al. 2011
Neang, T., Chhin, S., Meanrith, K. and Seiha, H. 2011. First records of two reptile species (Gekkonidae: *Hemidactylus garnotii* Dumeril & Bibron, 1836; Viperidae: *Ovophis convictus* Stoliczka, 1870) from Cambodia. *Cambodian Journal of Natural History* 2011: 86-92.
- Neang et al. 2011b
Neang, T., Holden, J., Eastoe, T., Seng, R., Ith, S. and Grismer, L. L. 2011. A new species of *Dibamus* (Squamata: Dibamidae) from Phnom Samkos Wildlife Sanctuary, southwestern Cardamom Mountains, Cambodia. *Zootaxa* 2828: 58-68.

- Necas et al. 2003
Necas, P., Modry, D. and Slapeta, J. R. 2003. *Chamaeleo (Trioceros) narraioeca* n. sp. (Reptilia Chamaeleonidae), a new chameleon species from a relict montane forest of Mount Kulal, northern Kenya. *Tropical Zoology*, 16: 1-12.
- Necas et al. 2005
Necas, P., Modry, D. and Slapeta, J. R. 2005. *Chamaeleo (Trioceros) ntunte* sp. n., a new chameleon species from Mt. Nyiru, northern Kenya. *Herpetozoa* 18: 125-132.
- Necas et al. 2009
Necas, P., Sindaco, R., Koren, L., Kopecna, J., Malonza, P. K. and Modry, D. 2009. *Kinyongia asheorum* sp. n., a new montane chameleon from the Nyiro Range, northern Kenya (Squamata: Chamaeleonidae). *Zootaxa* 2028: 41-50.
- Ngo 2008
Ngo, V. T. 2008. Two new cave-dwelling species of *Cyrtodactylus* Gray (Squamata: Gekkonidae) from Southwestern Vietnam. *Zootaxa* 1909: 37-51.
- Ngo 2011
Ngo, V. T. 2011. *Cyrtodactylus martini*, another new karst-dwelling *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from Northwestern Vietnam. *Zootaxa* 2834: 33-46.
- Ngo 2013
Ngo, V. T. 2013. *Cyrtodactylus dati*, a new forest dwelling bent-toed gecko (Squamata: Gekkonidae) from southern Vietnam. *Zootaxa* 3616: 151-164.
- Ngo and Bauer 2008
Ngo, V. T. and Bauer, A. M. 2008. Descriptions of two new species of *Cyrtodactylus* Gray 1827 (Squamata : Gekkonidae) endemic to southern Vietnam. *Zootaxa* 1715: 27-42.
- Ngo and Chan 2010
Ngo, V. T. and Chan, K. O. 2010. A new species of *Cyrtodactylus* Gray, 1826 (Squamata: Gekkonidae) from Khanh Hoa province, Southern Vietnam. *Zootaxa* 2504: 47-60.
- Ngo and Chan 2011
Ngo, V. T. and Chan, K. O. 2011. A new karstic cave-dwelling *Cyrtodactylus* Gray (Squamata: Gekkonidae) from Northern Vietnam. *Zootaxa* 3125: 51-63.
- Ngo and Gamble 2010
Ngo, V. T. and Gamble, T. 2010. A new species of *Gekko* (Squamata: Gekkonidae) from Ta Kou Nature Reserve, Binh Thuan Province, Southern Vietnam. *Zootaxa* 2346: 17-28.
- Ngo and Gamble 2011
Ngo, V. T. and Gamble, T. 2011. *Gekko canaensis* sp. nov. (Squamata: Gekkonidae), a new gecko from Southern Vietnam. *Zootaxa* 2890: 53-64.
- Ngo and Grismer 2010
Ngo, V. T. and Grismer, L. L. 2010. A new karst dwelling *Cyrtodactylus* (Squamata: Gekkonidae) from Son La Province, north-western Vietnam. *Hamadryad* 35: 84-95.
- Ngo and Grismer 2012
Ngo, V. T. and Grismer, L. L. 2012. A new endemic species of *Cyrtodactylus* Gray (Squamata: Gekkonidae) from Tho Chu Island, southwestern Vietnam. *Zootaxa* 3228: 48-60.
- Ngo and Ziegler 2009
Ngo, V. T. and Ziegler, T. 2009. A new species of *Dixonius* from Nui Chua National Park, Ninh Thuan Province, southern Vietnam (Squamata, Gekkonidae). *Zoosystematics and Evolution* 85: 117-125.
- Ngo et al. 2008
Ngo, V. T., Grismer, L. L. and Grismer, J. L. 2008. A new endemic cave dwelling species of *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) in Kien Giang Biosphere Reserve, Southwestern Vietnam. *Zootaxa* 1967: 53-62.
- Ngo et al. 2009
Ngo, V. T., Bauer, A. M., Wood, P. L. and Grismer, J. L. 2009. A new species of *Gekko Laurenti*, 1768 (Squamata: Gekkonidae) from Dong Nai Province, Southeastern Vietnam. *Zootaxa* 2238: 33-42.
- Ngo et al. 2010
Ngo, V. T., Grismer, L. L. and Grismer, J. L. 2010. A new species of *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) in Phu Quoc National Park, Kien Giang Biosphere Reserve, Southwestern Vietnam. *Zootaxa* 2604: 37-51.
- Ngo et al. 2014
Ngo, V. T., Grismer, L. L., Thai, P. H. and Wood, P. L. 2014. A new species of *Hemiphyllodactylus* Bleeker, 1860 (Squamata: Gekkonidae) from Ba Na–Nui Chua Nature Reserve, Central Vietnam. *Zootaxa* 3760: 539-552.
- Nguyen et al. 2009
Nguyen, V. S., Ho, T. C. and Nguyen, Q. T. 2009. Herpetofauna of Vietnam. Edition Chimaira, Frankfurt Am Main.
- Nguyen et al. 2010
Nguyen, Q. T., David, P., Trang, T. T., Luu, Q. V., Le, K. Q. and Ziegler, T. 2010. *Amphiesmoides ornaticeps* (Werner, 1924), an addition to the snake fauna of Vietnam, with a redescription and comments on the genus *Amphiesmoides* Malnate, 1961 (Squamata: Natricidae). *Revue Suisse de Zoologie* 117: 45-56.
- Nguyen et al. 2013
Nguyen, S. N., Le, T-N. T., Tran, T. A. D., Orlov, N. L., Lathrop, A., Macculloch, R. D., Le, T-D. T., Jin, J-Q., Nguyen, L. T., Nguyen, T. T., Hoang, D. D., Che, J., Murphy, R. W. and Zhang, Y-P. 2013. Phylogeny of the *Cyrtodactylus irregularis* species complex (Squamata: Gekkonidae) from Vietnam with the description of two new species. *Zootaxa* 3737: 399-414.
- Nguyen et al. 2014
Nguyen, S. N., Yang, J-X., Le, T-N. T., Nguyen, L. T., Orlov, N. L., Hoang, C. V., Nguyen, T. Q., Jin, J-Q., Rao, D-Q., Hoang, T. N., Che, J., Murphy, R. W. and Zhang, Y. P. 2014. DNA barcoding of Vietnamese bent-toed geckos (Squamata: Gekkonidae: *Cyrtodactylus*) and the description of a new species. *Zootaxa* 3784: 48-66.
- Nguyen et al. 2015
Nguyen, T. Q., Le, M. D., Pham, A. V., Ngo, H. N., Hoang, C. V., Pham, C. T. and Ziegler, T. 2015. Two new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the karst forest of Hoa Binh Province, Vietnam. *Zootaxa* 3985: 375-390.
- Nicholson and Kohler 2014
Nicholson, K. E. and Kohler, G. 2014. A new species of the genus *Norops* from Darien, Panama, with comments on *N. sulcifrons* (Cope 1899) (Reptilia, Squamata, Dactyloidae). *Zootaxa* 3895: 225-237.
- Nunez et al. 2010
Nunez, H., Veloso, A., Espejo, P., Veloso, C., Cortes, A. and Araya, S. 2010. Nuevas especies de phymaturus grupo “palluma” para la zona Cordillerana Central De Chile Reptilia, Sauria, Liolaemidae. *Boletín del Museo Nacional de Historia Natural, Chile*, 59: 41-74.
- Oliver and Richards 2012
Oliver, P. M. and Richards, S. J. 2012. A new species of small bent-toed gecko (*Cyrtodactylus*: Gekkonidae) from the Huon Peninsula, Papua New Guinea. *Journal of Herpetology*, 46: 488-493.
- Oliver et al. 2007
Oliver, P., Tjaturdai, B. and Richards, S. 2007. *Cyrtodactylus irianjayaensis*. Geographic distribution. *Herpetological Review* 38: 218.
- Oliver et al. 2012
Oliver, P. M., Richards, S. J. and Sistro, M. 2012. Phylogeny and systematics of Melanesia’s most diverse gecko lineage (*Cyrtodactylus*, Gekkonidae, Squamata). *Zoologica Scripta* 41: 437-454.
- Olivier Pauwels
Département des Vertébrés Récents, Royal Belgian Institute of Natural Sciences, Rue Vautier 29, B-1000 Brussels, Belgium.
- Onn and Ahmad 2010
Onn, C. K. and Ahmad, N. 2010. A new insular species of *Cyrtodactylus* (Squamata: Gekkonidae) from northeastern Peninsular Malaysia, Malaysia. *Zootaxa* 2389: 47-56.
- Onn et al. 2010
Onn, C. K., Grismer, L. L., Anuar, S., Quah, E., Muin, M. A., Savage, A. E., Grismer, J. L., Ahmad, N., Remigio, A-C. and Greer, L. F. 2010. A new endemic rock Gecko *Cnemaspis Strauch* 1887 (Squamata: Gekkonidae) from Gunung Jerai, Kedah, northwestern Peninsular Malaysia. *Zootaxa* 2576: 59-68.
- Orlov et al. 2007
Orlov, N., Truong, N. Q., Nazarov, R. A., Ananjeva, N. B. & Sang, N. N. 2007. A new species of the genus *Cyrtodactylus* Gray, 1827 and redescription of *Cyrtodactylus paradoxus* (Darevsky et Szczerbak, 1997) [Squamata: Sauria: Gekkonidae] from South Vietnam. *Russian Journal of Herpetology*, 14: 145-152.
- Orlov et al. 2008
Orlov, N. L., Ryabov, S. A., Nguyen, T. T., Nguyen, Q. T. and Ho, T. C. 2008. A new species of *Goniurosaurus* (Sauria: Gekkota: Eublepharidae) from north Vietnam. *Russian Journal of Herpetology*. 15 : 229-244.
- Ortiz-Zapata 1980
Ortiz-Zapata, J. C. 1980. Revision taxonomica del genero *Tropidurus* en Chile. *Reunion Iberoamericana de Conservasion y Zoologia de Vertebrados* 1: 355-377.
- Ota et al. 1996
Ota, H., Sengoku, S., and Hikida, T. 1996. Two new species of *Luperosaurus* (Reptilia: Gekkonidae) from Borneo. *Copeia*, 1996: 433-439.
- Panitvong et al. 2010
Panitvong, N., Sumontha, M., Konlek, K. and Kunya, K. 2010. *Gekko lauhachindai* sp. nov., a new cave-dwelling gecko (Reptilia: Gekkonidae) from central Thailand. *Zootaxa* 2671: 40-52.
- Panitvong et al. 2012
Panitvong, N., Lauhachinda, V., Saithong, S. and Temchai, T. 2012. Ecology of *Cyrtodactylus sumonthai* Bauer, Pauwels, & Chanhome, 2002 (Reptilia: Squamata: Gekkonidae): a karst dwelling bent-toed gecko from south-eastern Thailand. *Raffles Bulletin of Zoology* 60: 569-582.
- Panvitvong et al. 2014
Panvitvong, N., Sumontha, M., Tunprasert, J. and Pauwels, O. S. G. 2014. *Cyrtodactylus sai yok* sp. nov., a new dry evergreen forest-dwelling Bent-toed Gecko (Squamata: Gekkonidae) from Kanchanaburi Province, western Thailand. *Zootaxa* 3869: 64-74.
- Papenfuss and Parham 2013
Papenfuss, T. J. and Parham, J. F. 2013. Four new species of California legless lizards (*Anniella*). *Breviora* 536: 1-17.
- Parker 1924
Parker, H. W. 1924. On a new agamid lizard from Sumatra. *Annals and Magazine of Natural History*, series 9, 14: 624-625.
- Pauwels and Sumontha 2014
Pauwels, O. S. G. and Sumontha, M. 2014. *Cyrtodactylus samroi yot*, a new limestone-dwelling Bent-toed Gecko (Squamata: Gekkonidae) from Prachuap Khiri Khan Province, peninsular Thailand. *Zootaxa* 3755: 573-583.
- Pauwels and Vande Weghe 2008
Pauwels and Vande Weghe 2008

- Pauwels et al. 2004 Pauwels, O. S. G., Bauer, A. M., Sumontha, M. and Chanhome, L. 2004. *Cyrtodactylus thirakhupti* (Squamata: Gekkonidae), a new cave-dwelling gecko from southern Thailand. *Zootaxa* 772: 1–11.
- Pauwels et al. 2013 Pauwels, O. S. G., Sumontha, M., Latinne, A. and Grismer, L. L. 2013. *Cyrtodactylus sanook* (Squamata: Gekkonidae), a new cave-dwelling gecko from Chumphon Province, southern Thailand. *Zootaxa* 3635: 275-285.
- Pauwels et al. 2014a Pauwels, O. S. G., Sumontha, M., Panitvong, N. and Varaguttanonda, V. 2014. *Cyrtodactylus khelangensis*, a new cave-dwelling Bent-toed Gecko (Squamata: Gekkonidae) from Lampang Province, northern Thailand. *Zootaxa* 3755: 584-594.
- Pauwels et al. 2014a Pauwels, O. S. G., Sumontha, M., Panitvong, N. and Varaguttanonda, V. 2014. *Cyrtodactylus khelangensis*, a new cave-dwelling Bent-toed Gecko (Squamata: Gekkonidae) from Lampang Province, northern Thailand. *Zootaxa* 3755: 584-594.
- Pauwels et al. 2014b Pauwels, O. S. G., Sumontha, M., Eeratikiat, K. and Phanamphon, E. 2014. *Cyrtodactylus kunyai* (Squamata: Gekkonidae), a new cave-dwelling Bent-toed Gecko from Loei Province, northeastern Thailand. *Zootaxa* 3821: 253-264.
- Pauwels et al. 2015 Pauwels, O. S. G., Sumontha, M., Kunya, K., Nitikul, A., Samphanthamit, P., Wood, P. L. and Grismer, L. L. 2015. *Acanthosaura phuketensis* (Squamata: Agamidae), a new long-horned tree agamid from southwestern Thailand. *Zootaxa* 4020: 473-494.
- Peloso et al. 2011 Peloso, P. L. V., Pellegrino, K. C. M., Rodrigues, M. T. and Avila-Pires, T. C. S. 2011. Description and phylogenetic relationships of a new genus and species of lizard (Squamata, Gymnophthalmidae) from the Amazonian rainforest of northern Brazil. *American Museum Novitates* 3713: 1-24.
- Perez-Ramos et al. 2000 Perez-Ramos, E., Saldana de la Riva, L. and Campbell, J. A. 2000. A new allopatric species of *Xenosaurus* (Squamata: Xenosauridae) from Guerrero, Mexico. *Herpetologica* 56: 228–234.
- Perret 1973 Perret, J. L. 1973. Contribution a l'etude des Panaspis (Reptilia, Scincidae) d'Afrique occidentale avec la description de deux especes nouvelles. *Revue Suisse de Zoologie* 80: 595-630.
- Pethiyagoda and Manamendra-Arachchi 1998 Pethiyagoda, R. and Manamendra-Arachchi, K. 1998. A revision of the endemic Sri Lankan agamid lizard genus *Ceratochrysa* Gray, 1835, with description of two new species. *Journal of South Asian natural History* 3: 1-50.
- Phung and Ziegler 2011 Phung, T. M. and Ziegler, T. 2011. Another new Gecko species (Squamata: Gekkonidae) from southern Vietnam. *Zootaxa* 3129: 51-61.
- Phung et al. 2014 Phung, T. M., Schingen, M. V., Ziegler, T. and Nguyen, T. Q. 2014. A third new *Cyrtodactylus* (Squamata: Gekkonidae) from Ba Den Mountain, Tay Ninh Province, southern Vietnam. *Zootaxa* 3764: 347-363.
- Pincheira-Donoso and Nunez 2005 Pincheira-Donoso, D. and Nunez, H. 2005. Las especies chilenas del genero *Liolaemus* (Iguania, Tropiduridae, Liolaeminae). *Taxonomia, sistematica y evolucion. Publicacion Ocasional del Museo Nacional de Historia Natural de Chile, Santiago*, 486 pp.
- Pincheira-Donoso and Scolaro 2007 Pincheira-Donoso, D. and Scolaro, A. 2007. Iguanian species-richness in the Andes of boreal Patagonia: Evidence for an additional new *Liolaemus* lizard from Argentina lacking preloacal glands (Iguania, Liolaeminae). *Zootaxa* 1452: 55-68.
- Pinna et al. 2014 Pinna, P. H., Mendonca, A. F., Bocchiglieri, A. and Fernandes, D. S. 2014. A new species of *Amphisbaena* Linnaeus, 1758 from a Cerrado region in Bahia, northeastern Brazil (Squamata: Amphisbaenidae). *Herpetologica*, 70: 339-349.
- Poe and Yanez-Miranda 2007 Poe, S. and Yanez-Miranda, C. 2007. A new species of phenacosaur *Anolis* from Peru. *Herpetologica*, 63: 219-223.
- Poe et al. 2015 Poe, S., Scarpetta, S. and Schaad, E. W. 2015. A new species of *Anolis* (Squamata: Iguanidae) from Panama. *Amphibian & Reptile Conservation* 9: 1-13.
- Powell 1999 Powell, R. 1999. Herpetology of Navassa Island, West Indies. *Carib. J. Sci.* 35: 1-13
- Powell 2000 Powell, R. 2000. *Cyclura onchiopsis*. *Catalogue of American Amphibians and Reptiles*, 710: 1-3.
- Powell 2006 Powell, R. 2006. Conservation of the herpetofauna on the Dutch Windward Islands: St. Eustatius, Saba, and St. Maarten. *Applied Herpetology* 3: 293-306
- Powell and Henderson 2005 Powell, R. and Henderson, R. W. 2005. A new species of *Gonatodes* (Squamata: Gekkonidae) from the West Indies. *Caribbean Journal of Science*, 41: 709-715.
- Prates et al. 2017 Prates, I., Melo-Sampaio, P. R., de Oliveira Drummond, L., Teixeira, M., Rodrigues, M. T. and Carnaval, A. C. 2017. Biogeographic links between southern Atlantic Forest and western South America: rediscovery, re-description, and phylogenetic relationships of two rare montane anole lizards from Brazil. *Molecular Phylogenetics and Evolution* 113: 49-58.
- Pregill 1992 Pregill, G. K. 1992. Systematics of the West Indian lizard genus *Leiocephalus* (Squamata: Iguania: Tropiduridae). University of Kansas Museum of Natural History Miscellaneous Publications 84: 1-69
- Puente et al. 2009 Puente, M., Glaw, F., Vieites, D. R. and Vences, M. 2009. Review of the systematics, morphology and distribution of Malagasy dwarf geckos, genera *Lygodactylus* and *Microscalabotes* (Squamata: Gekkonidae). *Zootaxa* 2103: 1-76.
- Pui et al. 2017 Pui, Y. M., Karin, B. R., Bauer, A. M. and Das, I. 2017. A new species of *Tropidophorus* *Dumeril & Bibron*, 1839 (Squamata: Sauria: Scincidae) from Sarawak, East Malaysia (Borneo). *Zootaxa*, 4258: 539-550.
- Quang et al. 2007 Quang, H. X., Orlov, N. L., Ananjeva, N. B., Johns, A. G., Thao, H. N. and Vinh, D. Q. 2007. Description of a new species of the genus *Cyrtodactylus* Gray, 1827 (Squamata: Sauria: Gekkonidae) from the Karst of North Central Vietnam. *Russian Journal of Herpetology*, 14: 98-106.
- Quinteros et al. 2008 Quinteros, A. S., Abdala, C. S. and Lobo, F. J. 2008. Redescription of *Liolaemus dorbignyi* Koslowsky, 1898 and description of a new species of *Liolaemus* (Iguania: Liolaemidae). *Zootaxa* 1717: 51-67.
- Quinteros et al. 2008a Quinteros, A. S., Abdala, C. S., Diaz Gomez, J. M. and Scrocchi, G. J. 2008. Two new species of *Liolaemus* (Iguania: Liolaemidae) of Central West Argentina. *South American Journal of Herpetology* 3: 101-111.
- Ramallo et al. 2017 Ramallo, G., Bursey, C. R., Goldberg, S. R., Castillo, G. and Acosta, J. C. 2017. *Phymaturus extrilidus*. *Endoparasites. Herpetological Review* 48:
- Ramanamanjato et al. 1999 Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of *Mabuya* Fitzinger (Reptilia: Squamata: Scincidae) from the Onilahy River of south-west Madagascar. *Herpetological Journal* 9: 65-72.
- Raselimanana et al. 2006 Raselimanana, A. P., Nussbaum, R. A. and Raxworthy, C. J. 2006. Observations and re-description of *Zonosaurus boettgeri* Steindachner 1891 and description of a second new species of long-tailed *Zonosaurus* from western Madagascar. *Occasional Papers of the Museum of Zoology, University of Michigan* 739: 1-16.
- Rastegar-Pouyani et al. 2016 Rastegar-Pouyani, E., Hosseini, S., Rafiee, S., Kami, H. G., Rajabizadeh, M. and Wink, M. 2016. A new species of the genus *Eremias* Fitzinger, 1834 (Squamata: Lacertidae) from Central Iran, supported by mtDNA sequences and morphology. *Zootaxa* 4132: 207-220.
- Rawlinson 1974 Rawlinson, P. A. 1974. Revision of the endemic southeastern Australian lizard genus *Pseudemoia* (Scincidae: Lygosominae). *Memoirs of the National Museum of Victoria* 35: 87-96.
- Raxworthy and Nussbaum 1995 Raxworthy, C. J. and Nussbaum, R. A. 1995. Systematics, speciation and biogeography of the dwarf chameleons (Brookesia; Reptilia, Squamata, Chamaeleontidae) of northern Madagascar. *Journal of Zoology* 235: 525–558.
- Raxworthy and Nussbaum 2006 Raxworthy, C. J. and Nussbaum, R. A. 2006. Six new species of occipital-lobed *Calumma* chameleons (Squamata: Chamaeleonidae) from montane regions of Madagascar, with a new description and revision of *Calumma brevicorne*. *Copeia* 2006: 711–734.
- Razzetti et al. 2011 Razzetti, E., Sindaco, R., Grieco, C., Pella, F., Ziliani, U., Pupin, F., Riservato, E., Pellitteri-Rosa, D., Butikofer, L., Suleiman, A. S., Al-Aseily, B. A., Carugati, C., Boncompagni, E. and Fasola, M. 2011. Annotated checklist and distribution of the Socotran Archipelago Herpetofauna. *Zootaxa* 2826: 1-44 (Reptilia)
- Rendahl 1937 Rendahl, H. 1937. Beitrage zur herpetologie von Birma. *Arkiv for Zoologi* 29A: 1-29.
- reptile database http://reptile-database.reptarium.cz/advanced_search

- Ribeiro et al. 2008
Ribeiro et al. 2009
Ribeiro et al. 2015
Ribeiro–Junior et al. 2016
Rittmeyer and Austin 2017
Rivas and Schargel 2008
Rivas et al. 2005
Riyanto et al. 2015
Riyanto et al. 2016
Riyanto et al. 2017
Rodrigues 1991
Rodrigues 2002
Rodrigues et al. 2006
Rodrigues et al. 2007
Rodrigues et al. 2007
Rodrigues et al. 2009
Rodrigues et al. 2013
Rojas-Runjaic et al. 2010
Rosler and Glaw 2008
Rosler et al. 2007
Rosler et al. 2008
Rosler et al. 2011
Ruthven 1922
Sadlier 1987
Sadlier et al. 1999
Sadlier et al. 2004
Sadlier et al. 2006
Sadlier et al. 2009
Sadlier et al. 2009a
Sadlier et al. 2014
Safaei-Mahroo et al. 2016
Sakata and Hikida 2003
Salvidio et al. 2004
Samaniego-Herrera et al. 2009
Sanchez and Probst 2015
Sanchez-Pacheco 2010
Sang 2010
- Ribeiro, S., Vaz-Silva, W. and Santos, A. P. 2008. New pored Leposternon (Squamata, Amphisbaenia) from Brazilian cerrado. *Zootaxa* 1930: 18-38.
Ribeiro, S., Castro-Mello, C. and Nogueira, C. 2009. New species of Anops Bell, 1833 (Squamata, Amphisbaenia) from Jalapão Region in the Brazilian Cerrado. *Journal of Herpetology* 43: 21-28.
Ribeiro, S., Santos, A. P. and Zaher, H. 2015. A new species of Leposternon Wagler, 1824 (Squamata, Amphisbaenia) from northeastern Argentina. *Zootaxa* 4034: 309-324.
Ribeiro–Junior, M. A. Da Silva, M. B. and Lima, J. D. 2016. A new species of Bachia Gray 1845 (Squamata: Gymnophthalmidae) from the Eastern Guiana Shield. *Herpetologica*, 72: 148-156.
Rittmeyer, E. N. and Austin, C. C. 2017. Two new species of crocodile skinks (Squamata: Scincidae: Tribolonotus) from the Solomon Archipelago. *Zootaxa* 4268: 71-87.
Rivas, G. A. and Schargel, W. E. 2008. Gecko on the rocks: an enigmatic new species of Gonatodes (Sphaerodactylidae) from Inselbergs of the Venezuelan Guayana. *Zootaxa* 1925: 39-50.
Rivas, G., Schargel W. E. and Meik, J. M. 2005. A new species of Riama (Squamata: Gymnophthalmidae), endemic to the Peninsula de Paria, Venezuela. *Herpetologica* 61: 461-468.
Riyanto, A., Grismer, L. L. and Wood, P. L. 2015. *Cyrtodactylus rosichonariiefi* sp. nov. (Squamata: Gekkonidae), a new swamp-dwelling bent-toed gecko from Bunguran Island (Great Natuna), Indonesia. *Zootaxa* 3964: 114-124.
Riyanto, A., Kurniati, H. and Engilis, A. 2016. A new bent-toed gecko (Squamata: Gekkonidae) from the Mekongga Mountains, South East Sulawesi, Indonesia. *Zootaxa* 4109: 59-72.
Riyanto, A., Mulyadi, Mcguire, J. A., Kusri, M. D., Febylasmia, Basyir, I. H. and Kaiser, H. 2017. A new small bent-toed gecko of the genus *Cyrtodactylus* (Squamata: Gekkonidae) from the lower slopes of Mount Tambora, Sumbawa Island, Indonesia. *Zootaxa* 4242: 517-528.
Rodrigues, M. T. 1991. Herpetofauna das dunas interiores do Rio Sao Francisco, Bahia, Brasil. I : introducao a area e descricao de um novo genero de Microteiideos (calyptommatus) com notas sobre sua ecologia, distribuicao e especiacao (Sauria, teiidae). *Papeis Avulsos de Zoologia* 37: 285-320.
Rodrigues, M. T. 2002. Herpetofauna of the Quaternary sand dunes of the Middle Rio São Francisco, Bahia, Brazil. VIII. *Amphisbaena arda* sp. nov., a fuliginosa-like checkered patterned Amphisbaena (Squamata, Amphisbaenidae). *Phyllomedusa* 1: 51-56.
Rodrigues, M. T., Freitas, M. A., Silva, T. F. S. and Bertolotto, C. E. V. 2006. A new species of lizard genus *Enyalius* (Squamata, Leiosauridae) from the highlands of Chapada Diamantina, state of Bahia, Brazil, with a key to species. *Phyllomedusa* 5: 11-24.
Rodrigues, M. T., Pavan, D. and Curcio, F. F. 2007. Two new species of lizards of the genus *Bachia* (Squamata, Gymnophthalmidae) from central Brazil. *Journal of Herpetology*, 41: 545-553.
Rodrigues, M. T., Pellegrino, K. C. M., Dixo, M., Verdade, V. K., Pavan, D. Argolo, A. J. S. and Sites, J. W. 2007. A new genus of microteiid lizard from the Atlantic forests of state of Bahia, Brazil, with a new generic name for *Colobosaura mentalis*, and a discussion of relationships among the heterodactylini (Squamata, Gymnophthalmidae). *American Museum Novitates* 3565: 1-27.
Rodrigues, M. T., Cassimiro, J., de Freitas, M. A. and Silva, T. F. S. 2009. A new microteiid lizard of the genus *Acratosaura* (Squamata: Gymnophthalmidae) from Serra do Sincora, State of Bahia, Brazil. *Zootaxa* 2013: 17-19.
Rodrigues, M. T., Teixeira, M., Recoder, R. S., Dal Vecchio, F., Damasceno, R. and Pellegrino, K. C. M. 2013. A new species of *Leposoma* (Squamata: Gymnophthalmidae) with four fingers from the Atlantic Forest central corridor in Bahia, Brazil. *Zootaxa* 3635: 459-475.
Rojas-Runjaic, F. J. M., Infante-Rivero, E. E., Cabello, P. and Velozo, P. 2010. A new non-sexually dichromatic species of the genus *Gonatodes* (Sauria: Sphaerodactylidae) from Sierra de Perija, Venezuela. *Zootaxa* 2671: 1-16.
Rosler, H. and Glaw, F. 2008. A new species of *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) from Malaysia including a literature survey of mensural and meristic data in the genus. *Zootaxa* 1729: 8-22.
Rosler, H., Richards, S. J. and Gunther, R. 2007. Remarks on morphology and taxonomy of geckos of the genus *Cyrtodactylus* Gray, 1827, occurring east of Wallacea, with descriptions of two new species (Reptilia: Sauria: Gekkonidae). *Salamandra* 43: 193-230.
Rosler, H., Köhler, J. and Bohme, W. 2008. A new species of the diurnal gekkonid genus *Pristurus* Ruppell, 1835 from the Red Sea island Hanish al-Kabir, Yemen. *Amphibia-Reptilia* 29: 217-227.
Rosler, H., Bauer, A. M., Heinicke, M. P., Greenbaum, E., Jackman, T., Nguyen, T. Q. and Ziegler, T. 2011. Phylogeny, taxonomy, and zoogeography of the genus *Gekko* Laurenti, 1768 with the revalidation of *G. reevesii* Gray, 1831 (Sauria: Gekkonidae). *Zootaxa* 2989: 1-50.
Ruthven, A. C. 1922. A new species of Amphisbaena from British Guiana. *Occasional Papers of the Museum of Zoology, University of Michigan* 122: 1-2.
Sadlier, R. A. 1987. A review of the scincid lizards of New Caledonia. *Records of the Australian Museum* 39: 1-66.
Sadlier, R. A., Bauer, A. M. and Colgan, D. J. 1999. The scincid lizard genus *Caledoniscincus* (Reptilia: Scincidae) from New Caledonia in the Southwest Pacific: a review of *Caledoniscincus austrocaledonicus* (Bavay) and description of six new species from Province Nord. *Records of the Australian Museum* 51: 57-82.
Sadlier, R. A., Bauer, A. M., Whitaker, A. H. and Smith, S. A. 2004. Two new species of scincid lizards (Squamata) from the Massif de Kopeto, New Caledonia. *Proceedings of the California Academy of Sciences* 55: 208-221.
Sadlier, R. A., Bauer, A. M. and Smith, S. A. 2006. A new species of *Nannoscincus* Gunther (Squamata: Scincidae) from high elevation forest in southern New Caledonia. *Records of the Australian Museum* 58: 29-36.
Sadlier, R. A., Smith, S. A., Bauer, A. M. and Whitaker, A. H. 2009. Three new species of skink in the genus *Marmorosphax* Sadlier (Squamata: Scincidae) from New Caledonia. in Grandcolas P. (ed.), *Zoologia Neocaledonica* 7. Biodiversity studies in New Caledonia. *Memoires du Museum national d'Histoire naturelle* 198: 373-390.
Sadlier, R. A., Smith, S. A., Whitaker, A. and Bauer, A. M. 2009. A new live-bearing species of scincid lizard (Reptilia: Scincidae) from New Caledonia, southwest Pacific. *Pacific Science* 63: 123-136.
Sadlier, R. A., Whitaker, A. H., Wood, P. L. and Bauer, A. M. 2014. A new species of lizard in the genus *Caledoniscincus* (Reptilia: Scincidae) from far northwest New Caledonia. *Zootaxa* 3795: 45-60.
Safaei-Mahroo, B., Ghaffari, H. and Anderson, S. C. 2016. A new genus and species of gekkonid lizard (Squamata: Gekkota: Gekkonidae) from Hormozgan Province with a revised key to gekkonid genera of Iran. *Zootaxa* 4109: 428-444.
Sakata, S. and Hikida, T. 2003. A fossorial lizard with forelimbs only: description of a new genus and species of Malagasy skink (Reptilia: Squamata: Scincidae). *Current Herpetology* 22: 9-15.
Salvidio, S., Menegon M., Sindaco R. and Moyer D. 2004. A new species of elongate seps from Udzungwa grasslands, southern Tanzania (Reptilia, Gerrhosauridae, *Tetradactylus* Merrem, 1820). *Amphibia-Reptilia* 25 (1): 19-27
Samaniego-Herrera, A. I., Aguirre-Munoz, A., Howald, G. R., Felix-Lizarraga, M., Valdez-Villavicencio, J., Gonzalez-Gomez, R., Mendez-Sanchez, F., Torres-Garcia, F., Rodriguez-Malagon, M. and Tershy, B. R. 2009. Eradication of black rats from Farallon de San Ignacio and San Pedro Martir Islands, Gulf of California, Mexico. In *Proceedings of the 7th California Islands Symposium*. Arcata, California: Institute for Wildlife Studies pp. 337-347.
Sanchez, M. and Probst, J-M. 2015. L'herpetofaune terrestre de l'île d'Europa (Ocean Indien, Canal du Mozambique) : synthese des connaissances et nouvelles donnees sur la repartition et l'ecologie des especes en vue de leur conservation. *Bulletin de la Societe Herpetologique de France* 156: 63-76.
Sanchez-Pacheco, S. J. 2010. A new "microteiid" lizard (Squamata: Gymnophthalmidae: Riama) from Southwestern Colombia. *Herpetologica*, 66: 349-356.
Sang, N. N. 2010. A new poreless species of *Gekko* Laurenti, 1768 (Gekkonidae: Squamata) from An Giang Province, southern Vietnam. *Zootaxa* 2501: 54-60.

- Sang et al. 2006
Savage 2002
Savage et al. 2008
Scantlebury 2014
Schargel et al. 2010
Scherz et al. 2017
Schettino 1999
Schleich and Kastle 1998
Schleich and Kastle 2002
Schmidt 1943
Schneider et al. 2011
Schneider et al. 2014a
Schneider et al. 2014a
Schneider et al. 2014b
Schonecker et al. 2004
Schwartz 1971
Schwartz 1979
Schwartz and Henderson 1991
Schwartz et al. 1979
Scolaro and Pincheira-Donoso 2010
Scolaro and Tappari 2009
Scolaro et al. 2016
Shea and Michels 2008
Shea et al. 2011
Shi and Zhao 2010
Shreve 1968
Sierra 2001
Siler et al. 2010
Siler et al. 2014
Sindaco et al. 2012
Sinitsin 1930
Skipwith et al. 2014
Slavenko et al. 2016
Smid et al. 2015
Smith 1921
Smith 1925
Smith 1937
Smith 1940
Soares 2015
Somaweera and Somaweera 2009
Spawls et al. 2002
Sprackland and Swinney 1998
Srinivasulu et al. 2014b
- Sang, N. N. Orlov, N. L. and Darevsky, I. S. 2006. Descriptions of two new species of the genus *Cyrtodactylus* Gray, 1827 (Squamata: Sauria: Gekkonidae) from southern Vietnam. *Russian Journal of Herpetology*, 13: 215-226.
- Savage, J. M. 2002. The amphibians and reptiles of Costa Rica. The University of Chicago Press, Chicago.
- Savage, J. M., Lips, K. R. and Ibanez, R. 2008. A new species of *Celestus* from west-central Panama, with consideration of the status of the genera of the Anguinae: Diploglossinae (Squamata). *Revista de Biología Tropical* 56: 845-859.
- Scantlebury, D. P. 2014. Patterns of adaptive radiation in insular reptiles and amphibians. PhD Dissertation, University of Rochester, Rochester, New York.
- Schargel, W.E., Rivas, G., Makowsky, R., Senaris, J. C., Natera, M. A., Barros, T. R., Molina, C. R. and Barrio-Amoros, C. L. 2010. Phylogenetic systematics of the genus *Gonatodes* (Squamata: Sphaerodactylidae) in the Guayana region, with description of a new species from Venezuela. *Systematics and Biodiversity* 8: 321-339.
- Scherz, M. D., Daza, J. D., Kohler, J., Vences, M., and Glaw, F. 2017. Off the scale: a new species of fishscale gecko (Squamata: Gekkonidae: Geckolepis) with exceptionally large scales. *PeerJ* 5: e2955.
- Schettino, L. R. 1999. The iguanid lizards of Cuba. University Press of Florida, Miami.
- Schleich, H. H. and Kastle, W. 1998. Description of *Gonydactylus nepalensis* spec. nov. from the Inner Terai of far west Nepal (Reptilia: Sauria: Gekkonidae). pages 269-280. in H. H. Schleich & W. Kästle (Eds), *Contributions to the herpetology of south-Asia* (Nepal, India). Fuhlrott-Museum, Wuppertal.
- Schleich, H. H. and Kastle, W. 2002. Amphibians and reptiles of Nepal. Gantner Verlag, Koenigstein.
- Schmidt, K. P. 1943. Amphibians and reptiles from the Sudan. *Field Museum of Natural History, Zoology Series* 24: 331-338.
- Schneider, N., Nguyen, T. Q., Schmitz, A., Kingsada, P., Auer, M. and Ziegler, T. 2011. A new species of karst dwelling *Cyrtodactylus* (Squamata: Gekkonidae) from northwestern Laos. *Zootaxa* 2930: 1-21.
- Schneider, N., Phung, T. M., Le, M. D., Nguyen, T. Q. and Ziegler, T. 2014. A new *Cyrtodactylus* (Squamata: Gekkonidae) from Khanh Hoa Province, southern Vietnam. *Zootaxa* 3785: 518-532.
- Schneider, N., Phung, T. M., Le, M. D., Nguyen, T. Q. and Ziegler, T. 2014. A new *Cyrtodactylus* (Squamata: Gekkonidae) from Khanh Hoa Province, southern Vietnam. *Zootaxa* 3785: 518-532.
- Schneider, N., Nguyen, T. Q., Le, M. D., Nophaseud, L., Bonkowski, M. and Ziegler, T. 2014. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from the karst forest of northern Laos. *Zootaxa* 3835: 80-96.
- Schonecker, P., Bach, S. and Glaw, F. 2004. Eine neue taggecko-art der gattung *Phelsuma* aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). *Salamandra* 40: 105-112.
- Schwartz, A. 1971. A new species of bromeliad-inhabiting galliwasp (Sauria: Anguinae) from Jamaica. *Breviora* 371: 1-10
- Schwartz, A. 1979. A new species of Cybotoid anole (Sauria, Iguanidae) from Hispaniola. *Breviora*, 451: 1-27.
- Schwartz, A. and Henderson, R. 1991. Amphibians and Reptiles of the West Indies: Descriptions, Distributions, and Natural History. University Press of Florida. Gainesville. 457 pp.
- Schwartz, A., Graham, E. D. and Duval, J. J. 1979. A new species of *Diploglossus* (Sauria: Anguinae) from Hispaniola. *Proceedings of the Biological Society of Washington*, 92: 1-9.
- Scolaro, J. A. and Pincheira-Donoso, D. 2010. Lizards at the end of the world: Two new species of *Phymaturus* of the patagonicus clade (Squamata, Liolaemidae) revealed in southern Patagonia of Argentina. *Zootaxa* 2393: 17-32.
- Scolaro, J. A. and Tappari, O. F. 2009. Una nueva especie del genero *Phymaturus* del "grupo patagonicus" en los afloramientos rocosos del sudoeste de la provincia de Rio Negro, Patagonia Argentina (Reptilia: Iguania: Liolaemidae). *Naturalia Patagonica*, 4: 81-94.
- Scolaro, J. A., Corbalan, V., Tappari, O. F. and Streitenberger, L. O. 2016. Lizards at the end of the world: a new melanic species of *Phymaturus* of the patagonicus clade from rocky outcrops in the northwestern steppe of Chubut Province, Patagonia Argentina (Reptilia: Iguania: Liolaemidae). *Boletín del Museo Nacional de Historia Natural, Chile* 65: 137-152.
- Shea, G. M. and Michels, J. P. 2008. A replacement name for *Sphenomorphus keiensis* (Kopstein, 1926) from the southeastern Moluccas, Indonesia (Reptilia: Squamata: Scincidae) with a redescription of the species. *Zoologische Mededelingen* 82: 737-747.
- Shea, G., Couper, P., Wilmer, J. W. and Amey, A. 2011. Revision of the genus *Cyrtodactylus* Gray, 1827 (Squamata: Gekkonidae) in Australia. *Zootaxa* 3146: 1-63.
- Shi, L. and Zhao, H. 2010. A new species of *Cyrtodactylus* (Reptilia: Squamata: Gekkonidae) from Xizang Autonomous Region, China. *Zootaxa* 2336: 51-60.
- Shreve, B. 1968. The notatus group of *Sphaerodactylus* (Sauria: Gekkonidae) in Hispaniola. *Breviora* 280: 1-24.
- Sierra, C. 2001. El cerdo cimarron (*Sus scrofa*, Suidae) en la Isla del Coco, Costa Rica: Composicion de su dieta, estado reproductivo y genetica. *Revista de Biología Tropical*, 49: 1147-1157.
- Siler, C. D., Baleta, D. S., Diesmos, A. C. and Brown, R. M. 2010. A new legless loam-swimming lizard (Reptilia: Squamata: Scincidae: Genus *Brachymeles*) from the Bicol Peninsula, Luzon Island, Philippines. *Copeia*, 2010: 114-122.
- Siler, C. D., Decechi, T. A., Merkord, C. L., Davis, D. R., Christiani, T. J. and Brown, R. M. 2014. Cryptic diversity and population genetic structure in the rare, endemic, forest-obligate, slender geckos of the Philippines. *Molecular Phylogenetics and Evolution* 70: 204-209.
- Sindaco, R., Metallinou, M., Pupin, F., Fasola, M. and Carranza, S. 2012. Forgotten in the ocean: systematics, biogeography and evolution of the *Trachylepis* skinks of the Socotra Archipelago. *Zoologica Scripta*, 41: 346-362.
- Sinitsin, D. T. 1930. Description of a new species of *Neusticurus* from South America (Lizards, Teiidae). *American Museum Novitates* 408: 1.
- Skipwith, P., Jackman, T., Whitaker, A. H., Bauer, A. M. and Sadlier, R. A. 2014. New data on *Dierogecko* (Squamata: Gekkota: Diplodactylidae), with the description of a new species from Ile Baaba, Province Nord, New Caledonia.
- Slavenko, A., Itescu, Y., Ihlow, F. and Meiri, S. 2016. Home is where the shell is: predicting turtle home range sizes. *Journal of Animal Ecology* 85: 106-114.
- Smid, J., Moravec, J., Kratochvil, L., Nasher, A. K., Mazuch, T., Gvozdk, V. and Carranza, S. 2015. Multilocus phylogeny and taxonomic revision of the *Hemidactylus robustus* species group (Reptilia, Gekkonidae) with descriptions of three new species from Yemen and Ethiopia. *Systematics and Biodiversity*, DOI: 10.1080/14772000.2014.996264
- Smith, M. A. 1921. New or Little-known reptiles and batrachians from Southern Annam (Indo-China). *Proceedings of the Zoological Society of London* 91: 423-440.
- Smith, M. A. 1925. On a collection of reptiles and amphibians from Mt. Murud, Borneo. *Sarawak Museum Journal*, 5: 5-14.
- Smith, H. M. 1937. A synopsis of the scalaris group of the lizard genus *Sceloporus*. *Occasional Papers of the Museum of Zoology, University of Michigan* 361: 1-8.
- Smith, M. A. 1940. The amphibians and reptiles obtained by Mr. Ronald Kaulback in Upper Burma. *Records of the Indian Museum* 42: 465-486.
- Soares, L. B. Morphological and molecular variation of *Afroablepharus africanus* (Gray, 1845). MSc. Thesis, Universidade De Evora.
- Somaweera, R. and Somaweera, N. 2009. Lizards of Sri Lanka - a colour guide with field keys. Edition Chimaira, Frankfurt Am Main.
- Spawls, S., Howell, K., Drewes, R. and Ashe, J. 2002. A field guide to the reptiles of East Africa: Kenya, Tanzania, Uganda, Rwanda and Burundi. Academic Press, San Diego.
- Sprackland, R. G. and Swinney, G. N. 1998. A new species of giant gecko of the genus *Tarentola* (Reptilia: Squamata: Gekkonidae) from Jamaica. *Journal of Zoology* 245: 73-78.
- Srinivasulu, C., Srinivasulu, B. and Molur, S. (Compilers). 2014. The status and distribution of reptiles in the Western Ghats, India. *Conservation Assessment and Management Plan (CAMP)*. Wildlife Information Liaison Development Society, Coimbatore, Tamil Nadu.

- Srinivasulu et al. 2015
Srinivasulu, C., Kumar, G. C. and Srinivasulu, B. 2015. A new species of *Cnemaspis* (Sauria: Gekkonidae) from Northern Karnataka, India. *Zootaxa* 3947: 85-98.
- Stanley et al. 2016
Stanley, E. L., Ceriaco, L. M. P., Bandeira, S., Valerio, H., Bates, M. F. and Branch, W. R. 2016. A review of *Cordylus machadoi* (Squamata: Cordylidae) in southwestern Angola, with the description of a new species from the Pro-Namib desert. *Zootaxa* 4061: 201-226.
- Stipala et al. 2012
Stipala, J., Lutzmann, N., Malonza, P. K., Wilkinson, P., Godley, B., Nyamache, J. and Evans, M. R. 2012. A new species of chameleon (Squamata: Chamaeleonidae) from the Aberdare Mountains in the central highlands of Kenya. *Zootaxa* 3391: 1-22.
- Storr 1974
Storr, G. M. 1974. Agamid lizards of the genera *Caimanops*, *Physignathus* and *Diporiphora* in Western Australia and Northern Territory. *Records of the Western Australian Museum* 3: 121-146.
- Storr 1988
Storr, G. M. 1988. Three new *Diplodactylus* (Lacertilia: Gekkonidae) from the arid zone of Australia. *Records of the Western Australian Museum* 14: 217-233.
- Storr 1990
Storr, G. M. 1990. A new *Lerista* (Lacertilia: Scincidae) from the Pilbara. *Records of the Western Australian Museum* 14: 669-670.
- Storr 1991a
Storr, G. M. 1991. Four new members of the *Lerista nichollsi* complex (Lacertilia: Scincidae). *Records of the Western Australian Museum* 15: 139-147.
- Storr 1991b
Storr, G. M. 1991. Revision of *Lerista microtis* (Lacertilia: Scincidae). *Records of the Western Australian Museum* 15: 469-476.
- Storr 1991c
Storr, G. M. 1991. Revision of *Lerista microtis* (Lacertilia: Scincidae). *Records of the Western Australian Museum* 15: 469-476.
- Strussmann and Carvalho 2001
Strussmann, C. and Carvalho, M. A. 2001. Two new species of *Cercolophia Vanzolini* 1992 from the state of Mato Grosso, western Brazil (Reptilia, Amphisbaenia, Amphisbaenidae). *Bollettino Museo Regionale di Scienze Naturali, Torino* 18: 487-505.
- Strussmann and Mott 2009
Strussmann, C. and Mott, T. 2009. Sympatric amphisbaenids from Manso Dam region, Mato Grosso State, Western Brazil, with the description of a new two-pored species of *Amphisbaena* (Squamata, Amphisbaenidae). *Studies on Neotropical Fauna and Environment* 44: 37-46.
- Sumarli et al. 2015
Sumarli, A. X., Grismer, L. L., Anuar, S., Muin, M. A. and Quah, E. S. H. 2015. First report on the amphibians and reptiles of a remote mountain, Gunung Tebu in northeastern Peninsular Malaysia. *Check List* 11: 1679-1712.
- Sumontha et al. 2010
Sumontha, M., Panitvong, N. and Deein, G. 2010. *Cyrtodactylus auribalteatus* (Squamata: Gekkonidae), a new cave-dwelling gecko from Phitsanulok Province, Thailand. *Zootaxa* 2370: 53-64.
- Sumontha et al. 2012
Sumontha, M., Pauwels, O. S. G., Kunya, K., Nitikul, A., Samphantamit, P. and Grismer, L. L. 2012. A new forest-dwelling gecko from Phuket Island, Southern Thailand, related to *Cyrtodactylus macrotuberculatus* (Squamata: Gekkonidae). *Zootaxa* 3522: 61-72.
- Sumontha et al. 2012b
Sumontha, M., Pauwels, O. S. G., Kunya, K., Limikhitaksorn, C., Ruksue, S., Taokratok, A., Ansermet, M. and Chanhome, L. 2012. A new species of Parachute Gecko (Squamata: Gekkonidae: genus *Ptychozoon*) from Kaeng Krachan National Park, western Thailand. *Zootaxa* 3513: 68-78.
- Sumontha et al. 2014
Sumontha, M., Pauwels, O. S. G., Suwannakarn, N., Nutatheera, T. and Sodob, W. 2014. *Cyrtodactylus wangkulangkulae* (Squamata: Gekkonidae), a new Bent-toed Gecko from Satun Province, southern Thailand. *Zootaxa* 3821: 116-124.
- Sumontha et al. 2015
Sumontha, M., Pauwels, O. S. G., Panitvong, N., Kunya, K., Grismer, L. L. 2015. A new lowland forest bent-toed gecko (Squamata: Gekkonidae: *Cyrtodactylus*) from Ranong Province, peninsular Thailand. *Zootaxa* 3911: 106-118.
- Sumontha et al. 2017
Sumontha, M., Chomngam, N., Phanamphon, E., Pawangkanhanat, P., Viriyapanon, C., Thanaprayotsak, C. and Pauwels, O. S. G. 2017. A new limestone-dwelling leaf-toed gecko (Gekkonidae: *Dixonius*) from Khao Sam Roi Yot massif, peninsular Thailand. *Zootaxa* 4247: 556-568.
- Sunyer et al. 2013
Sunyer, J., Nicholson, K. E., Phillips, J. G., Gubler, J. A. and Obando, L. A. 2013. Lizards (Reptilia: Squamata) of the Corn Islands, Caribbean Nicaragua. *Check List* 9: 1383-1390.
- Swash and Still 2005
Swash, A. and Still, R. 2005. Birds, mammals, and reptiles of the Galapagos Islands. 2nd edition. Christopher Helm Publishers Ltd.
- Taylor 1950
Taylor, E. H. 1950. Ceylonese lizards of the family Scincidae. *The University of Kansas science bulletin* 33: 481-518.
- Taylor 1962
Taylor, E. H. 1962. New Oriental reptiles. *University of Kansas Science Bulletin*, 43: 209-263.
- Taylor 1963
Taylor, E. H. 1963. The lizards of Thailand. *University of Kansas Science Bulletin* 44: 687-1077.
- Tedesco 1998
Tedesco, M. E. 1998. Una nueva especie de *Pantodactylus* (Squamata, Gymnophthalmidae) de la provincia de Corrientes, Republica Argentina. *Facena* 14: 53-62.
- Teynie and David 2010
Teynie, A. and David, P. 2010. Voyages naturalistes au Laos - les reptiles. *Revoir*, Paris.
- Teynie and David 2014
Teynie, A. and David, P. 2014. Amphibiens et reptiles des formations karstiques du Laos. *Bulletin de la Societe Herpetologique de France* 148: 451-489.
- The Reptile Database
<http://www.reptile-database.org/>
- Thomas 1966
Thomas, R. 1966. A reassessment of the Virgin Islands Typhlops with the description of two new subspecies. *Revista de Biologia Tropical* 13:187-201
- Thomas and Hedges 1988
Thomas, R. and Hedges, S. B. 1988. Two new geckos (*Sphaerodactylus*) from the southern Dominican Republic. *Herpetologica* 44: 96-104.
- Thomas and Hedges 1989
Thomas, R. and Hedges, S. B. 1989. A New *Celestus* (Sauria: Anguillidae) from the Chaîne de la Selle of Haiti. *Copeia*, 1989: 886-891.
- Thomas and Hedges 1992
Thomas, R. and Hedges, S. B. 1992. An unusual new *Sphaerodactylus* from Hispaniola (Squamata, Gekkonidae). *Journal of Herpetology* 26: 289-292.
- Thomas and Hedges 1993
Thomas, R. and Hedges, S. B. 1993. A new banded *Sphaerodactylus* from eastern Hispaniola (Squamata: Gekkonidae). *Herpetologica* 49: 350-354.
- Thomas and Hedges 1998
Thomas, R. and Hedges, S. B. 1998. A new amphisbaenian from Cuba. *Journal of Herpetology*, 32: 92-96,
- Thomas and Hedges 2006
Thomas, R. and Hedges, S. B. 2006. Two new species of *Amphisbaena* (Reptilia: Squamata: Amphisbaenidae) from the Tiburon Peninsula of Haiti. *Caribbean Journal of Science*, 42: 208-219.
- Thomas and Schwartz 1967
Thomas, R. and Schwartz, A. 1967. The *monticola* group of the lizard genus *Anolis* in Hispaniola. *Breviora* 261: 1-27.
- Thomas and Schwartz 1983
Thomas, R. and Schwartz, A. 1983. Variation in Hispaniolian *Sphaerodactylus* (Sauria: Gekkonidae). Pages 87-98 in A. G. J. Rhodin and K. Miyata, eds. *Advances in herpetology and evolutionary biology: essays in honor of Ernest E. Williams*. Museum of Comparative Zoology, Cambridge, Mass.
- Tilbury 1991
Tilbury, C. R. 1991. A new species of *Chamaeleo Laurenti* 1768 (Reptilia: Chamaeleonidae) from a relict montane forest in northern Kenya. *Tropical Zoology* 4: 159-165.
- Tilbury 2010
Tilbury, C. 2010. Chameleons of Africa. An atlas. Including the chameleons of Europe, the Middle East, and Asia. Edition Chimaira, Frankfurt Am Main.
- Tilbury and Tolley 2009
Tilbury, C. R. and Tolley, K. A. 2009. A new species of dwarf chameleon (Sauria: Chamaeleonidae, *Bradypodion Fitzinger*) from KwaZulu Natal South Africa with notes on recent climatic shifts and their influence on speciation in the genus. *Zootaxa* 2226: 43-57.
- Tilbury and Tolley 2009
Tilbury, C. R. and Tolley, K. A. 2009. A new species of dwarf chameleon (Sauria: Chamaeleonidae, *Bradypodion Fitzinger*) from KwaZulu Natal South Africa with notes on recent climatic shifts and their influence on speciation in the genus. *Zootaxa* 2226: 43-57.
- Tilbury and Tolley 2015
Tilbury, C. R. and Tolley, K. A. 2015. Contributions to the herpetofauna of the Albertine Rift: Two new species of chameleon (Sauria: Chamaeleonidae) from an isolated montane forest, south eastern Democratic Republic of Congo. *Zootaxa* 3905: 345-364.
- Torki 2011
Torki, F. 2011. Description of a new species of *Carinatogekko* (Squamata: Gekkonidae) from Iran. *Salamandra* 47: 103-111.
- Torki et al. 2011
Torki, F., Ahmadzadeh, F., Ilgaz, C., Avci, A. and Kumlutas, Y. 2011. Description of four new *Asaccus* Dixon and Anderson, 1973 (Reptilia: Phyllocladylidae) from Iran and Turkey. *Amphibia-Reptilia* 32: 185-202.

- Tornier 1905
Torres-Carvajal 2007
Torres-Carvajal et al. 2014
Torres-Carvajal et al. 2015
Torres-Carvajal et al. 2015a
Townsend and Wilson 2009
Trape 2014
Trape and Mane 2014
Troncoso-Palacios and Esquerre 2014
Troncoso-Palacios et al. 2016
Underwood 1959
Underwood 1964
Vanderduys 2016
Vanzolini 1971
Vanzolini 1994
Vanzolini 1995a
Vanzolini 1995b
Vanzolini 2002
Vasconcelos et al. 2012
Venegas et al. 2011
Venegas et al. 2013a
Venegas et al. 2013b
Vidanapathirana et al. 2014
Villeneuve 2015
Vinciguerra 1933
Vogt 1932
Wagner and Bauer 2011
Wagner et al. 2012
Wang et al. 2010
Wang et al. 2013
Wang et al. 2014
Wang et al. 2015
Wang et al. 2016a
Wang et al. 2016b
Wang et al. 2016b
Weijola et al. 2016
Werler and Campbell 2004
Werner 1910
Werner 1913
Werner 1914
Werner 2004
Wickramasinghe and Munindradasa 2007
- Tornier, G. 1905. Schildkroten und eidechsen aus Nord-Ost Afrika und Arabien. Aus Carlo v. Erlanger's und Oscar Neumann's Forschungsreise. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 22: 365-388.
- Torres-Carvajal, O. 2007. A taxonomic revision of south American *Stenocercus* (Squamata: Iguania) lizards. Herpetological Monographs, 21: 76-178.
- Torres-Carvajal, O., Barnes, C. W., Pozo-Andrade, M. J., Tapia, W. and Nicholls, G. 2014. Older than the islands: origin and diversification of Galapagos leaf-toed geckos (Phyllodactylidae: Phyllodactylus) by multiple colonizations. Journal of Biogeography 41: 1883-1894.
- Torres-Carvajal, O., Echevarria, L. Y., Venegas, P. J., Chavez, G. and Camper, J. D. 2015. Description and phylogeny of three new species of *Synophis* (Colubridae, Dipsadinae) from the tropical Andes in Ecuador and Peru. ZooKeys 546: 153-179.
- Torres-Carvajal, O., Venegas, P. J. and de Queiroz, K. 2015. Three new species of woodlizards (Hopllocercinae, Enyalioides) from northwestern South America. ZooKeys 494: 107-132.
- Townsend, J. H. and Wilson, L. D. 2009. New species of cloud forest *Anolis* (Squamata: Polychrotidae) in the crassulus group from Parque Nacional Montana de Yoro, Honduras. Copeia 2009: 62-70.
- Trape, J-F. 2014. Un reptile nouveau du genre *Cynisca* Gray, 1844, au Senegal (Squamata, Amphisbaenidae). Bulletin de la Societe Herpetologique de France 151: 11-19.
- Trape, J. F. and Mane, Y. 2014. Une nouvelle espece du genre *Cynisca* Gray, 1844 (Squamata, Amphisbaenidae) de la Republique de Cote d'Ivoire. Bulletin de la Societe herpetologique de France 152: 37-44.
- Troncoso-Palacios, J. and Esquerre, D. 2014. A new species of *Phymaturus* of the *P. mallimacii* Group from the Andes of central Chile (Iguania: Liolaemidae). Phyllomedusa 13: 3-15.
- Troncoso-Palacios, J., Diaz, H. A., Puas, G. I., Riveros-Riffo, E. and Elorza, A. A. 2016. Two new *Liolaemus* lizards from the Andean highlands of Southern Chile (Squamata, Iguania, Liolaemidae). ZooKeys 632: 121-146.
- Underwood, G. 1959. A new Jamaican galliwasp (Sauria, Anguidae). Breviora 102: 1-13.
- Underwood, G. 1964. An anguid lizard from the Leeward Islands. Breviora 200: 1-10.
- Vanderduys, E. 2016. A new species of gecko (Squamata: Diplodactylidae: Strophurus) from north Queensland, Australia. Zootaxa 4117: 341-358.
- Vanzolini, P. E. 1971. New Amphisbaenidae from Brasil. Papeis Avulsos de Zoologia 24: 191-195.
- Vanzolini, P. E. 1994. New species of *Amphisbaena* from State of Sao Paulo, Brasil. Papeis Avulsos de Zoologia 39: 29-32.
- Vanzolini, P. E. 1995. A new species of *Amphisbaena* from the state of Mato Grosso, Brasil (Reptilia: Amphisbaenia: Amphisbaenidae). Papeis Avulsos de Zoologia 39: 217-221.
- Vanzolini, P. E. 1995. *Neusticurus ocellatus*, 1930: A valid species of teiid lizard from Bolivia. American Museum Novitates, 3123: 1-7.
- Vanzolini, P. E. 2002. An aid to the identification of the South American species of *Amphisbaena* (Squamata, Amphisbaenidae). Papeis Avulsos de Zoologia 42: 351-362.
- Vasconcelos, R., Perera, A., Geniez, P., Harris D. J. and Carranza, S. 2012. An integrative taxonomic revision of the *Tarentola* geckos (Squamata, Phyllodactylidae) of the Cape Verde Islands. Zoological Journal of the Linnean Society 164: 328-360.
- Venegas, P. J., Duran, V., Landauro, C. Z. and Lujan, L. 2011. A distinctive new species of wood lizard (Hopllocercinae, Enyalioides) from the Yanachaga Chemillen National Park in central Peru. Zootaxa 3109: 39-48.
- Venegas, P. J., Torres-Carvajal, O., Duran, V. and de Queiroz, K. 2013. Two sympatric new species of woodlizards (Hopllocercinae, Enyalioides) from Cordillera Azul National Park in northeastern Peru. ZooKeys 277: 69-90.
- Venegas, P. J., Torres-Carvajal, O., Duran, V. and de Queiroz, K. 2013. Two sympatric new species of woodlizards (Hopllocercinae, Enyalioides) from Cordillera Azul National Park in northeastern Peru. ZooKeys 277: 69-90.
- Venegas, P. J., Duran, V. and Garcia-Burneo, K. 2013. A new species of arboreal iguanid lizard, genus *Stenocercus* (Squamata: Iguania), from central Peru. Zootaxa 3609: 291-301.
- Vidanapathirana, D. R., Rajeev, M. D. G., Wickramasinghe, N., Fernando, S. S. and Wickramasinghe, L. J. M. 2014. *Cnemaspis rammalensis* sp. nov., Sri Lanka's largest day-gecko (Sauria: Gekkonidae: Cnemaspis) from Rammalankanda Man and Biosphere Reserve in southern Sri Lanka. Zootaxa 3755: 273-286.
- Villeneuve, A. 2015. Habitat selection, behavior, and natural history of the newly described leaf chameleon *Brookesia micra* (Reptilia, Squamata, Chamaeleontidae; Glaw, Kohler, Townsend & Vences, 2012) on Nosy Hara, Madagascar. Independent Study Project (ISP) Collection, Paper 2032.
- Vinciguerra, D. 1933. Descrizione di una nuova specie di *Harpesaurus* di Sumatra. Annali del Museo Civico di Storia Naturale di Genova, 56: 355-357.
- Vogt, T. 1932. Beitrag zur reptilienfauna der ehemaligen kolonie Deutsch-Neuguinea. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin 5-7: 281-294.
- Wagner, P. and Bauer, A. M. 2011. A new dwarf *Agama* (Sauria: Agamidae) from Ethiopia. Breviora, 527: 1-19.
- Wagner, C. E., Harmon, L. J. and Seehausen, O. 2012. Ecological opportunity and sexual selection together predict adaptive radiation. Nature, 487: 366-369
- Wang, Y-Y., Yang, J-H. and Cui, R-F. 2010. A new species of *Goniurosaurus* (Squamata: Eublepharidae) from Yingde, Guangdong Province, China. Herpetologica, 66: 229-240.
- Wang, Y., Yang, J. and Liu, Y. 2013. New distribution records for *Sphenomorphus tonkinensis* (Lacertilia: Scincidae) with notes on its variation and diagnostic characters. Asiatic Herpetological Research 4: 147-150.
- Wang, Y-Y., Jin, M-J., Li, Y-L. and Grismer, L. L. 2014. Description of a new species of *Goniurosaurus* (Squamata: Eublepharidae) from the Guangdong Province, China, based on molecular and morphological Data. Herpetologica, 70: 309-322.
- Wang, K., Jiang, K., Pan, G., Hou, M., Siler, C. D. and Che, J. 2015. A new species of *Japalura* (Squamata: Sauria: Agamidae) from Upper Lancang (Mekong) valley of Eastern Tibet, China. Asian Herpetological Research, 6: 159-168.
- Wang, K., Jiang, K., Zou, D-H., Yan, F., Siler, C. D. and Che, J. 2016. Two new species of *Japalura* (Squamata: Agamidae) from the Hengduan Mountain Range, China. Zoological Research 37: 41-56.
- Wang, Y-Y., Wang, J. and Liu, Z-Y. 2016. Description of a new species of the genus *Ptychozoon* (Squamata: Gekkonidae), representing a new national record of this genus from southern Yunnan Province, China. Zootaxa 4084: 406-420.
- Wang, Y-Y., Wang, J. and Liu, Z-Y. 2016. Description of a new species of the genus *Ptychozoon* (Squamata: Gekkonidae), representing a new national record of this genus from southern Yunnan Province, China. Zootaxa 4084: 406-420.
- Weijola, V., Donnellan, S. C. and Lindqvist, C. 2016. A new blue-tailed monitor lizard (Reptilia, Squamata, Varanus) of the *Varanus indicus* group from Mussau Island, Papua New Guinea. ZooKeys 568: 129-154.
- Werler, J. E. and Campbell, J. A. 2004. A new lizard of the genus *Diploglossus* (Anguidae: Diploglossinae) from the Tuxtlan Faunal Region, Veracruz, Mexico. The Southwestern Naturalist 49: 327-333.
- Werner, F. 1910. Über neue oder seltene reptilien des Naturhistorischen Museums in Hamburg. ii. Eidechsen. Hamburg Jahrbucher Wiss. Anst. 27, suppl. no. 2, 1-46.
- Werner, F. 1913. Neue oder seltene Reptilien und Frosche des Naturhistorischen Museums in Hamburg. Mitteilungen aus dem Naturhistorischen Museum in Hamburg, 30: 1-51
- Werner, F. 1914. Über Eidechsen, darunter zwei neue, aus dem angloägyptischen Sudan. Akademieder Wissenschaftenin Wien Mathematisch-naturwissenschaftliche Klasse Sitzungsberichte 57: 393-394
- Werner, Y. L. 2004. A new species of the *Acanthodactylus pardalis* group (Reptilia: Lacertidae) from Jordan. Zoology in the Middle East, 32: 39-46.
- Wickramasinghe, L. J. M. and Munindradasa, D. A. I. 2007. Review of the genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae) in Sri Lanka with the description of five new species. Zootaxa 1490: 1-63.

- Wickramasinghe et al. 2007
Wickramasinghe, L. J. M., Rodrigo, R., Dayawansa, N. and Jayantha, U. L. D. 2007. Two new species of *Lankascincus* (Squamata: Scincidae) from Sripada Sanctuary (Peak Wilderness), in Sri Lanka. *Zootaxa* 1612: 1-24.
- Williams 1965
Williams, E. E. 1965. South American *Anolis* (Sauria, Iguanidae): two new species of the punctatus group. *Breviora* 233: 1-15.
- Williams 1982
Williams, E. E. 1982. Three new species of the *Anolis punctatus* complex from Amazonian and inter-andean Colombia, with comments on the eastern members of the punctatus species group. *Breviora* 467: 1-38.
- Williams 1984
Williams, E. E. 1984. New or problematic *Anolis* from Colombia. 3. Two new semiaquatic anoles from Antioquia and Choco, Colombia. *Breviora* 478: 1-22.
- Williams 1986
Williams, E. E. 1986. *Anolis vicarius*, new species, related to *A. granuliceps*. *Caldasia* 15: 451-459.
- Williams 1992
Williams, E. E. 1992. New or problematic *Anolis* from Colombia. 7. *Anolis lamari*, a new anole from the Cordillera Oriental of Colombia, with a discussion of tigrinus and punctatus species group boundaries. *Breviora* 495: 1-24.
- Williams et al. 1996
Williams, E. E., Orces V. G., Matheus, J. A. and Bleiweiss, R. 1996. A new giant phenacosaur from Ecuador. *Breviora* 505: 1-32.
- Williams et al. 1996a
Williams, E. E., Praderio, M. J. and Gorzula, S. 1996. A Phenacosaur from Chimanta Tepui, Venezuela. *Breviora* 506: 1-15.
- Wilms et al. 2010
Wilms, T. M., Shobrak, M. and Wagner, P. 2010. A new species of the genus *Tropiocolotes* from Central Saudi Arabia (Reptilia: Sauria: Gekkonidae). *Bonn Zoological Bulletin* 57: 275-280.
- Wood et al. 2013
Wood, P. L., Quah, E. S. H., Anuar, S. M. S. and Muin, M. A. 2013. A new species of lowland karst dwelling *Cnemaspis* Strauch 1887 (Squamata: Gekkonidae) from northwestern Peninsular Malaysia. *Zootaxa* 3691: 538-558.
- Wood et al. 2017
Wood, P. L., Grismer, L. L., Aowphol, A., Aguilar, C. A., Cota, M., Grismer, M. S., Murdoch, M. L. and Sites, J. W. 2017. Three new karst-dwelling *Cnemaspis* Strauch, 1887 (Squamata: Gekkoniade) from Peninsular Thailand and the phylogenetic placement of *C. punctatouuchalis* and *C. vandeventeri*. *PeerJ* 5: e2884.
- Worthy 2016
Worthy, T. H. 2016. A review of the fossil record of New Zealand Lizards. Pages 65-86 in Chapple, D. G. Editor. *New Zealand lizards*. Springer, New York.
- Yang 2015
Yang, J-H. 2015. A new species of the genus *Gekko Laurenti* (Squamata: Sauria: Gekkonidae) from Guangxi, China. *Zootaxa* 3936: 287-295.
- Yang and Chan 2015
Yang, J-H. and Chan, B. P-L. 2015. Two new species of the genus *Goniurosaurus* (Squamata: Sauria: Eublepharidae) from southern China. *Zootaxa* 3980: 67-80.
- Yuezhaio Wang
Chengdu Institute of Biology, Chinese Academy of Sciences, Chengdu 610041, China.
- Zhao 1998
Zhao, E. M. 1998. A new species of the genus *Laudakia* from Xizang (Tibet) Autonomus Region. *Acta Zootaxonomica Sinica*, 23: 440-444.
- Zhou and Wang 2008
Zhou, K. and Wang, Q. 2008. New species of *Gekko* (Squamata: Sauria: Gekkonidae) from China: morphological and molecular evidence. *Zootaxa* 1778: 59-68.
- Ziegler et al. 2007
Ziegler, T., Schmitz, A., Koch, A. and Bohme, W. 2007. A review of the subgenus *Euprepiosaurus* of *Varanus* (Squamata: Varanidae): morphological and molecular phylogeny, distribution and zoogeography, with an identification key for the members of the *V. indicus* and the *V. prasinus* species groups. *Zootaxa* 1472: 1-28.
- Ziegler et al. 2013
Ziegler, T., Phung, T. M., Le, M. D. and Nguyen, T. Q. 2013. A new *Cyrtodactylus* (Squamata: Gekkonidae) from Phu Yen Province, southern Vietnam. *Zootaxa* 3686: 432-446.
- Ziegler et al. 2015
Ziegler, T., Rauhaus, A., Nguyen, T. Q. and Nguyen, K. V. 2015. Sudlichster nachweis von *Gekko badenii* Szczerbak & Nekrasova, 1994, mit bemerkungen zur herpetofauna der Hon-Me-Auffangstation in der provinz Kien Giang, Sudvietnam. *Sauria* 37: 3-14.
- Ziegler et al. 2016
Ziegler, T., Botov, A., Nguyen, T. T., Bauer, A. M., Brennan, I. G., Ngo, H. T. and Nguyen, T. Q. 2016. First molecular verification of *Dixonius vietnamensis* Das, 2004 (Squamata: Gekkonidae) with the description of a new species from Vinh Cuu Nature Reserve, Dong Nai Province, Vietnam. *Zootaxa* 4136: 553-566.
- Zou et al. 2016
Zou, D., Yan, F., Jiang, K., Che, J., Murphy, R. W., Papenfuss, T. J., Duan, S. and Huang, S. 2016. Discovery of female *Laudakia papenfussi* Zhao, 1998, with insights into its phylogenetic relationships. *Asian Herpetological Research* 7: 122-130.
- ZSM
Zoologische Staatssammlung München, München, Germany.
- Zug 2010
Zug, G. R. 2010. An outlying *Carlia* population from Java and comments on species groups within the genus *Carlia* (Reptilia: Squamata: Scincidae). *Proceedings of the California Academy of Sciences*, 61: 389-408.
- Zug 2012
Zug, G. R. 2012. A new species of treeskink (Squamata: Scincidae: *Emoia samoensis* species group) from Rotuma, south-central Pacific. *Proceedings of the Biological Society of Washington*, 125: 74-84.
- Zug and Allison 2006
Zug, G. R. and Allison, A. 2006. New *Carlia fusca* complex lizards (Reptilia: Squamata: Scincidae) from New Guinea, Papua-Indonesia. *Zootaxa* 1237: 27-44.
- Zug and Kaiser 2014
Zug, G. R. and Kaiser, H. 2014. A new species of four-toed skink (Squamata: Scincidae: *Carlia peronii* species group) from Pulau Sukur, Indonesia, and biogeographic notes on the herpetofauna of Flores and Komodo. *PROCEEDINGS OF THE BIOLOGICAL SOCIETY OF WASHINGTON* 126: 379-392.
- Zug et al. 2003
Zug, G. R., Watling, D., Alefaio, T., Alefaio, S. and Ludescher, C. 2003. A new gecko (Reptilia: Squamata: genus *Lepidodactylus*) from Tuvalu, South-central Pacific. *Proceedings of the Biological Society of Washington* 116: 38-46.
- Zug et al. 2011
Zug, G. R., Hamilton, A. M. and Austin, C. C. 2011. A new *Emoia samoensis* group lizard (Squamata: Scincidae) from the Cook Islands, South-central Pacific. *Zootaxa* 2765: 47-57.