

**Literature sources for size and ecological data from the paper entitled
“Evolution and ecology of lizard body sizes”, Meiri, S. Global Ecology and
Biogeography 17 724:734 2008**

1. Abdala, C. S. 2002. Nuevo Liolaemus (Iguania: Liolaemidae) perteneciente al grupo Boulengeri de la Provincia de Neuquén, Argentina. Cuadernos de Herpetología, 16: 3-13.
2. Abdala, C. S. 2003. Cuatro nuevas especies del género Liolaemus (Iguania: Liolaemidae), pertenecientes al grupo boulengeri, de la Patagonia Argentina. Cuadernos de Herpetología 17: 3-32.
3. Abdala, C. S. 2005. Dos nuevas especies del género Liolaemus (Iguania: Liolaemidae) y redescrición de Liolaemus boulengeri (Koslowsky, 1898). Cuadernos de Herpetología 19: 3-33.
4. Abdala, C. S. and Gomez, J. M. D. 2006. A new species of the Liolaemus darwini group (Iguania: Liolaemidae) from Catamarca Province, Argentina. Zootaxa 1317: 21-33.
5. Abdala, C. S. and Lobo, F. 2006. Description of a new Patagonian lizard species of the Liolaemus silvanae group (Iguania: Liolaemidae). South American Journal of Herpetology 1: 1-8.
6. Abdala, C. S. and Lobo, F. 2006. Nueva especie del grupo de liolaemus darwini (Iguania: Liolaemidae) del noroeste de Argentina. Cuadernos de Herpetología, 19: 3-18.
7. Ahl, E. 1933. Ergebnisse der Celebes und Halmahera Expedition Heinrich 1930-32. Reptilien und Amphibien. Mitteilungen aus dem Museum für Naturkunde in Berlin 19: 577-583.
8. Ahmadzadeh, F., Kiabi, B. H., Kami, H. G. and Hojjati, V. 2008. A preliminary study of the lizard fauna and their habitats in Northwestern Iran. Asiatic Herpetological Research, 11: 1-9.
9. Akani, G. C., Capizzi, D. and Luiselli, L. 2002. Community ecology of scincid lizards in a swamp rainforest of south-eastern Nigeria. Russian Journal of Herpetology 9: 125-134.
10. Alvarez Del Toro, M., and Smith, H. M. 1956. Notulae herpetologicae Chiapasiae. I. Herpetologica 12: 3-17.
11. Alvarez, H. G. 2004. Pollination and seed dispersal by lizards: a review. Revista Chilena de Historia Natural 77: 569-577.
12. Amaral, A. D. 1933. Estudos sobre Lacertilios neotropicos. I. novos generos e especies de lagartos do Brasil. Memorias do Instituto de Butantan 7: 51-75.
13. Amaral, A. D. 1935. Estudos sobre lacertilios Neotropicos. III. Um novo genero e duas novas espécies de geckonideos e uma nova raca de amphisbenideo, procedentes do Brasil central. Memorias do Instituto de Butantan, 9: 251-256.
14. Amaral, A. D. 1950. Two new South American lizards. Copeia 1950: 281-284.
15. Ananjeva, N. B., Peters, G., Macey, R. J. and Papenfuss, T. J. 1990. Stellio sacra (Smith 1935) - a distinct species of Asiatic rock agamid from Tibet. Asiatic Herpetological Research 3: 104-115.
16. Anderson, J. 1894. On two new species of agamoid lizards from the Hardramut, South-Eastern Arabia. Annals and Magazine of Natural History (6) 14: 377
17. Anderson, J. 1895. On a collection of reptiles and batrachians made by Colonel Yerbury at Aden and its neighbourhood. Proceedings of the Zoological Society of London 1895: 635—663.

18. Anderson, J. 1896. A contribution to the herpetology of Arabia with preliminary list of the reptiles and batrachians of Egypt. Taylor and Francis, London.
19. Anderson, J. 1898. Zoology of Egypt. Vol. I. Reptilia and Batrachia. Bernard Quaritch, London.
20. Anderson, R. A., and Vitt, L. J. 1990. Sexual selection versus alternative causes of sexual dimorphism in teiid lizards. *Oecologia* 84: 145–157.
21. Anderson, S. C. 1963. Amphibians and Reptiles from Iran. Proceedings of the California Academy of Sciences, Series 4, 31 (16): 417-498.
22. Anderson, S. C. 1999. The Lizards of Iran. Society for the Study of Amphibians and Reptiles, St. Louis.
23. Anderson, S. C. and Leviton, A. E. 1967. A new species of *Eremias* (Reptilia: Lacertidae) from Afghanistan. Occasional Papers of the California Academy of Sciences 64: 1-4.
24. Anderson, S. C. and Leviton, A. E. 1969. Amphibians and reptiles collected by the Street Expedition to Afghanistan, 1965. Proceedings of the California Academy of Sciences 37: 25-56.
25. Andersson, L. G. 1914. A new *Telmatobius* and new teiid lizards from South America. *Arkiv Zoology* 9: 1-12.
26. Andreone, F. and Greer, A. E. 2002. Malagasy scincid lizards: descriptions of nine new species, with notes on the morphology, reproduction and taxonomy of some previously described species (Reptilia, Squamata: Scincidae). *Journal of Zoology* 258: 139-181.
27. Andreone, F. and Guarino, F. M. 2003. Giant and long-lived? Age structure in *Macroscincus coctei*, an extinct skink from Cape Verde. *Amphibia-Reptilia* 24: 459-470.
28. Andreone, F., Mattioli, F., Jesu, R. and Randrianirina, J. E. 2001. Two new chameleons of the genus *Calumma* from N.E. Madagascar, with considerations on the hemipenial morphology in the *Calumma furcifer* group (Reptilia, Squamata, Chamaeleonidae). *Herpetological Journal* 11: 53-68.
29. Andrews, R. M. 1979. Evolution of life histories: a comparison of *Anolis* lizards from matched island and mainland habitats. *Breviora* 454, 1-51.
30. Andrews, R. M. and Rand, A. S. 1974. Reproductive effort in anoline lizards. *Ecology* 55: 1317–1327.
31. Andrews, R. M., Mathies, T. Qualls, C. P. and Qualls, F. J. 1999. Rates of embryonic development of *Sceloporus* lizards: do cold climates favor rapid development? *Copeia* 1999: 691-699.
32. Angel, F. 1940. Deux nouvelles especes de *Lygosoma* du Cameroun, materiaux de la mission P. Lepesme, R. Paulian et A. Villirs. *Bulletin du Museum National d'Histoire Naturelle, Paris* 12: 82-85.
33. Angel, F. 1942. Les lezards de Madagascar. *Memoires de Academie Malgache* 36: 1-139.
34. Annandale, N. 1908. Description of a new species of lizard of the genus *Salea* from Assam. *Records of the Indian Museum* 2: 97 (37-38?)
35. Aplin, K. P., Fitch, A. J. and King, D. J. 2006. A new species of *Varanus Merrem* (Squamata: Varanidae) from the Pilbara region of Western Australia, with observations on sexual dimorphism in closely related species. *Zootaxa* 1313: 1-38.
36. Aplin, K. P., How, R. A. and Boeadi. 1993. A new species of the *Glaphyromorphus-solepis* species group (Lacertilia Scincidae) From Sumba Island, Indonesia. *Records of the Western Australian Museum* 16: 235-242.

37. Arena, P. C. and Wooler, R. D. 2003. The reproduction and diet of *Egernia kingii* (Reptilia : Scincidae) on Penguin Island, Western Australia. *Australian Journal of Zoology* 51: 495-504.
38. Arillo, A. Balleto, E. and Spano, S. 1967. Il genere *Latastia* Bedriaga in Somalia. *Bulletin dei Musei e Instituto Biologia, Universitaire di Genova* 35: 105-145
39. Arnold, E. N. 1972. Lizards with northern affinities from the mountains of Oman. *Zoologische Mededelingen* 47: 111-128.
40. Arnold, E. N. 1977. Little-known geckoes (Reptilia: Gekkonidae) from Arabia with descriptions of two new species from the Sultanate of Oman. *Journal of Oman Studies, Special Report* 1: 81-110
41. Arnold, E. N. 1980. Recently extinct reptile populations from Mauritius and Reunion, Indian Ocean. *Journal of Zoology* 191: 33-47.
42. Arnold, E. N. 1980. The reptiles and amphibians of Dhofar, Southern Arabia. *Journal of Oman Studies, Special report*, 2: 273-332.
43. Arnold, E. N. 1982. Reptiles of Saudi Arabia. A new semaphore gecko (*Pristurus*: Gekkonidae) and a new dwarf snake (*Eirenis*: Colubridae) from southwestern Arabia. *Fauna of Saudi Arabia* 4: 468-477.
44. Arnold, E. N. 1984. Ecology of lowland lizards in the eastern United Arab Emirates. *Journal of Zoology* 204: 329-354.
45. Arnold, E. N. 1984. Evolutionary aspects of tail shedding in lizards and their relatives. *Journal of Natural History*, 18: 127-169.
46. Arnold, E. N. 1986. New species of semaphore gecko (*Pristurus*: Gekkonidae) from Arabia and Socotra. *Fauna of Saudi Arabia* 8: 352-377.
47. Arnold, E. N. 1989. Systematics and adaptive radiation of Equatorial African lizards assigned to the genera *Adolfus*, *Bedriagaia*, *Gastropholis*, *Holaspis* and *Lacerta* (Reptilia, Lacertidae). *Journal of Natural History*, 23: 525-555.
48. Arnold, E. N. 1989. Towards a phylogeny and biogeography of the Lacertidae: relationships within an Old-World family of lizards derived from morphology. *Bulletin of the British Museum (Natural History), Zoology* 55: 209-257.
49. Arnold, E. N. 1997. Interrelationships and evolution of the east Asian grass lizards, *Takydromus* (Squamata: Lacertidae). *Zoological Journal of the Linnean Society* 119: 267-296.
50. Arnold, E. N. and Gardner, A. S. 1994. A review of the middle eastern leaf-toed geckoes (Gekkonidae: *Asaccus*) with descriptions of two new species from Oman. *Fauna of Saudi Arabia* 14: 424-441.
51. Arnold, E. N. and Ovenden, D. W. 2004. A field guide to the reptiles and amphibians of Britain and Europe. 2nd edition. Collins, London.
52. Arnold, E. N., Arribas, O. and Carranza, S. 2007. Systematics of the Palaearctic and Oriental lizard tribe *Lacertini* (Squamata: Lacertidae: Lacertinae), with descriptions of eight new genera. *Zootaxa* 1430: 1-86.
53. Arnold, E. N., Lanza, B., Poggesi, M. and Corti, C. 1998. Notes on the anatomy and phylogenetic position of *Eremias ercolinii* Lanza & Poggesi 1975 (Reptilia: Lacertidae). *Tropical Zoology*, 11: 235-240.
54. Arribas, O. and Carranza, S. 2004. Morphological and genetic evidence of the full species status of *Iberolacerta cyreni martinezricai* (Arribas, 1996). *Zootaxa* 634: 1-24.

55. Arribas, O., Carranza, S. and Odierna, G. 2006. Description of a new endemic species of mountain lizard from Northwestern Spain: *Iberolacerta galani* sp. nov. (Squamata : Lacertidae). *Zootaxa* 1240: 1-55.
56. Auerbach, R. D. 1987. The amphibians and reptiles of Botswana. Nokwepa Consultants, Gaborone.
57. Auffenberg, K., Krysko, K. L. and Auffenberg, W. 2004. Studies on Pakistan lizards: *Cyrtopodion stoliczkai* (Steindachner, 1867) (Gekkonidae: Gekkoninae). *Asiatic Herpetological Research* 10: 151-160.
58. Austin, C. C. 1995. Molecular and morphological evolution in South Pacific scincid lizards: morphological conservatism and phylogenetic relationships of Papuan Lipinia (Scincidae). *Herpetologica* 51: 291–300.
59. Austin, C. C. 2006. Checklist and comments on the terrestrial reptile fauna of Kau Wildlife Area, Papua New Guinea. *Herpetological Review*, 37: 167-170.
60. Avila, L. J. 2003. A new species of *Liolaemus* (Squamata: Liolaemidae) from northeastern Argentina and southern Paraguay. *Herpetologica*, 59: 283–292.
61. Avila, L. J., Morando, M. and Sites, J. W. 2008. New species of the iguanian lizard genus *Liolaemus* (Squamata, Iguania, Liolaemini) from central Patagonia, Argentina. *Journal of Herpetology*, 42: 186-196.
62. Avila, L. J., Morando, M., Perez, C. H. F. and Sites, J. W. 2007. A new species of *Liolaemus* (Reptilia: Squamata: Liolaemini) from southern Mendoza province, Argentina. *Zootaxa* 1452: 43-54.
63. Avila, L. J., Perez, C. H. F. and Morando, M. 2003. A new species of *Liolaemus* (Squamata: Iguania: Liolaemidae) from northwestern Patagonia (Neuquen, Argentina). *Herpetologica* 59: 534–545.
64. Avila, L. J., Perez, C. H. F., Morando, M. and Sites, J. W. 2004. Phylogenetic relationships of lizards of the *Liolaemus petrophilus* group (Squamata, Liolaemidae), with description of two new species from western Argentina *Herpetologica* 60: 187–203.
65. Avila-Pires, T. C. S. 1995. Lizards of Brazilian Amazonia. Backhuys Publishers, Leiden
66. Avila-Pires, T. C. S. and Hoogmoed, M. S. 2000. On two new species of *Pseudogonatodes Ruthven*, 1915. (Reptilia: Squamata: Gekkonidae), with remarks on the distribution of some other sphaerodactyl lizards. *Zoologische Mededelingen* 73: 209-223.
67. Axtell, R. W. 1956. A solution to the long neglected *Holbrookia lacerata* problem, and the description of two new subspecies of *Holbrookia*. *Bulletin of the Chicago Academy of Sciences* 10: 163-179.
68. Axtell, R. W., and Axtell, C. A. 1971. A new lizard (*Sceloporus jarrovii cyanostictus*) from Sierra Madre of Coahuila, Mexico. *Copeia*, 1971: 89-98.
69. Ayala, S. C. and Castro, F. 1983. Dos nuevos gecos (Sauria: Gekkonidae, Sphaerodactylinae) para Colombia: *Lepidoblepharis xanthostigma* (Noble) y descripcion de una nueva especie. *Caldasia* 13 (No. 65): 743-753.
70. Ayala, S. C. and Harris, D. M. 1984. A new microteiid lizard (*Alopoglossus*) from the Pacific rainforest of Columbia. *Herpetologica* 40: 154-158.
71. Ayala, S. C. and Serna, M. A. 1986. Una nueva especie de *Lepidoblepharis* (Sauria, Gekkonidae) de la Cordillera central de Colombia. *Caldasia* 15: 649-665.

72. Ayala, S. C. and Williams, E. E. 1988. New or problematic Anolis from Colombia. 6. Two fuscoauratoid anoles from the Pacific lowlands, *A. maculiventris* Boulenger, 1898. and *A. medemi*, a new species from Gorgona Island. *Breviora* 490: 1-16.
73. Ayala, S. C., Harris, D. M. and Williams, E. E. 1984. *Anolis menta*, sp. n. (Sauria, Iguanidae), a new tigrinus group anole from the west side of Santa Marta Mountains, Colombia. *Papeis Avulsos de Zoologia* 35: 135-145.
74. Bahir, M. M. and Maduwage, K. P. 2005. *Calotes desilvai*, a new species of agamid lizard From Morningside forest, Sri Lanka. *Raffles Bulletin of Zoology, Supplement* 12: 381–392
75. Bahir, M. M. and Silva, A. 2005. *Otocryptis nigristigma*, a new species of agamid lizard from Sri Lanka. *Raffles Bulletin of Zoology, Supplement* 12: 393–406.
76. Baker, R. H., Webb, R. G. and Dalby, P. 1967. Notes on Reptiles and Mammals from Southern Zacatecas. *American Midland Naturalist* 77: 223-226.
77. Barabanov, A. V. and Ananjeva, N. B. 2007. Catalogue of the available scientific species-group names for lizards of the genus *Phrynocephalus* Kaup, 1825 (Reptilia, Sauria, Agamidae). *Zootaxa* 1399: 1–56.
78. Baran, I. and Gruber, U. 1982. Taxonomische untersuchungen an Turkischen gekkoniden. *Spixiana*, 5: 109-138.
79. Barbadillo, L. J. and Martinez-Solano, I. 2002. Vertebral intercentra in Lacertidae: variation and phylogenetic implications. *Copeia*, 2002: 208–212.
80. Barbour, T. 1905. The Vertebrata of Gorgona Island, Colombia. 4 Reptilia; Amphibia. *Bulletin of the Museum of Comparative Zoology* 46 (5): 87-102.
81. Barbour, T. 1932. New Anoles. *Proceedings of the New England Zoological Club* 12: 97-102.
82. Barbour, T. 1932. On a new *Anolis* from Western Mexico. *Copeia* 1932: 11-12.
83. Barbour, T. and Loveridge, A. 1928. A comparative study of the herpetological fauna of the Uluguru and Usambara mountains, Tanzania Territory with descriptions of new species. *Memoires of the Museum of Comparative Zoology*, 50: 85-265.
84. Barbour, T. and Loveridge, A. 1928. New skinks of the genus *Scelotes* from Mozambique and Madagascar. *Proceedings of the New England Zoological Club* 10: 63-65.
85. Barbour, T. and Loveridge, A. 1930. Reptiles and amphibians from Liberia. Pp. 769-786. In Strong, R. P. (editor) *Report of the Harvard-African Expedition upon the African Republic of Liberia and the Belgian Congo; Based on the Observations Made and Material Collected During the Harvard African Expedition 1926 - 1927*. Harvard University Press, Cambridge, Mass.
86. Barbour, T. and Loveridge, A. 1930. Reptiles and amphibians from the Central African Lake Region. pages 786-796 In Strong, R. P. (editor) *Report of the Harvard-African Expedition upon the African Republic of Liberia and the Belgian Congo; Based on the Observations Made and Material Collected During the Harvard African Expedition 1926 - 1927*. Harvard University Press, Cambridge, Mass.
87. Barbour, T. and Shreve, B. 1937. Novitates Cubanae. *Bulletin of the Museum of Comparative Zoology* 80: 377-387.
88. Barros, T. R., Esqueda, L. F., Mijares-Urrutia, A., La Marca, E. and Nicholson, K. E. 2007. The anoline “lost link” rediscovered: variation and distribution of *Anolis annectens* Williams 1974 (Squamata Polychrotidae). *Tropical Zoology* 20: 41-53.

89. Barros, T. R., Esqueda, L. F., Mijares-Urrutia, A., La Marca, E. and Nicholson, K. E. 2007. The anoline "lost link" rediscovered: variation and distribution of *Anolis annectens* Williams 1974 (Squamata Polychrotidae). *Tropical Zoology* 20: 41-53.
90. Barros, T., Williams, E. E. and Viloria, A. L. 1996. The genus *Phenacosaurus* (Squamata: Iguania) in western Venezuela: *Phenacosaurus tetarii* new species, *Phenacosaurus euskalerriari*, new species, and *Phenacosaurus nicefori* Dunn, 1944. *Breviora* 504: 1-30.
91. Bartlett, R. D. 1985. Notes on the natural history and reproductive strategy of the island glass lizard, *Ophisaurus compressus*. *British Herpetological Society Bulletin*: 19–21.
92. Bartlett, R. D. and Bartlett, P. 2003. Reptiles and amphibians of the Amazon. An ecotourist's guide. Florida University Presses
93. Barts, M. 2004. Erfahrungen bei der haltung und vermehrung von *Xenagama batillifera* (Vaillant 1832) mit anmerkungen zum verhalten von *Xenagama taylori* (Parker 1935). *Reptilia* 9: 72-77.
94. Batuwita, S. and Bahir, M. M. 2005. Description of five new species of *Cyrtodactylus* (Reptilia: Gekkonidae) from Sri Lanka. *Raffles Bulletin of Zoology Supplement No. 12*: 351–380.
95. Bauer, A. M. 1985. Notes on the taxonomy, morphology and behavior of *Rhacodactylus chahoua* (Bavay) (Reptilia: Gekkonidae). *Banner zoologische Beitrage* 36: 81-94.
96. Bauer, A. M. 2002. Two new species of *Cnemaspis* (Reptilia: Squamata: Gekkonidae) from Gund, Uttara Kannada, India. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 99: 155-167.
97. Bauer, A. M. 2002. Two new species of *Cyrtodactylus* (Squamata: Gekkonidae) from Myanmar. *Proceedings of the California Academy of Sciences* 53:73–86.
98. Bauer, A. M. 2003. Descriptions of seven new *Cyrtodactylus* (Squamata: Gekkonidae) with a key to the species of Myanmar (Burma). *Proceedings of the California Academy of Sciences* 54: 463-498.
99. Bauer, A. M. 2003. On the identity of *Lacerta punctata* Linnaeus, 1758, the type species of the genus *Euprepis* Wagler, 1830, and the generic assignment of Afro-Malagasy skinks. *African Journal of Herpetology* 52: 1-7.
100. Bauer, A. M. 2003. On the identity of *Lacerta punctata* Linnaeus, 1758, the type species of the genus *Euprepis* Wagler, 1830, and the generic assignment of Afro-Malagasy skinks. *African Journal of Herpetology* 52: 1-7.
101. Bauer, A. M. 2004. Gekkonidae, Geckos. pages 973-977 in Goodman, S. M. and Benstead, J. P. editors. *The natural history of Madagascar*. University of Chicago Press, Chicago.
102. Bauer, A. M. 2006. A review of the gekkotan lizards of Benin, with the description of a new species of *Hemidactylus* (Squamata : Gekkonidae). *Zootaxa* 1242: 1-20.
103. Bauer, A. M. and Das, I. 1998. New species of *Cnemaspis* (Reptilia: Gekkonidae) from southeastern Thailand. *Copeia* 1998: 439-444.
104. Bauer, A. M. and DeVaney, K. D. 1987. Aspects of diet and habitat use in some New Caledonian lizards. *Amphibia-Reptilia* 8: 349-364.
105. Bauer, A. M. and Gunther, R. 1992. A preliminary report of the reptile fauna of the kingdom of Bhutan with the description of a new species of scincid lizard (Reptilia: Scincidae). *Asiatic Herpetological Research* 4: 23-36.

106. Bauer, A. M. and Menegon, M. 2006. A new species of prehensile-tailed gecko, *Urocotyledon* (Squamata: Gekkonidae), from the Udzungwa Mountains, Tanzania. *African Journal of Herpetology* 55: 13-22.
107. Bauer, A. M. and Pauwels, O. S. G. 2002. A new forest-dwelling *Hemidactylus* (Squamata: Gekkonidae) from Gabon, West Africa. *African Journal of Herpetology*, 51: 1-8.
108. Bauer, A. M. and Russell, A. P. 1986. *Hoplodactylus delcourti* n. sp. (Reptilia: Gekkonidae), the largest known gecko. *New Zealand Journal of Zoology* 13: 141-148.
109. Bauer, A. M. and Russell, A. P. 1989. A systematic review of the genus *Uroplatus* (Reptilia: Gekkonidae) with notes on its biology. *Journal of Natural History* 23: 169-203.
110. Bauer, A. M. and Sadlier, R. A. 2000. The Herpetofauna of New Caledonia. Society for the Study of Amphibians and Reptiles, St. Louis.
111. Bauer, A. M. and Vindum, J. V. 1990. A checklist and key to the herpetofauna of New Caledonia, with remarks on biogeography. *Proceedings of the California Academy of Sciences* 47: 17-45.
112. Bauer, A. M., Barts, M. and Hulbert, F. 2006. A new species of the *Pachydactylus weberi* group (Reptilia: Squamata: Gekkonidae) from the Orange River, with comments on its natural history. *Salamandra* 42: 83-92.
113. Bauer, A. M., Bohme, W. and Gunther, R. 2006. An annotated catalogue of the types of chameleons (Reptilia: Squamata: Chamaeleonidae) in the collection of the Museum fur Naturkunde der Humboldt-Universitat zu Berlin (ZMB). *Mitteilungen aus dem Museum fur Naturkunde in Berlin* 82: 268-281.
114. Bauer, A. M., Chirio, L. Ineich, I. and LeBreton, M. 2006. New species of *Cnemaspis* (Squamata: Gekkonidae) from northern Cameroon, a neglected biodiversity hotspot. *Journal of Herpetology* 40: 510-519.
115. Bauer, A. M., de Silva, A., Greenbaum, E. and Jackman, T. 2007. A new species of day gecko from high elevation in Sri Lanka, with a preliminary phylogeny of Sri Lankan *Cnemaspis* (Reptilia, Squamata, Gekkonidae). *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe* 83 (Supplement): 22-32.
116. Bauer, A. M., Gunther, R. and Klipfel, M. 1995. The herpetological contributions of Wilhelm C.H. Peters (1815-1883). Society for the Study of Amphibians & Reptiles, Facsimile Reprints in Herpetology, St. Louis.
117. Bauer, A. M., Jackman, T, Sadlier, R. A. and Whitaker, A. H. 2006. A New Genus and Species of Diplodactylid Gecko (Reptilia: Squamata: Diplodactylidae) from Northwestern New Caledonia. *Pacific Science* 60: 125-135.
118. Bauer, A. M., Lamb, T. and Branch, W. R. 2002. A revision of *Pachydactylus scutatus* (Reptilia: Squamata: Gekkonidae) with the description of a new species from northern Namibia. *Proceedings of the California Academy of Sciences* 53: 23-36.
119. Bauer, A. M., Lang, M. and Gunther, R. 1994. An annotated type catalogue of the pygopods, xantusiids, gerrhosaurids and cordylids (Reptilia: Squamata: Pygopodidae, Xantusiidae, Gerrhosauridae and Cordylidae) in the collection of Zoological Museum, Berlin. *Mitteilungen aus dem Museum fur Naturkunde in Berlin* 70: 85-92.

120. Bauer, A. M., Pauwels O. S. G. and Chanhome. L. 2002. A new species of cave-dwelling Cyrtodactylus (Squamata: Gekkonidae) from Thailand. *The Natural History Journal of Chulalongkorn University* 2: 19–29.
121. Bauer, A. M., Sumontha, G. M. and Pauwels O. S. G. 2003. Two new species of Cyrtodactylus (Reptilia: Squamata: Gekkonidae) from Thailand. *Zootaxa* 376: 1-18
122. Bauer, A. M., Sumontha, M., Grossmann, W., Pauwels, O. S. G. and Vogel, G. 2004. A new species of Dixonius (Squamata: Gekkonidae) from Kanchanaburi Province, Western Thailand. *Current Herpetology* 23: 17-26.
123. Bauer, A. M., Whiting, A. S. and Sadlier, R. A. 2003. A new species of *Scelotes*, from near Cape Town, Western Cape Province, South Africa. *Proceedings of the California Academy of Sciences* 54: 231–237.
124. Bauwens, D. and Diaz-Uriarte, R. 1997. Covariation of life-history traits in lacertid lizards: a comparative study. *American Naturalist* 149: 91–111.
125. Beckon, W. N. 1992. The giant Pacific geckos of the genus *Gehyra*: morphological variation, distribution, and biogeography. *Copeia* 1992: 443–460.
126. Bedriaga, J. V. 1884. Die neue Lacertiden-Gattung *Latastia* und ihre Arten (*L. doriai* n.sp. var. *Martensi* m., *Samharica* Blanf. und *Boscai* n.sp.). *Annali del Museo Civico di Storia Naturale Giacomo Doria* 20: 307-324.
127. Bedriaga, J. V. 1907. Wiss. Res. Przewalski Central-Asien untern. Reisen 3, Zoologische Abteilung 1, Lief. 2: 207
128. Beebe, W. 1944. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 1. Gekkonidae. *Zoologica* 29: 145-160.
129. Beebe, W. 1944. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 2. Iguanidae. *Zoologica* 29: 195–216.
130. Beebe, W. 1945. Field notes on the lizards of Kartabo, British Guiana, and Caripito, Venezuela. Part 3, Teiidae, Amphisbaenidae and Scincidae. *Zoologica* 30: 7–32.
131. Bejakovic, D., Kalezic, M. L., Aleksic, I., Dzukic, G. and Crnobrnjalsailovic, J. 1995. Female reproductive cycle and clutch traits in the Dalmatian wall lizard (*Podarcis melisellensis*). *Folia Zoologica* 44: 371-380.
132. Benabib, M. 1994. Reproduction and lipid utilization of tropical populations of *Sceloporus variabilis*. *Herpetological Monographs*, 8: 160-180.
133. Bennett, A. F. and Gorman, G. C. 1979. Population density and energetics of lizards on a tropical island. *Oecologia* 42: 339-358.
134. Beovides-Casas, K. and Mancina, C. A. 2006. Natural history and morphometry of the Cuban iguana (*Cyclura nubila* Gray, 1831) in Cayo Siju, Cuba. *Animal Biodiversity and Conservation*, 29: 1–8.
135. Bezy, R. L. 1989. Morphological differentiation in unisexual and bisexual xantusiid lizards of the genus *Lepidophyma* in Central America. *Herpetological Monographs* 3: 61-80.
136. Bezy, R. L. and Camarillo, J. L. 2002. Systematics of xantusiid lizards of the genus *Lepidophyma*. *Los Angeles County Museum Contributions in Science* 493: 1–41
137. Bezy, R. L. and Flores Villela, O. 1999. A new species of *Xantusia* (Squamata: Xantusiidae) from Zacatecas, Mexico. *Herpetologica* 55: 174-184.

138. Bezy, R. L., Webb, R. G. and Alvarez, T. 1982. A new species of the genus *Lepidophyma* (Sauria: Xantusiidae) from Michoacan Mexico. *Herpetologica* 38: 361-366.
139. Bischoff, W. 1981. Freiland- und Terrarienbeobachtungen an der Omaneidechse, *Lacerta jayakari* Boulenger, 1887. *Zeitschr. Kolner Zoo* 24: 135-143.
140. Bissell, A. N. and Martins, E. P. 2004. Behavior and ecology of rock iguanas II. Pages 109-118 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
141. Biswas, S. and Sanyal, D. P. 1980. A report on the reptilia fauna of Andaman and Nicobars islands in the collection of zoological survey of India. *Records of the Zoological Survey of India* 77: 255-292.
142. Blanc, C. P. 1977. Reptiles. Sauriens. Iguanidae. *Faune de Madagascar* 45: 1-200.
143. Blob, R. W. 1998. Evaluation of vent position from lizard skeletons for estimation of snout: vent length and body mass. *Copeia* 1998: 792-801.
144. Blob, R. W. 2000. Interspecific scaling of the hindlimb skeleton in lizards, crocodilians, felids and canids: does limb bone shape correlate with limb posture? *Journal of Zoology* 250: 507-531.
145. Bobrov, V. V. 1992. A new scincid lizard (Reptilia Sauria Scincidae) from Vietnam. *Zoologicheskii Zhurnal* 71: 156-158.
146. Bocage, J. V. B. 1895. Reptiles et batracines nouveaux ou peu connu de Fernâo do Po. *Jornal de Sciencias Mathematicas, Physicas e Naturaes, Lisboa* (2) 13: 16-20
147. Bocage, J. V. B. 1895. Subsidios para a fauna da ilha de Fernâo do Po. *Jornal de Sciencias Mathematicas, Physicas e Naturaes, Lisboa* (2) 13: 12-16
148. Bocourt, F. 1873. Observations sur les reptiles et les batraciens de la region centrale de l'Amerique. Etudes sur les reptiles et les batraciens. Mission scientifique au Mexique et dans l'Amerique Centrale-Recherches zoologiques. In *Etudes sur les Reptiles*, Paris.
149. Boettger, O. 1887. Diagnoses reptilium novorum ad ill. viro Paul Hesse in finibus fluminis Congo repetitorum. *Zoologischer Anzeiger* 10 (267): 649-651.
150. Boettger, O. 1893. Uebersicht der von Prof. C. Keller anlasslich der Ruspolischen Expedition nach den Somalilandern gesammelten Reptilien und Batrachier. *Zoologischer Anzeiger* 16: 113-119.
151. Boettger, O. 1893. Uebersicht der von Prof. C. Keller anlasslich der Ruspolischen Expedition nach den Somalilandern gesammelten Reptilien und Batrachier. *Zoologischer Anzeiger* 16: 129-132.
152. Boettger, O. 1913. Reptilien und amphibien von Madagascar, den Inseln und dem Festland Ostafrikas. Pp. 269-375. In: Voeltzkow, A. Reise in Ostafrika in den Jahren 1903-1905. *Wissenschaftliche Ergebnisse. Vol. 3. Systematische Arbeiten. Schweizerbart' sche Verlagsbuchhandlung, Nägele und Sproesser, Stuttgart*
153. Bogert, C. M., and Oliver, J. A. 1945. A preliminary analysis of the herpetofauna of Sonora. *Bulletin of the American Museum of Natural History* 83: 297-426.
154. Bohme, W. 1975. Zur herpetofaunistik Kameruns, mit beschreibung einens neuen scinciden. *Bonner Zoologische Beitrage* 26: 2-48.
155. Bohme, W. 1981. A new lygosomine skink from Thailand (Reptilia: Scincidae). *Bollettino del Museo Civico di Storia Naturale di Verona* 8: 375-382.
156. Bohme, W. 1985. Zoogeographical patterns of the lizard fauna of the African savannah belt, with preliminary description of a new chameleon. pages 471-478 in Schuchmann, K. L. (editor).

Proceedings of the International Symposium on African Vertebrates. Systematics, Phylogeny and Evolutionary Ecology. Museum A. Koenig (Bonn).

157. Bohme, W. 2005. Presence of *Agama weidholzi* Wettstein 1932. in The Gambia, West Africa. *Salamandra* 41: 155-157.
158. Bohme, W. and Kirschner, A. 2002. Über die Stachelschwanzagamen der Gattung *Xenagama* Boulenger 1895, mit Anmerkungen zur Zucht beider Arten. *Herpetofauna* 24 (139): 5-18.
159. Bohme, W. and Klaver, C. 1981. Zur innerartlichen gliederung und zur artgeschichte von *Chamaeleo quadricornis* Tornier, 1899 (Sauria: Chamaeleonidae). *Amphibia-Reptilia* 4: 313-328.
160. Bohme, W. and Klaver, C. 1990. Zur kenntnis von *Bradypodion uthmoelleri* (Muller, 1938). *Salamandra* 26: 260-266.
161. Bohme, W. and Scerbak, N. N. 1991. Ein neuer Wustenrenner aus dem Hochland Afghanistans, *Eremias* (*Eremias*) *afghanistanica* sp. n. (Reptilia: Sauria: Lacertidae). *Bonner Zoologische Beiträge* 42: 137-141.
162. Bohme, W. and Schmitz, A. 1996. A new lygosomine skink (Lacertilia: Scincidae: Panaspis) from Cameroon. *Revue Suisse de Zoologie* 103: 767-774.
163. Bohme, W. and Ziegler, T. 2005. A new monitor lizard from Halmahera, Moluccas, Indonesia (Reptilia: Squamata: Varanidae). *Salamandra* 41: 51-59.
164. Bohme, W., and Klaver, C. J. J. 1980. The systematic status of *Chamaeleo kinetensis* Schmidt, 1943, (Sauria: Chamaeleonidae) from the Imantong Mountains, Sudan, with comments on lung and hemipenial morphology within the *C. betaeniatus* group. *Amphibia-Reptilia* 1: 3-17.
165. Bohme, W., Schmitz, A. and Ziegler, T. 2000. A review of the West African skink genus *Cophoscincopus* Mertens (Reptilia : Scincidae : Lygosominae): resurrection of *C. simulans* (Vaillant, 1884) and description of a new species. *Revue Suisse de Zoologie* 107: 777-791.
166. Bonine, K. E., Gleeson, T. T. and Garland, T. 2005. Muscle fiber-type variation in lizards (Squamata) and phylogenetic reconstruction of hypothesized ancestral states. *Journal of Experimental Biology* 208: 4529-4547.
167. Boretto, J. M. and Ibarguengoytia, N. R. 2006. Asynchronous spermatogenesis and biennial female cycle of the viviparous lizard *Phymaturus antofagastensis* (Liolaemidae): reproductive responses to high altitudes and temperate climate of Catamarca, Argentina. *Amphibia-Reptilia*, 27: 25-36.
168. Boretto, J. M., Ibargüengoytia, N. R., Acosta, J. C., Blanco, G. M., Villavicencio, J. and Marinero, J. A. 2007. Reproductive biology and sexual dimorphism of a high-altitude population of the viviparous lizard *Phymaturus punae* from the Andes in Argentina. *Amphibia-Reptilia* 28: 427-432.
169. Borner, A. R. and Schuttler, B. I. 1983. An additional note on the Australian geckos of the genus *Gehyra*. *Miscellaneous Articles in Saurology* 12: 1-4.
170. Boulenger, G. A. 1885. Catalogue of the Lizards in the British Museum (Nat. Hist.) I. Geckonidae, Eublepharidae, Uroplatidae, Pygopodidae, Agamidae. , Trustees of the British Museum, London.
171. Boulenger, G. A. 1885. Catalogue of the Lizards in the British Museum (Nat. Hist.) II. Iguanidae, Xenosauridae, Zonuridae, Anguidae, Anniellidae, Helodermatidae, Varanidae, Xantusiidae, Teiidae, Amphibolidae. Trustees of the British Museum, London.
172. Boulenger, G. A. 1887. Catalogue of the Lizards in the British Museum (Nat. Hist.) III. Lacertidae, Gerrhosauridae, Scincidae, Anelytropidae, Dibamidae. Trustees of the British Museum, London.

173. Boulenger, G. A. 1887. Description of a new genus of lizards of the family Teiidae. Proceedings of the Zoological Society of London 1887: 640.
174. Boulenger, G. A. 1888. On some reptiles and batrachians from Iguaçú, Pernambuco. Annals and Magazine of Natural History (6) 2: 40-43.
175. Boulenger, G. A. 1888. On some reptiles and batrachians from Iguaçú, Pernambuco. Annals and Magazine of Natural History (6) 2: 40-43.
176. Boulenger, G. A. 1890. The fauna of British India, including Ceylon and Burma. Reptilia and Batrachia. Taylor and Francis.
177. Boulenger, G. A. 1892. On the reptiles collected by Sig. L. Brichetti Robecchi in Somaliland. Annali del Museo Civico di Storia Naturale Giacomo Doria 12: 5-15.
178. Boulenger, G. A. 1894. Second report on additions to the lizard collection in the Natural History Museum. Proceedings of the Zoological Society of London 1894: 722-736.
179. Boulenger, G. A. 1895. An account of the reptiles and batrachians collected by Dr. A. Donaldson Smith in western Somaliland and the Galla Country. Proceedings of the Zoological Society of London 1895: 530-540.
180. Boulenger, G. A. 1896. Descriptions of new reptiles and batrachians from Colombia. Annals and Magazine of Natural History 17: 16-21.
181. Boulenger, G. A. 1897. Concluding report on the late Capt. Bottego's collection of reptiles and batrachians from Somaliland and British East Africa. Annali del Museo Civico di Storia Naturale di Genova, 18: 715-723.
182. Boulenger, G. A. 1897. On the reptiles of Rotuma Island, Polynesia. Annals and Magazine of Natural History (6) 20: 306-307.
183. Boulenger, G. A. 1898. A list of reptiles and batrachians from Ombaai, East Indian Archipelago. Annals and Magazine of Natural History (7) 1: 122-124.
184. Boulenger, G. A. 1898. An account of the reptiles and batrachians collected by Mr. W. F. H. Rosenberg in western Ecuador. Proceedings of the Zoological Society of London 1898: 107-126.
185. Boulenger, G. A. 1898. On a second collection of reptiles made by Mr. E. Lord-Phillips in Somaliland. Annals and Magazine of Natural History 2: 130-133.
186. Boulenger, G. A. 1899. Descriptions of the new species of reptiles. Bulletin of the Liverpool Museum, 2: 4-7.
187. Boulenger, G. A. 1899. On a collection of reptiles and batrachians made by Mr. J. D. La Touche in N. W. Fokien, China. Proceedings of the Zoological Society of London 11: 159-172.
188. Boulenger, G. A. 1900. A list of the batrachians and reptiles of the Gabon (French Congo), with descriptions of new genera and species. Proceedings of the Zoological Society of London 1900: 433-456.
189. Boulenger, G. A. 1900. Report on a collection made by Messrs. F. V. McConnell and J. J. Quelch at mount Roraima in British Guiana: Reptiles and Batrachians. Transactions of the Linnaean Society of London (2) 8: 53-54.
190. Boulenger, G. A. 1901. Further descriptions of new reptiles collected by Mr. P. O. Simons in Peru and Bolivia. Annals and Magazine of Natural History 7: 546-549.
191. Boulenger, G. A. 1902. Descriptions of new batrachians and reptiles from northwestern Ecuador. Annals and Magazine of Natural History (7) 9: 51-57

192. Boulenger, G. A. 1903. Descriptions of new lizards in the collection of the British Museum. *Annals and Magazine of Natural History* 7: 429-435.
193. Boulenger, G. A. 1903. On some batrachians and reptiles from Venezuela. *Annals and Magazine of Natural History* ser. 7, 11: 481-484.
194. Boulenger, G. A. 1905. Descriptions of new reptiles discovered in Mexico by Dr. H. Gadow, F.R.S. *Proceedings of the Zoological Society of London* 2: 245-247.
195. Boulenger, G. A. 1907. Descriptions of two new African lizards of the genus *Latastia*. *Annals and Magazine of Natural History* 19: 392-394.
196. Boulenger, G. A. 1908. Descriptions of new batrachians and reptiles discovered by Mr. M. G. Palmer in South-western Colombia. *Annals and Magazine of Natural History* ser. 8, 2: 515-522.
197. Boulenger, G. A. 1908. Descriptions of new South-American reptiles. *Annals and Magazine of Natural History* ser. 8, 1: 111-115.
198. Boulenger, G. A. 1909. A list of the freshwater fishes, batrachians and reptiles obtained by Mr. J. Stanley Gardiner's expedition to the Indian Ocean. *Transactions of the Linnean Society* 12: 291-300.
199. Boulenger, G. A. 1911. Descriptions of new reptiles from the Andes of South America, preserved in the British Museum. *Annals and Magazine of Natural History* 7: 19-25.
200. Boulenger, G. A. 1912. A vertebrate fauna of the Malay Peninsula from the Isthmus of Kra to Singapore including the adjacent islands. *Reptilia and batrachia*. Taylor and Francis, London.
201. Boulenger, G. A. 1913. Descriptions of new lizards in the collection of the British Museum. *Annals and Magazine of Natural History* ser. 8, 12: 563-566.
202. Boulenger, G. A. 1917. Descriptions of new lizards of the family Lacertidae. *Annals and Magazine of Natural History* 19: 277-279.
203. Boulenger, G. A. 1920. Monograph of the Lacertidae. Vol. 1. London, Trustees of the British Museum (Natural. History).
204. Boulenger, G. A. 1921. Monograph of the Lacertidae. Vol. 2. London, Trustees of the British Museum (Natural. History).
205. Bourret, R. 1937. Notes herpétologiques sur l'indochine française. XV. Lézards et serpents reçus au laboratoire des Sciences Naturelles de l'Université au cours de l'année 1937. Descriptions de deux espèces et de deux variétés nouvelles. *Bulletin Générale de l'Instruction Publique* 5. Gouvernement Général de l'Indochine, pp. 57-82.
206. Bourret, R. 1937. Notes herpetologiques sur l'Indochine française. XII. Les lezards de la collection du Laboratoire des Sciences Naturelles de l'Universite. Descriptions de cinq especes nouvelles. *Bulletin Générale de l'Instruction Publique*, Hanoi 1937: 1-39.
207. Brana, F. 1996. Sexual dimorphism in lacertid lizards: male head increase vs female abdomen increase? *Oikos* 75: 511–523.
208. Branch, B. 1998. Field guide to snakes and other reptiles of Southern Africa. 3rd ed. Sanibel Island, FL: Ralph Curtis Books. ISBN 0883590425pa.
209. Branch, W. R., Rodel, M. O. and Marais, J . 2005. A new species of rupicolous *Cordylus Laurenti* 1768 (Sauria: Cordylidae) from Northern Mozambique. *African Journal of Herpetology*, 54: 131-138.

210. Brando, R. A. and Motta, P. C. 2005. Circumstantial evidences for mimicry of scorpions by the neotropical gecko *Coleodactylus brachystoma* (Squamata, Gekkonidae) in the Cerrados of central Brazil. *Phylomedusa* 4: 139-145.
211. Brattstrom, B. H. 1955. Notes on the herpetology of the Revillagigedo Islands, Mexico. *American Midland Naturalist*, 54: 219-229.
212. Broadley, D. G. 1963. Three new lizards from South Nyasaland and Tete. *Annals and Magazine of Natural History* (12) 6: 285—288.
213. Broadley, D. G. 1965 A new species of *Platysaurus* from northern Mozambique. *Arnoldia (Rhodesia)* 1: 1-4
214. Broadley, D. G. 1965. A new chameleon from Malawi. *Arnoldia* 32: 1-3.
215. Broadley, D. G. 1989. A reappraisal of the genus *Panaspis* Cope, with the description of a new species of *Leptosiaphos* (Reptilia: Scincidae) from Tanzania. *Arnoldia Zimbabwe* 9: 439-449.
216. Broadley, D. G. 1994. A review of *Lygosoma* Hardwicke and Gray 1827 (Reptilia Scincidae) on the East African coast, with the description of a new species. *Tropical Zoology* 7: 217-222.
217. Broadley, D. G. 2000. A review of the genus *Mabuya* in southeastern Africa (Sauria: Scincidae). *African Journal of Herpetology*, 49 (2): 87-110.
218. Broadley, D. G. and Branch, W. R. 2002. A review of the small east African *Cordylus* (Sauria: Cordylidae), with the description of a new species. *African Journal of Herpetology*, 51: 9-34.
219. Brongersma, L. D. 1930. Sur un Geckonidae nouveau, *Gehyra leopoldi* nov. sp., de la Nouvelle Guinee. *Bulletin du Musee royal d'Histoire Naturelle de Belgique* 6: 1-3.
220. Brongersma, L. D. 1942. Notes on scincid lizards. *Zoologische Mededelingen* 24: 125-152.
221. Brongersma, L. D. 1948. Lizards from the island of Morotai (Moluccas). *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series C*, 51: 486-495.
222. Brongersma, L. D. 1953. Notes on New Guinean reptiles and amphibians. I. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen. Series C*, 56: 137-142.
223. Brown, A. E. 1902. A collection of reptiles and batrachians from Borneo and the Loo Choo Islands. *Proceedings of the Academy of Natural Sciences of Philadelphia*, 54: 175-186.
224. Brown, G. W. 1991. Ecological feeding analysis of south-eastern Australian scincids (Reptilia: Lacertilia). *Australian Journal of Zoology* 39: 9–29.
225. Brown, R. M. 1999. New species of parachute gecko (Squamata: Gekkonidae: genus *Ptychozoon*) from northeastern Thailand and central Vietnam. *Copeia* 1999: 990-1001.
226. Brown, R. M., Diesmos, A. C. and Duya, M. V. 2007. A new *Luperosaurus* (Squamata: Gekkonidae) from the Sierra Madre of Luzon Island, Philippines. *Raffles Bulletin of Zoology* 55: 167-174.
227. Brown, R. M., Fernenr, J. W., Sison, R. V. and Gonzales, P. C. 1995. Amphibians and reptiles of the Zambales mountains of Luzon Islands, Republic of the Philippines. *Herpetological Natural History* 14: 1-22.
228. Brown, R. M., Ferner, J. W. and Ruedas, L. A. 1995. A new species of lygosomine lizard (Reptilia: Lacertilia: Scincidae; *Sphenomorphus*) from Mt. Isarog, Luzon Island, Philippines. *Proceedings of the Biological Society of Washington* 108: 18-28.
229. Brown, R. M., Supriatna, J. and Ota, H. 2000. Discovery of a new species of *Luperosaurus* (Squamata; Gekkonidae) from Sulawesi, with a phylogenetic analysis of the genus, and comments on the status of *Luperosaurus serraticaudus*. *Copeia* 2000: 191-209.

230. Brown, R. P., Znari, M., El Mouden, E. H. and Harris, P. 1999. Estimating asymptotic body size and testing geographic variation in *Agama impalearis*. *Ecography* 22: 277-283.
231. Brown, W. C. 1953. Results of the Archbold Expeditions. No. 69. A review of New Guinea lizards allied to *Emoia baudini* and *Emoia physicae* (Scincidae). *American Museum Novitates* 1627: 1-26.
232. Brown, W. C. 1991. Lizards of the genus *Emoia* (Scincidae) with observations on their ecology and biogeography. *Memoirs of the California Academy of Sciences* 15:1-94.
233. Brown, W. C. 1995. A new lizard of the genus *Sphenomorphus* (Reptilia: Scincidae) from Mt. Kitanglad, Mindanao Island, Philippine Island. *Proceedings of the Biological Society of Washington* 108: 388-391.
234. Brown, W. C. and Alcala, A. C. 1961. Populations of amphibians and reptiles in the submontane and montane forests of Cuernos de Negros, Philippine Islands. *Ecology* 42: 628-636.
235. Brown, W. C. and Alcala, A. C. 1978. Philippine lizards of the family Gekkonidae. Silliman University Press, Dumaguete City, Philippines.
236. Brown, W. C. and Alcala, A. C. 1980. Philippine lizards of the family Scincidae. Silliman University Press, Dumaguete City, Philippines.
237. Brown, W. C. and Alcala, E. L. 1995. A new species of *Brachymeles* (Reptilia: Scincidae) from Catanduanes Island, Philippines [B. minimus]. *Proceedings of the Biological Society of Washington* 108: 392-394.
238. Brown, W. C. and Parker, F. 1973. A new species of *Cyrtodactylus* (Gekkonidae) from New Guinea with a key to species from the island. *Breviora* 417: 1-7.
239. Brown, W. C. and Parker, F. 1977. Lizards of the genus *Lepidodactylus* (Gekkonidae) from the Indo-Australian Archipelago and the islands of the Pacific, with description of new species. *Proceedings of the California Academy of Sciences* 41: 253-265.
240. Brown, W. C., McCoy, M. and Rodda, G. H. 1992. A new *Lepidodactylus* (Reptilia: Gekkonidae) from Guadalcanal Island, Solomons. *Proceedings of the Biological Society of Washington* 105: 440-442.
241. Bruna, E. M., Fisher, R. N. and Case, T. J. 1996. New evidence of habitat segregation between two cryptic species of Pacific skinks (*Emoia cyanura* and *E. impar*). *Copeia* 1996: 998-1005.
242. Bruschi, S., Corti, C., Carretero, M. A., Harris, D. J., Lanza, B. and Leviton, A. 2006. Comments on the Status of the Sardinian-Corsican Lacertid Lizard *Podarcis tiliguerta*. *Proceedings of the California Academy of Sciences* 57: 225-245.
243. Brygoo, E. R. 1971. Reptiles. Sauriens. Chamaeleonidae. Genre *Chamaeleo*. Faune de Madagascar, ORSTOM et CNRS, Paris 33: 1-318.
244. Brygoo, E. R. 1978. Reptiles. Sauriens. Chamaeleonidae. Genre *Brookesia* et complément pour le genre *Chamaeleo*. Faune de Madagascar, 47: 1-173.
245. Brygoo, E. R. 1981. Systématique des lezards scincides de la région malgache. VII. Revision des genres *Voeltzkowia* Boettger 1893, *Grandidierina* Mocquard 1894, et *Cryptoscincus* Mocquard 1894. *Bulletin du Museum National d'Histoire Naturelle*, Paris, 4th ser., Sect. A, 3 (2): 675-688.
246. Brygoo, E. R. and Roux-Esteve, R. 1983. *Feylinia*, genre de lezards africains de la famille des Scincidae, sous-famille des Feyliniinae. *Bulletin du Museum National d'Histoire Naturelle*, Paris 4e ser., 5: 307-341.

247. Brygoo, E., 1987. Systématique des Lézards Scincidés de la région malgache. XIX. Données sur le genre *Androngo*. Bulletin du Museum National d'Histoire Naturelle, Paris 4 ser. 9: 255-263.
248. Buden, D. W. 1998. Morphological variation and distributional ecology of the giant Micronesian gecko (*Perochirus scutellatus*) of Kapingamarangi Atoll. Pacific Science 52, no. 3: 250-258.
249. Buden, D. W. 2007. Reptiles of Satawan Atoll and the Mortlock Islands, Chuuk State, Federated States of Micronesia. Pacific Science 61: 415-428.
250. Buffrenil, V. D., Ineich, I. and Bohme, W. 2004. Comparative data on epiphyseal development in the family Varanidae. Journal of Herpetology, 37: 328-335.
251. Bull, C. M. and Pamula, Y. 1996. Sexually dimorphic head sizes and reproductive success in the sleepy lizard *Tiliqua rugosa*. Journal of Zoology 240: 511-521.
252. Bullock, D. J., Arnold, E. N. and Bloxam, Q. 1985. A new endemic gecko (Reptilia: Gekkonidae) from Mauritius. Journal of Zoology Series A 206: 591-599.
253. Burt, C. E. 1930. Herpetological results of the Whitney South Sea Expedition. 4, Descriptions of new species of lizards from the Pacific Islands (Scincidae). American Museum novitates 427: 1-3.
254. Burt, C. E. and Burt, M. D. 1931. South American lizards in the collection of the American Museum of Natural History. Bulletin of the American Museum of Natural History 61: 227-395.
255. Busack, S. D., Salvador, A. and Lawson, R. 2006. Two new species in the genus *Psammmodromus* (Reptilia: Lacertidae) from the Iberian Peninsula. Annals of Carnegie Museum 75: 1-10.
256. Bustard, H. R. 1966. Notes on the eggs, incubation and young of the bearded dragon *Amphibolurus barbatus* (Cuvier). British Journal of Herpetology 3: 252-259.
257. Butler M. A. and Losos J. B. 2002. Multivariate sexual dimorphism, sexual selection, and adaptation in Greater Antillean *Anolis* lizards. Ecological Monographs 72: 541-559.
258. Cabrera, M. R. 2004. A new *Cnemidophorus* (Squamata: Teiidae) from western Argentina. Amphibia-Reptilia 25: 265-275.
259. Cabrera, M. R. and Monguillot, J. C. 2006. A new Andean species of *Liolaemus* of the darwinii Complex (Reptilia: Iguanidae). Zootaxa 1106: 35-43.
260. Cadle, J. E. 1991. Systematics of lizards of the genus *Stenocercus* (Iguania Tropiduridae) from northern Peru. New species and comments on relationships and distribution patterns. Proceedings of the Academy of Natural Sciences of Philadelphia 143: 1-96.
261. Cadle, J. E. 1998. New species of lizards, genus *Stenocercus* (Iguania: Tropiduridae) from western Ecuador and Peru. Bulletin of the Museum of Comparative Zoology 155: 257-297.
262. Cadle, J. E. 2001. A new species of lizard related to *Stenocercus caducus* (Cope) (Squamata:Iguanidae) from Peru and Bolivia, with a key to the "Ophryoessoides group." Bulletin of the Museum of Comparative Zoology 157: 183-221.
263. Cadle, J. E. and Chuna, M. P. 1995. A new lizard of the genus *Macropholidus* (Teiidae) from a relictual humid forest of northwestern Peru, and notes on *Macropholidus ruthveni* Noble. Breviora 501: 1-39.
264. Campbell, J. A. 1982. A new species of *Abronia* (Sauria, Anguidae) from the Sierra Juárez, Oaxaca, Mexico. Herpetologica 38: 355-361.
265. Campbell, J. A. 1984. A new species of *Abronia* (Sauria, Anguidae), with comments on the herpetogeography of the highlands of southern Mexico. Herpetologica 40: 373-381.

266. Campbell, J. A. 1999. *Amphibians and Reptiles of Northern Guatemala, the Yucatan, and Belize*. University of Oklahoma Press, Norman.
267. Campbell, J. A. and Camarillo, R. J. L. 1994. A new lizard of the genus *Diploglossus* (Anguidae: Diploglossinae) from Mexico, with a review of the Mexican and northern Central American species. *Herpetologica* 50: 193-209.
268. Campbell, J. A. and Frost, D. R. 1993. Anguid lizards of the genus *Abronia*: revisionary notes on the species of nuclear Central America and adjacent Mexico, descriptions of four additional species, with a phylogenetic hypothesis for the genus and an identification key. *Bulletin of the American Museum of Natural History* 216:1-121.
269. Campbell, J. A., and Brodie, E. D. 1999. A new species of *Abronia* (Squamata: Anguidae) from the southeastern highlands of Guatemala. *Herpetologica* 55: 161-174.
270. Campbell, J. A., Hillis, D. M. and Lamar, W. W. 1989. A new lizard of the genus *Norops* (Sauria: Iguanidae) from the cloud forest of Hidalgo, Mexico. *Herpetologica* 45: 232-242.
271. Campbell, J. A., Sasa, M., Acevedo, M. E. and Mendelson, J. R. 1998. A new species of *Abronia* (Squamata: Anguidae) from the high Cuchumatanes of Guatemala. *Herpetologica* 54: 221-234.
272. Campbell, T. S. and Echternacht, A. C. 2003. Introduced species as moving targets: changes in body sizes of introduced lizards following experimental introductions and historical invasions. *Biological Invasions* 5: 193-212.
273. Caputo, V., Lanza, B. and Palmieri, R. 1995. Body elongation and limb reduction in the genus *Chalcides Laurenti* 1768 (Squamata Scincidae): a comparative study. *Tropical Zoology* 8: 95-152.
274. Carpenter, A. I. 2003. The ecology and exploitation of chameleons in Madagascar. PhD thesis, University of East Anglia, UK.
275. Carpenter, A. I. and Robson, O. 2005. A review of the endemic chameleon genus *Brookesia* from Madagascar, and the rationale for its listing on CITES Appendix II. *Oryx* 39: 1-6.
276. Carranza, S., Arnold, E. N., Mateo, J. A. and Lopez-Jurado, L. F. 2001. Parallel gigantism and complex colonization patterns in the Cape Verde scincid lizards *Mabuya* and *Macroscincus* (Reptilia : Scincidae) revealed by mitochondrial DNA sequences. *Proceedings of the Royal Society B* 268: 1595-1603.
277. Carter, R. L. and Hayes, W. K. 2004. Conservation of an endangered rock iguana, II. Pages 148-157 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
278. Casas-Andreu, G. and Gurrola-Hidalgo, M. A. 1993. Comparative ecology of two species of *Cnemidophorus* in coastal Jalisco, Mexico. pages 133-150 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
279. Case, T. J. 1976. Body size differences between populations of the chuckwalla, *Sauromalus obesus*. *Ecology* 57: 313-323.
280. Case, T. J. 1978. A general explanation for insular body size trends in terrestrial vertebrates. *Ecology* 59: 1-18.
281. Case, T. J. 1982. Ecology and evolution of the insular giant chuckawallas, *Sauromalus hispidus* and *Sauromalus varius*. Pages 184-212 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the world: their behaviour, ecology and conservation*. Noyes Publications, New Jersey.

282. Case, T. J. 1983. Sympatry and size similarity in *Cnemidophorus*. Pages 297-325 in Huei, R. B., Pianka, E. R. and Schoener, T. W. (eds). *Lizard ecology, studies of a model organism*. Harvard University Press, Cambridge, Mass.
283. Case, T. J. 1983. The reptiles: ecology. Pages 159-209 in Case, T. J. and Cody, M. L. editors. *Island Biogeography in the Sea of Cortez*. University of California Press, Berkeley.
284. Case, T. J. 2002. Reptiles. Pages 221-270 in Case, T. J. and Cody, M. L. editors. *Island Biogeography in the Sea of Cortez*. 2nd edition. Oxford University Press, Oxford.
285. Case, T. J. and Schwaner, T. D. 1993. Island mainland body size differences in Australian varanid lizards. *Oecologia* 94: 102-109.
286. Case, T. J., Bolger, A. D. and Richman, A. D. 1998. Reptilian extinctions over the last ten thousand years. Pages 157-186 In: Fielder, P. L. and, Kareiva, P. M. (eds.), *Conservation biology for the coming decade*, 2nd edition, Chapman & Hall, New York.
287. Castaneda-Gaytan G., Gadsden, H. Lopez-Corrujedo, H. and Estrada-Rodríguez, J. L. 2003. Historia de vida de Uma paraphygas (Sauria: Phrynosomatidae) en la Reserva de la Biosfera de Mapimí, Durango. *Acta Zoologica Mexicana* 89: 169–184.
288. Castro-Herrera, F. 1988. Niche structure on an anole community in a tropical rain forest within the Chocoí Region of Colombia. DPhil Thesis, North Texas State University.
289. Cei, J. M. 1982. A new endemic lizard from Sierra Pie de Palo in western Argentina. *Journal of Herpetology*, 16: 179-182.
290. Cei, J. M. 1986. Reptiles del centro, centro-oeste y sur de la Argentina. *Herpetofauna de las zonas aridas y semiaridas*. Museo Regionale di Scienze Naturali, Torino. 527 pp.
291. Cei, J. M. 1993. Reptiles del noroeste, nordeste y este de la Argentina. *Museo Regionale di Scienze Naturali*, Torino, Monografie 14: 1-949
292. Cei, J. M. and Castro, L. P. 1973. Taxonomic and serological researches on the *Phymaturus patagonicus* Complex. *Journal of Herpetology*, 7: 237-247.
293. Cei, J. M. and Pefaur, J. E. 1982. Una nueva especie de *Liolaemus* (Iguanidae: Squamata) su sistematica, ecología y distribucion. Pp. 573-586 in P. J. Salinas (Ed.), *Zoología Neotropical: Actas del VIII Congreso Latinoamericano de Zoología*. Merida, Venezuela.
294. Cei, J. M. and Scolaro, J. A. 1983. Una nueva forma geográfica de *Liolaemus kingi* de Santa Cruz, Argentina (Lacertilia, Iguanidae). *Neotropica* 29: 209-214.
295. Cei, J. M. and Scolaro, J. A. 1996. A new species of *Liolaemus* of the archeforus group from the precordilleran valley of the Zeballos river, Santa Cruz Province, Argentina (Reptilia, Tropiduridae). *Museo Regionale di Scienze Naturali Bollettino* (Torino) 14: 389-401.
296. Cei, J. M. and Videla, F. 2003. A new species of *Liolaemus* lacking precloacal pores in males from the Andean south-eastern mountains of Mendoza Province, Argentina (Liolaemidae, Iguania, Lacertilia, Reptilia). *Bullettino Museo Regionale di Scienze Naturali - Torino* 20: 275-290.
297. Cei, J. M. Videla, F. and Vicente, L. 2003. From oviparity to viviparity: a preliminary note on the morphometric differentiation between oviparous and viviparous species assigned to the genus *Liolaemus* (Reptilia, Squamata, Liolaemidae). *Journal of Zoological Systematics and Evolutionary Research* 41: 152-156.
298. Cei, J. M., Etheridge, R. and Videla, F. 1983. Especies nuevas de iguanidos del noroeste de la provincia de San Juan (Reserva provincial San Guillermo), Argentina. *Deserta* 7: 316-323.

299. Cei, J. M., Scolaro, J. A. and Videla, F. 2001. The present status of Argentinean polychrotid species of the genus *Pristidactylus* and description of its southernmost taxon as a new species. *Journal of Herpetology*, 35: 597-605.
300. Cei, J. M., Scolaro, J. A. and Videla, F. 2003. A taxonomic revision of recognized Argentine species of the leiosaurid genus *Diplolaemus* (Reptilia, Squamata, Leiosauridae). *Facena* 19: 87-106.
301. Chabanaud, P. 1916. Sur divers reptiles et batraciens du Maroc recueillis par M. Pallary. *Bulletin du Museum National d'Histoire Naturelle*, Paris, 22: 228-233.
302. Chabanaud, P. 1917. Description d'un lacertilien nouveau de Maroc. *Bulletin du Museum National d'Histoire Naturelle*, Paris 1: 3-6.
303. Chabanaud, P. 1917. Descriptions de trois espèces nouvelles de Reptiles de l'Afrique. *Bulletin du Museum National d'Histoire Naturelle*, 23: 219-225.
304. Chabanaud, P. 1917. Enumération des reptiles non encore étudiés de l'Afrique occidentale, appartenant aux collections du Muséum, avec la description des espèces nouvelles. *Bulletin du Museum National d'Histoire Naturelle*, Paris 23: 83-105.
305. Chabanaud, P. 1917. Revision de quelques reptiles d'Afrique et description de trois espèces nouvelles. *Bulletin du Museum National d'Histoire Naturelle*, Paris 23: 442-454.
306. Chabanaud, P. 1918. Etude d'une collection de reptiles de l'Afrique occidentale français. *Bulletin du Museum National d'Histoire Naturelle*, Paris 24: 160-166.
307. Chamaille-Jammes, S., Massot, M., Aragon, P. and Cloebert, J. 2006. Global warming and positive fitness response in mountain populations of common lizards *Lacerta vivipara*. *Global Change Biology*, 12: 392-402.
308. Chapple, D. G. 2003. Ecology, life-history, and behavior in the Australian Scincid genus *Egernia*, with comments on the evolution of complex sociality in lizards. *Herpetological Monographs* 17: 145-180.
309. Cheke, A. S. 1984. Lizards of the Seychelles. Biogeography and ecology of the Seychelles Islands (ed. by D.S. Stoddart), pp. 331-360. Dr W. Junk, The Hague.
310. Chen, S. H. and Lue, K. Y. 1987. A new species of skink, *Sphenomorphus taiwanensis*, from Taiwan (Sauria, Scincidae). *Bulletin of the Institute of Zoology, Academia Sinica* 26: 115-121.
311. Chen, S. L., Hikida, T., Han, S. H., Shim, J. H., Oh, H.S. and Ota, H. 2001. Taxonomic status of the Korean populations of the genus *Scincella* (Squamata: Scincidae). *Journal of Herpetology* 35: 122-129.
312. Chippindale, P. 1991. Captive breeding of the Timor monitor *Varanus timorensis similis*. *Herpetological Review* 22: 52-53.
313. Chirio, L. and Ineich, I. 2000. Description d'un nouveau scinide endémique des montagnes du Cameroun (Lacertilia: Mabuya mekuana). *Bulletin de la Societe Zoologique de France* 125: 185-196..
314. Chirio, L. and LeBreton, M. 2007. Atlas des reptiles du Cameroun. *Publications Scientifiques du Museum national d'Histoire naturelle*, Paris.
315. Chou, W. H., Nguyen, T. Q. and Pauwels, O. S. G. 2001. A new species of *Takydromus* (Reptilia: Lacertidae) from Vietnam. *Herpetologica* 57: 497-508.
316. Christian, K. A. and Tracy, C. R. 1982. Reproductive behavior of Galapagos land iguanas, *Conolophus pallidus*, on Isla Santa Fe, Galapagos. Pages 366-379 in G. M. Burghardt and A. S.

- Rand, editors. *Iguanas of the World: Their Behaviour, Ecology and Conservation*. Noyes Publications, New Jersey.
- 317. Cleemann, N., Chapple, D. G. and Wainer, J. 2004. Sexual dimorphism, diet, and reproduction in the Swamp Skink, *Egernia coventryi*. *Journal of Herpetology* 38: 461-467.
 - 318. Clobert, J., Garland, T. and Barbault, R. 1998. The evolution of demographic tactics in lizards: a test of some hypotheses concerning life history evolution. *Journal of Evolutionary Biology* 11: 329-364.
 - 319. Clover, R. C. 1979. Phenetic relationships among populations of *Podarcis sicula* and *P. melisellensis* (Sauria: Lacertidae) from islands in the Adriatic Sea. *Systematic Zoology*, 28: 284-298.
 - 320. Cochran, D. M. 1933. A new gecko from Haiti, *Aristelliger expectatus*. *Proceedings of the Biological Society of Washington* 46: 33-35.
 - 321. Cogger, H. G. 1972. A new scincid lizard of the genus *Tribolonotus* from Manus Island, New Guinea. *Zoologische Mededelingen* 47: 202-210.
 - 322. Cogger, H. G. 1975. New lizards of the genus *Pseudothecadactylus* (Lacertilia: Gekkonidae) from Arnhem Land and northwestern Australia. *Records of the Australian Museum* 30: 87-97.
 - 323. Cogger, H. G. 2000. *Reptiles and amphibians of Australia* 6th ed. Sanibel Island, FL : Ralph Curtis Publishing.
 - 324. Cogger, H., Sadlier, R., and Cameron, E. 1983. The terrestrial reptiles of Australia's island territories. *Australian National Parks and Wildlife Service Special Publication* 8 (11) 1-79.
 - 325. Cole C. J. and Dessauer, H. C. 1993. Unisexual and bisexual whiptail lizards of the *Cnemidophorus lemniscatus* complex (Squamata: Teiidae) of the Guiana Region, South America, with descriptions of new species. *American Museum Novitates* 3081: 1-30.
 - 326. Cole, C. J. and Kok, P. J. R. 2006. A new species of gekkonid lizard (Sphaerodactylinae: *Gonatodes*) from Guyana, South America. *American Museum Novitates* 3254: 1-13.
 - 327. Cole, C. J., Dessauer, H. C. and Markezich, A. L. 1993. Missing Link Found: The Second Ancestor of *Gymnophthalmus underwoodi* (Squamata: Teiidae), A South American Unisexual Lizard of Hybrid Origin. *American Museum Novitates* 3055: 1-13.
 - 328. Cole. C. J., Dessauer, H. C., Townsend, C. R. and Arnold, M. G. 1990. Unisexual Lizards of the Genus *Gymnophthalmus* (Reptilia: Teiidae) in the Neotropics: Genetics, Origin, and Systematics. *American Museum Novitates* 2994: 1-29.
 - 329. Colli, G. R., Caldwell, J. P., Costa, G. C., Gainsbury, A. M., Garda, A. A., Mesquita, D. M., Filho, C. M. M. R., Soares, A. H. B., Silva, V. N., Valdujo, P. H., Vieira, G. H. C., Vitt, L. J., Werneck, F. P., Wiederhecker, H. C. and Zatz, M. G. 2003. A new species of *Cnemidophorus* (Squamata, Teiidae) from the cerrado biome in central Brazil. *Occasional Papers of the Sam Noble Oklahoma Museum of Natural History, University of Oklahoma* 14: 1-14.
 - 330. Colli, G. R., Costa , G. C., Garda , A. A., Kopp , K. A., Mesquita, D. O., Peres, A. K., Valdujo, P. H., Vieira, G. H. C. and Wiederhecker, H. C. 2003. A critically endangered new species of *Cnemidophorus* (Squamata, Teiidae) from a cerrado enclave in southwestern Amazonia, Brazil. *Herpetologica*, 59: 76–88.
 - 331. Colli, G. R., Mesquita, D. O., Rodrigues, P. V. V. and Kitayama, K. 2003. Ecology of the gecko *Gymnodactylus geckoides amarali* in a neotropical Savanna. *Journal of Herpetology* 37: 694-706.

332. Collins, J. P. 1971. Ecological observations on a little known South American anole: *Tropidodactylus onca*. *Breviora* 370: 1-6.
333. Colwell, G.J. 1993. *Hydrosaurus weberi* (Weber's sail-fin dragon). Morphology. *Herpetological Review* 24: 150.
334. Conant, R. and Collins, J. T. 1998. Reptiles and amphibians of eastern and central North America. 3rd Edition expanded. Houghton Mifflin Company, Boston.
335. Congdon, J.D., Vitt, L. J. and Hadley, N.F. 1978. Parental investment: comparative reproductive energetics in bisexual and unisexual lizards, genus *Cnemidophorus*. *American Naturalist* 12: 595-608.
336. Constable, J. D. 1940. Reptiles from the Indian Peninsula in the Museum of Comparative Zoology. *Bulletin of the Museum of Comparative Zoology* 103: 59-160.
337. Cooper, B. W. 1953. Notes on the life history of the lizard, *Neoseps reynoldsi* Stejneger. *Journal of the Florida Academy of Sciences*, 16: 235-238.
338. Cooper, W. E. and Guillette, L. J. 1991. Observations on activity, display behavior, coloration and androgen levels in the keeled earless lizard, *Holbrookia propinqua*. *Amphibia-Reptilia* 12: 57-66.
339. Cooper, W. E. and Vitt, L. J. 1989. Sexual dimorphism of head and body size in an iguanid lizard: paradoxical results. *American Naturalist* 133: 729–735.
340. Cooper, W. E. and Vitt, L. J. 2002. Distribution, extent, and evolution of plant consumption by lizards. *Journal of Zoology* 257: 487-517.
341. Cope, E. D. 1868. Observations on Reptiles of the old world. *Proceedings of the Academy of Natural Sciences of Philadelphia* 1868: 316-323
342. Cope, E. D. 1889. III. Report on the batrachians and reptiles collected in 1887-88. *Proceedings of the United States National Museum* 12: 141-147.
343. Cope, E. D. 1895. The Batrachia and Reptilia of the University of Pennsylvania West Indian expedition of 1890 and 1891. *Proceedings of the Academy of Natural Sciences of Philadelphia* 46 : 429-442.
344. Cope, E. D. 1896. On the hemipenes of the Sauria. *Proceedings of the Academy of Natural Sciences of Philadelphia* 48: 461-467.
345. Cope, E. D. 1899. Contributions to the herpetology of New Grenada and Argentina, with descriptions of new forms. *Philadelphia Museum of Science Bulletin* 1: 1-19.
346. Cordes, I. G., Mouton, P. L. N., vanWyk, J. H. 1995. Sexual dimorphism in two girdled lizard species, *Cordylus niger* and *Cordylus cordylus*. *South African Journal of Zoology* 30: 187-196.
347. Corn, M. J. and Dalby, P. L. 1973. Systematics of the anoles of San Andres and Providencia islands, Colombia. *Journal of Herpetology*, 7: 63-74
348. Corti, C. and Cascio, P. L. 2002. The Lizards of Italy and adjacent areas. *Frankfort Contributions to Herpetology*, Frankfurt am Main.
349. Costa, G. C., Mesquita, D. O. and Franca, F. G. 2005. *Crocodilurus amazonicus* Diet. *Herpetological Review* 36: 174-175.
350. Costandius, E. and Mouton, P F. N. 2006. Sexual size dimorphism in montane cordylid lizards: a case study of the dwarf crag lizard, *Pseudocordylus nebulosus*. *African Zoology* 41: 103–112.
351. Couper, P. J., Amey, A. P. and Kutt, A. S. 2002. A new species of *Ctenotus* (Scincidae) from central Queensland. *Memoirs of the Queensland Museum* 48: 85-92.

352. Couper, P. J., Schneider, C. J., Hoskin, C. J. and Covacevich, J. A. 2000. Australian leaf-tailed geckos: phylogeny, a new genus, two new species and other new data. *Memoirs of the Queensland Museum* 45: 253-265.
353. Covacevich, J. and Ingram, G. 1975. Three new species of rainbow skinks of the genus *Carlia* from northern Queensland. *Victorian Naturalist* 92: 19-22.
354. Covacevich, J. and Ingram, G. J. 1978. An undescribed species of rock dwelling *Cryptoblepharus* (Lacertilia: Scincidae). *Memoires of the Queensland Museum* 18: 151-154.
355. Cox, M. J., van Dijk, P. P., Nabhitabhata, J. and Thirakupt, K. 1998. A photographic guide to snakes and other reptiles of Peninsular Malaysia, Singapore and Thailand. New Holland Publishers, London.
356. Cox, R. M., Skelly, S. L. and John-Alder, H. B. 2003. A comparative test of adaptive hypotheses for sexual size dimorphism in lizards. *Evolution* 57: 1653-1669.
357. Cree, A. 1994. Low annual reproductive output in female reptiles from New Zealand. *New Zealand Journal of Zoology*, 21: 351-372
358. Cree, A., Rock, J. and Whitaker, T. 1999. Report on the SRARNZ research trip in 1997 to study geckos of the Seaward Kaikoura Range, Marlborough, New Zealand. *New Zealand Journal of Zoology* 26: 256.
359. Crochet, P. A., Geniez, P. and Ineich, I. 2003. A multivariate analysis of the fringe-toed lizards of the *Acanthodactylus scutellatus* group (Squamata: Lacertidae): systematic and biogeographical implications. *Zoological Journal of the Linnean Society* 137: 117–155.
360. Crombie, R. I. and Pregill, G. K. 1999. A checklist of the herpetofauna of the Palau Islands (Republic of Belau), Oceania. *Herpetological Monographs* 13: 29–80.
361. Cruz, F. B., Fitzgerald, L. A., Espinoza, R. E. and Schulte, J. A. 2005. The importance of phylogenetic scale in tests of Bergmann's and Rapoport's rules: lessons from a clade of South American lizards. *Journal of Evolutionary Biology* 18: 1559–1574.
362. Cuellar, O. 1993. Further observations on competition and natural history of coexisting parthenogenetic and bisexual whiptail lizards. pages 345-370 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
363. Cuervo, J. J. and Shine, R. 2007. Hues of a dragon's belly: morphological correlates of ventral coloration in water dragons. *Journal of Zoology* 273: 298-304.
364. Cullum, A. J. 1998. Sexual dimorphism in physiological performance of whiptail lizards (Genus *Cnemidophorus*). *Physiological Zoology* 71: 541-552.
365. da Cunha, O. R. 1966. Sobre uma nova espécie de lagarto do estado de Minas Gerais *Placosoma cipoense* sp. n. (Lacertilia, Teiidae). *Boletim do Museu Paraense Emílio Goeldi Serie Zoologia* 61: 1-9.
366. da Cunha, O. R. 1977. Lacertilios da Amazonia VI - Uma nova especie de lagarto (*Colobosaura landii*) da região leste do Para (Lacertilia, Teiidae). *Boletim do Museu paraense Emílio Goeldi* 86: 1-13.
367. da Cunha, O. R., Lima-Verde, J. S. and Lima, A. C. M. 1991. Novo genero e especie de lagarto do Estado do Ceara (Lacertilia: Teiidae). *Boletim do Museu Paraense Emílio Goeldi Serie Zoologia* 7: 163-176.

368. Dalrymple, G. H. 1980. Comments on the density and diet of a giant anole, *Anolis equestris*. *Journal of Herpetology* 14: 412-415.
369. Daniel, J. C. 1983. The handbook of Indian reptiles. Bombay Natural History Society, Bombay.
370. Darevsky, I. S. and Orlov, N. L. 1994. Eine bemerkenswerte neue, grosswuchlige Art der Gattung *Gekko*: *Gekko ulikovskii* sp. nov. aus Zentralvietnam. *Salamandra* 30: 71-75.
371. Darevsky, I. S. and Orlov, N. L. 1994. *Vietnascincus rugosus*, a new Genus and species of the Dasia-like arboreal skinks (Sauria, Scincidae) from Vietnam. *Russian Journal of Herpetology* 1: 37-41.
372. Darevsky, I. S. 1964. Two new species of gekkonid lizards from the Komodo island in Lesser Sundas Archipelago. *Zoologischer Anzeiger* 173: 169-174.
373. Darevsky, I. S. 1978. Rock lizards of the Caucasus. Smithsonian Institution Press, Washington DC.
374. Darevsky, I. S. 1992. Two new species of the worm-like lizard *Dibamus* (Sauria: Dibamidae) with remarks on distribution and ecology of *Dibamus* in Vietnam. *Asiatic Herpetological Research* 4: 1-12.
375. Darevsky, I. S. and Kupriyanova, L. A. 1993. Two new all-female lizard species of the genus *Leiolepis* Cuvier, 1829 from Thailand and Vietnam (Squamata: Sauria: Uromastyicinae). *Herpetozoa* 6: 3-20.
376. Darevsky, I. S. and Orlov, N. L. 1997. A new genus and species of scincid lizard from Vietnam: first asiatic skink with double rows of basal subdigital pads. *Journal of Herpetology* 31: 323-326.
377. Darevsky, I. S. and Orlov, N. L. 2005. New species of limb-reduced lygosomine skink genus *Leptoseps* Greer, 1997 (Sauria, Scincidae) from Vietnam. *Russian Journal of Herpetology* 12(1): 65-68.
378. Darevsky, I. S. and Orlova, V. F. 1996. A new species of slender skinks, *Lygosoma carinatum* (Sauria, Scincidae), from South Vietnam. *Zoologicheskii Zhurnal* 75: 791-795.
379. Darevsky, I. S. and Szczerbak, N. N. 1997. A new gecko of the genus *Gonydactylus* (Sauria: Gekkonidae) with a key to the species from Vietnam. *Asiatic Herpetological Research* 7: 19-22.
380. Darevsky, I. S. and Tuniyev, B. S. 1997. A new species from *Lacerta saxicola* group - *Lacerta dryada* sp. nov. (Sauria: Lacertidae) and some comments relative to *Lacerta clarkorum* Darevsky & Vedmederja 1977. *Russian Journal of Herpetology* 4: 1-7.
381. Darevsky, I. S. and Van Sang, N. 1983. New and little known lizard species from Vietnam. *Zoologicheskii Zhurnal* 62: 1827-1837.
382. Darevsky, I. S., Kupriyanova, L. A. and Roshchin, V. V. 1984. A new all-female triploid species of gecko and karyological data on the bisexual *Hemidactylus frenatus* from Vietnam. *Journal of Herpetology*, 18: 277-284.
383. Darevsky, I. S., Orlov, N. L. and Cuc, T. 2004. Two new lygosomine skinks of the genus *Sphenomorphus* Fitzinger, 1843 (Sauria, Scincidae) from northern Vietnam. *Russian Journal of Herpetology* 11: 111-120.
384. Das, I. 1991. A new species of *Mabuya* from Tamil Nadu State, Southern India (Squamata: Scincidae). *Journal of Herpetology* 25: 342-344.
385. Das, I. 1997. A new species of *Cyrtodactylus* from the Nicobar Islands, India. *Journal of Herpetology*, 31: 375-382.

386. Das, I. 1999. Biogeography of the amphibians and reptiles of the Andaman and Nicobar Islands, India. pages 43-77 in Ota, H. (editor). Tropical Island Herpetofauna: Origin, Current Diversity, and Conservation. Elsevier, Amsterdam.
387. Das, I. 2004. Lizards of Borneo. Natural History Publications (Borneo), Kota Kinabalu.
388. Das, I. 2005. Revision of the Genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae), from the Mentawai and Adjacent Archipelagos off Western Sumatra, Indonesia, with the Description of Four New Species. *Journal of Herpetology* 39: 233–247.
389. Das, I. and Austin, C. C. 2007. New species of *Lipinia* (Squamata: Scincidae) from Borneo, revealed by molecular and morphological data. *Journal of Herpetology*, 41: 61-71.
390. Das, I. and Bauer, A. M. 1998. Systematics and biogeography of Bornean geckos of the genus *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae), with the description of a new species. *Raffles Bulletin of Zoology* 46: 11-28.
391. Das, I. and Bauer, A. M. 2000. Two new species of *Cnemaspis* (Sauria: Gekkonidae) from Tamil Nadu, southern India. *Russian Journal of Herpetology* 7: 17-28.
392. Das, I. and Grismar, L. L. 2003. Two new species of *Cnemaspis* Strauch, 1887 (Squamata: Gekkonidae) from the Seribuat Archipelago, Pahang and Johor States, West Malaysia. *Herpetologica*, 59: 544–552.
393. Das, I. and Lim, K. K. P. 2003. Two new species of *Dibamus* (Squamata: Dibamidae) from Borneo. *Raffles Bulletin of Zoology* 51: 137-141.
394. Das, I. and Lim, K. K. P. 2005. New species of *Dibamus* (Squamata: Dibamidae) from Pulau Nias, Indonesia. *Journal of Herpetology*, 39: 113–117.
395. Das, I. and Sengupta, S. 2000. A new species of *Cnemaspis* (Sauria: Gekkonidae) from Assam, northeastern India. *Journal of South Asian Natural History* 5: 17-23.
396. Das, I. and Yaakob, N. 2003. A new species of *Dibamus* (Squamata: Dibamidae) from Peninsular Malaysia. *Raffles Bulletin of Zoology*, 51: 149-153.
397. Das, I., Dattagupta, B. and Gayen, N. 1998. Systematic status of *Lygosoma himalayanum* *tragbulensis* Alcock, "1897" 1898. (Sauria: Scincidae) collected by the Pamir boundary commisson, 1885. *Russian Journal of Herpetology* 5: 147-150.
398. Das, I., Se Silva, A. and Austin, C. C. 2008. A new species of *Eutropis* (Squamata: Scincidae) from Sri Lanka. *Zootaxa* 1700: 35-52.
399. Daudin, J. and de Silva, M. 2007. An annotated checklist of the amphibians and terrestrial reptiles of the Grenadines with notes on their local natural history and conservation. *Applied Herpetology* 4: 163-175.
400. David, P., Teynie, A. and Ohler, A. 2004 A new species of *Cyrtodactylus* Gray, 1827 (Reptilia : Squamata : Gekkonidae) from southern Laos. *Raffles Bulletin of Zoology*, 52: 621-627.
401. Davis, W. B. 1954. Three new anoles from Mexico. *Herpetologica* 10: 1-6.
402. de Grijjs, P. 1936. *Prionodactylus rahmi*, eine neue Eidechse aus den Anden. *Zoologischer Anzeiger* 116: 27-30
403. de Jong, J. K. 1927. Reptiles from Dutch New Guinea. *Nova Guinea* 15: 296-318.
404. de Oca, A. N. M. 1996. A new species of *Anolis* (Squamata: Polychrotidae) from Chiapas, Mexico. *Journal of Herpetology*, 30: 19-27.

405. de Oca, A. N. M., Campbell, J. A. and Flores-Villela, O. 2001. A new species of *Xenosaurus* (Squamata : Xenosauridae) from the sierra madre del Sur of Oaxaca, Mexico. *Herpetologica* 57: 32-47.
406. De Rooij, N. 1915. The reptiles of the Indo-Australian archipelago. Vol. 1. *Lacertilia, Chelonia, Emydosaurs*. E.J. Brill, Leiden.
407. de Witte, G. F. 1933. Batraciens et reptiles recueillis par M.L. Burgeon au Ruwenzori, au Kivu et au Tanganyika. *Revue de Zoologie et de Botanique Africaine* 24: 111-123.
408. de Witte, G. F. 1933. Description de reptiles nouveaux provenant du Katanga (1930-31). *Revue de Zoologie et de Botanique Africaine*, 23 (2): 185-192.
409. de Witte, G. F. 1933. Reptiles recoltes au Conge Belge par le Dr. H. Schouteden et par M. G.-F. Witte. *Annales du Musee du Congo Belge Tervuren (Belgique) Sciences Zoologiques* 1 Tome III: 53-100.
410. Dearing, M. D. and Schall, J. J. 1994. Atypical reproduction and sexual dimorphism of the tropical Bonaire Island whiptail lizard, *Cnemidophorus murinus*. *Copeia*, 1994: 760-766.
411. Degenhardt, W. G., Painter, C. W. and Price, A. H. 1996. *Amphibians and Reptiles of New Mexico*. University of New Mexico Press, Albuquerque.
412. Dejun, L. 1989. A survey of reptiles in Leigonshan area. Pages 269-275 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. *Current herpetology in East Asia*. Herpetological Society of Japan, Kyoto.
413. Deraniyagala, P. E. P. 1953. A coloured atlas of some vertebrates from Ceylon. Vol. 2. *Tetrapod Reptilia*. Goverment Press, Colombo.
414. Dial, B. E. 1975. Aspects of the ecology and systematics of the lizards *Coleonyx brevis* and *Coleonyx reticulatus* (Lacertidae: Gekkonidae). MSc. Thesis, Texas A&M University.
415. Dial, B. E., and Grismer, L. L. 1992. A phylogenetic analysis of physiological-ecological character evolution in the lizard genus *Coleonyx* and its implications for historical biogeographic reconstruction. *Systematic Biology* 41: 178-195.
416. Dias E. J. R. and Rocha, C. F. D. 2004. Thermal Ecology, Activity Patterns, and Microhabitat Use by Two Sympatric Whiptail Lizards (*Cnemidophorus abaretensis* and *Cnemidophorus ocellifer*) from Northeastern Brazil. *Journal of Herpetology*, 38: 586–588.
417. Dias E. J. R., Rocha, C. F. D. and Vrcibradic, D. 2002. New *Cnemidophorus* (Squamata: Teiidae) from Bahia State, Northern Brazil. *Copeia* 2002: 1070–1077.
418. Diaz, L. M., Navarro, N. and Garrido, O. H. 1998. Nueva especie de *Chamaeleolis* (Sauria: Iguanidae) de la Meseta de Cabo Cruz, Granma, Cuba. *Avicennia* 8/9: 27-34.
419. Diaz, R. E., Leong, T. M., Grismer, L. L. and Yaakob, N. S. B. 2004. A new species of *Dibamus* (Squamata: Dibamidae) from West Malaysia. *Asiatic Herpetological Research* 10: 1-7.
420. Dickerson, M. C. 1919. Diagnoses of twenty-three new species and a new genus of lizards from Lower California. *Bulletin of the American Museum of Natural History* 41: 461-477.
421. Diong, C. H. and Lim, S. S. L. 1998. Taxonomic Review and Morphological Description of *Bronchocela cristatella* (Kuhl, 1820) (Squamata: Agamidae) with Notes on Other Species in the Genus. *Raffles Bulletin of Zoology* 46: 345-359.
422. Disi, A. M. and Bohme, W. 1996. Zоogeography of the amphibians and reptiles of Syria, with additional new records. *Herpetozoa* 9: 63-70.

423. Disi, A. M. Modrý, D., Necas, P. and Rifai, L. 2001. Amphibians and reptiles of the Hashemite kingdom of Jordan: an atlas and field guide. Edition Chimaira, Frankfurt am Main.
424. Dixon, J. R. 1960 The discovery of *Phyllodactylus tuberculosus* (Reptilia: Sauna) in Central America, the resurrection of *P. xanti*, and description of a new Gecko from British Honduras. *Herpetologica* 16: 1-11.
425. Dixon, J. R. 1962. The leaf-toed geckos, genus *Phyllodactylus*, of northeastern South America. *Southwestern Naturalist* 7: 211—226.
426. Dixon, J. R. 1964. The systematics and distribution of lizards of the genus *Phyllodactylus* in North and Central America. *New Mexico State University Scientific Bulletin* 64: 1-139.
427. Dixon, J. R. 1966. Speciation and systematics of the gekkonid lizard genus *Phyllodactylus* of the islands of the Gulf of California. *Proceedings of the California Academy of Sciences* 33: 415-452.
428. Dixon, J. R. 1973. A systematic review of the teiid lizards, genus *Bachia*, with remarks on *Heterodactylus* and *Anotosaura*. *Misellaneous Publications of the University of Kansas Museum of Natural History* 57: 1-47
429. Dixon, J. R. 1974. Systematic review of the lizard genus *Anotosaura* (Teiidae). *Herpetologica* 30: 13-18.
430. Dixon, J. R. and Huey, R. B. 1970. Systematics of the lizards of the gekkonid genus *Phyllodactylus* on mainland South America. *Los Angeles County Museum Contributions in Science* 192: 1-78.
431. Dixon, J. R. and Lamar, W. W. 1981. A new species of microteiid lizard (genus *Neusticurus*) from Colombia. *Journal of Herpetology* 15: 309-314.
432. Dixon, J. R. and Soini, P. 1986. The reptiles of the upper Amazon basin, Iquitos Region, Peru. 2nd edition. Milwaukee Public Museum.
433. Dixon, J. R., and Wright, J. W. 1975. A review of the iguanid genus *Tropidurus* in Peru. *Contribution Science Natural History Museum, Los Angeles County* 271: 1-39.
434. Dixon, J. R., Ketchersid, C. A. and Lieb, C. S. 1972. A new species of *Sceloporus* (*undulatus* group; *Sauria*, *Iguanidae*) from Mexico. *Proceedings of the Biological Society of Washington* 84: 307-312
435. Doan, T. M. and Castoe, T. A. 2003. Using morphological and molecular evidence to infer species boundaries within *Proctoporus boliviensis* Werner (Squamata: Gymnophthalmidae). *Herpetologica* 59: 432–449.
436. Doan, T. M. and Schargel, W. E. 2003. Bridging the gap in *Proctoporus* distribution: a new species (Squamata: Gymnophthalmidae) from the Andes of Venezuela. *Herpetologica* 59: 68–75.
437. Doan, T. M., Castoe , T. A. and Arriaga, W. A. 2005. Phylogenetic relationships of the genus *Proctoporus* sensu stricto (Squamata: Gymnophthalmidae), with a new species from Puno, southeastern Peru. *Herpetologica*, 61: 325–336.
438. Doi, H. and Kamita, T. 1937. A new species of *Eumeces* from West Corea. *Zoological Magazine, Tokyo* 49: 211-215.
439. Donnellan, S. C., Hutchinson, M. N., Dempsey, P. and Osborne, W. S. 2002. Systematics of the *Egernia whitii* species group (Lacertilia: Scincidae) in south-eastern Australia. *Australian Journal of Zoology* 50: 439–459.
440. Donnelly, M. A., Macculloch, R. D., Ugarte, C. A. and Kizirian, D. 2006. A new riparian gymnophthalmid (Squamata) from Guyana. *Copeia*, 2006: 396–403.

441. Donnelly, M. A., Mcdiarmid, R. W. and Myres, C. W. 1992. A new lizard of the genus *Arthrosaura* (Teiidae) from southern Venezuela. *Proceedings of the Biological Society of Washington* 105: 821-833.
442. Donoso-Barros, R. 1971. A new *Liolaemus* from Neuquén (Argentina). *Herpetologica* 27: 49-51.
443. Donoso-Barros, R. 1966. Dos nuevos *Gonatodes* de Venezuela. *Publicacion Ocasional Museo Nacional de Historia Natural, Santiago (Chile)* 11: 3-32.
444. Donoso-Barros, R. 1966. *Reptiles de Chile*. Ediciones de la Universidad de Chile, Santiago de Chile.
445. Donoso-Barros, R. 1975. Nuevos reptiles y anfibios de Chile. *Boletin de la Sociedad de Biología de Concepcion* 48: 217-229.
446. dos Santos, A. R., da Frota, J. G. and Ribeiro, F. R. V. 2007. *Reptilia, Squamata, Polychrotidae, Anolis nitens tandai*: Distribution extension, new state record, and geographic distribution map. *Check List* 3: 9-10.
447. Doughty, P., and Shine, R. 1995. Life in two dimensions: Natural history of the southern leaf-tailed gecko, *Phyllurus platurus*. *Herpetologica* 51:193-201.
448. Doughty, P., Maryan, B., Melville, J. and Austin, J. 2007. A new species of *Ctenophorus* (Lacertilia: Agamidae) from Lake Disappointment, Western Australia. *Herpetologica*, 63: 72–86.
449. Drewes, R. C. 1972. Report on a collection of reptiles and amphibians from the Ileimi Triangle, southwestern Sudan. *Occasional Papers of the California Academy of Sciences* 100: 1–14.
450. Du Toit, A., Mouton, P. Le F. N. and Flemming, A.F. 2003. Aseasonal reproduction and high fecundity in the Cape grass lizard, *Cordylus anguinus*, in a fireprone habitat. *Amphibia-Reptilia* 24: 471–482.
451. Du, W., Ji, X., Zhang, Y., Xu, X. and Shine, R. 2005. Identifying sources of variation in reproductive and life history traits among five populations of a Chinese lizard (*Takydromus septentrionalis*, Lacertidae). *Biological Journal of the Linnean Society* 85: 443-453.
452. Duda, P. L. and Sahi, D. N. 1978. *Cyrtodactylus himalayanus*: a new gekkonid species from Jammu, India. *Journal of Herpetology*, 12: 351-354.
453. Duellman, W. E. 1978. The biology of an equatorial herpetofauna in Amazonian Ecuador. *University of Kansas Museum of Natural History Miscellaneous publications* 65: 1-352.
454. Duellman, W. E. 2005. *Cusco Amazónico: The lives of amphibians and reptiles in an Amazonian Rainforest*. Cornell University Press, Ithaca.
455. Duellman,W. E. and Mendelson, J. R. 1995. Amphibians and reptiles from Northern Departamento Loreto, Peru: Taxonomy and Biogeography. *University of Kansas Science Bulletin* 55: 329-376.
456. Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 1. The Chameleons of Nigeria. *Nigerian Field* 32: 53-74.
457. Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 2. The lacertids of Nigeria. *Nigerian Field* 32: 117-131.
458. Dunger, G. T. 1967. The lizards and snakes of Nigeria. Part 3. The monitors and a plated lizard. *Nigerian Field* 32: 170-178.
459. Dunger, G. T. 1968. The lizards and snakes of Nigeria. Part 4. The geckos of Nigeria. *Nigerian Field* 33: 18-47.
460. Dunger, G. T. 1972. The lizards and snakes of Nigeria. Part 6. The skinks of Nigeria. *Nigerian Field* 37: 99-120.

461. Dunger, G. T. 1973. The lizards and snakes of Nigeria. Part 7. The skinks of Nigeria (continued and completed). *Nigerian Field* 38: 54-80.
462. Dunham, A. E. and Miles, D. B. 1985. Patterns of covariation in life history traits of squamate reptiles: the effects of size and phylogeny reconsidered. *American Naturalist* 126: 231-257.
463. Dunham, A. E., Miles, D. B. and Reznick, D. N. 1988. Life history patterns in squamate reptiles. Pages 441-522 in C. Gans and R. B. Huey, eds. *Biology of the Reptilia*. Vol. 16. Ecology B. Defense and life history. Liss, New York.
464. Dunham, A. E., Tinkle, D. W., and Gibbons, J. W. 1978. Body size in island lizards: A cautionary tale. *Ecology* 59: 1230–1238.
465. Dunn, E. R. 1927. Results of the Douglas Burden Expedition to the Island of Komodo. 3, Lizards from the East Indies. *American Museum novitates* 288: 1-13.
466. Dunn, E. R. 1935. Notes on American Mabuyas. *Proceedings of the Academy of Natural Sciences of Philadelphia* 87: 533-560.
467. Dunn, E. R. 1944. The lizard genus *Anadia* and *Ptychoglossus* in colombia. *Caldasia* 3: 63-68.
468. Dunn, E. R. 1944. The lizard genus *Phenacosaurus*. *Caldasia* 3: 57-62.
469. Echternacht, A. C. 1970. Taxonomic and ecological notes on some Middle and South American lizards of the genus *Ameiva* (Teiidae). *Breviora* 354: 1-9.
470. Echternacht, A. C. 1977. A new species of lizard of the Genus *Ameiva* (Teiidae) from the pacific lowlands of Colombia. *Copeia* 1977: 1-7
471. Eidenmueller, B. and Wicker, R. 2005. Eine weitere neue waranart aus dem *Varanus prasinus*-komplex von der insel Misol, Indonesien. *Sauria* 27 (1): 3-8.
472. Eifler, D. A. and Passek, K. M. 2000. Body size effects on pursuit success and interspecific diet differences in *Cnemidophorus* lizards. *Amphibia-Reptilia* 21: 477-484.
473. El Din, S. B. 2006. A Guide to the Reptiles and Amphibians of Egypt. American University in Cairo Press
474. Erdelen, W. 1998. Geographic distribution, biology and conservation of the water monitor (*Varanus salvator* Laurenti, 1788). pages 223-229 in de Silva, A. (editor). *Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia*. Proceedings of the International Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
475. Erdelen, W. 1998. The genera *Otocryptis* and *Sitana* (Sauria, Agamidae): geographic distribution, microhabitat use, and morphometric relations. pages 232-240 in de Silva, A. (editor). *Biology and Conservation of the Amphibians, Reptiles and their habitats in South Asia*. Proceedings of the International Conference on the Biology and Conservation of Amphibians and Reptiles of South Asia, Sri Lanka. Amphibia and Reptile Research Organization of Sri Lanka (ARROS).
476. Eremchenko, V. K and Das, I. 2004. Kaestlea: a new genus of scincid lizards (Scincidae: Lygosominae) from the Western Ghats, south-western India. *Hamadryad* 28: 43-50.
477. Escobar, C. M., Escobar, C. A., Labra, A. and Niemeyer, H. M. 2003. Chemical Composition of Precloacal Secretions of Two *Liolaemus fabiani* Populations: Are They Different? *Journal of Chemical Ecology* 29: 629-638.

478. Espinoza, R. E. and Lobo, F. 2003. Two new species of *Liolaemus* lizards from northwestern Argentina: speciation within the northern subclade of the elongatus group (Iguania: Liolaemidae). *Herpetologica* 59: 89-105.
479. Espinoza, R. E., Lobo, F. and Cruz, F. B. 2000. *Liolaemus heliodermis*, a new lizard from northwestern Argentina with remarks on the content of the elongatus group (Iguania: Tropiduridae). *Herpetologica* 56: 235-244.
480. Esqueda L. F. 2004. Una nueva especie de *Gonatodes* (Squamata: Gekkonidae) proveniente del piedemonte cisandino de Venezuela. *Herpetotropicos*. 1: 32-39.
481. Esqueda, L. F., La Marca, E. and Praderio, M. J. 2004. A new species of high tepui lizard of the genus *Riolama* (Squamata: Gymnophthalmidae) from Marahuaca mountain, Amazonas state, Venezuela. *Herpetotropicos*, 1: 11-17.
482. Etheridge, R. 1995. Redescription of *Ctenoblepharys adspersa* Tschudi, 1845, and the taxonomy of *Liolaeminae* (Reptilia, Squamata, Tropiduridae). *American Museum novitates* 3142: 1-34.
483. Etheridge, R. 2000. A review of lizards of the *Liolaemus wiegmannii* group (Squamata, Iguania, Tropiduridae), and a history of morphological change in the sand-dwelling species. *Herpetological Monographs*, 14: 293-352.
484. Etheridge, R. and Christie, M. I. 2003. Two new species of the lizard genus *Liolaemus* (Squamata: Liolaemidae) from northern Patagonia, with comments on *Liolaemus rothi*. *Journal of Herpetology* 37: 325-341.
485. Etheridge, R. E. 2001. A new species of *Liolaemus* (Reptilia: Squamata: Tropiduridae) from Mendoza Province, Argentina. *Cuadernos de Herpetología* 15: 3-15.
486. Faria, R. G. and Araujo, A. F. B. 2004. Sintopy of two *Tropidurus* lizard species (Squamata: Tropiduridae) in a rocky cerrado habitat in central Brazil. *Brazilian Journal of Biology* 4: 775-786.
487. Feltrim, A. C. and De Lema, T. 2000. Uma nova especie de *Cnemidophorus* Wagler, 1830 do estado do Rio Grande do sul Brasil (Sauria, Teiidae). *Biociencias*, Porto Alegre, 8: 103-114.
488. Fenner, A. L., Bull, C. M. and Hutchinson, M. N. 2007. Omnivorous diet of the endangered pygmy bluetongue lizard, *Tiliqua adelaidensis*. *Amphibia-Reptilia* 28: 560-565
489. Ferner, J. W., Brown, R. M. and Greer, A. E. 1997. A new genus and species of moist closed-canopy forest skinks from the Philippines. *Journal of Herpetology* 31: 187-192.
490. Fitch, H. S. 1970. Reproductive cycles of lizards and snakes. *University of Kansas Museum of Natural History Miscellaneous Publications* 52:1-247.
491. Fitch, H. S. 1973. A field study of Costa Rican lizards. *University of Kansas Science Bulletin* 50:39-126.
492. Fitch, H. S. 1973. Population structure and survivorship in some Costa Rican lizards. *Occasional Papers of the Museum of Natural History, University of Kansas* 18: 1-41.
493. Fitch, H. S. 1976. Sexual size differences in the mainland anoles. *Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence*. 50: 1-21.
494. Fitch, H. S. 1978. Sexual size differences in the genus *Sceloporus*. *University of Kansas Science Bulletin* 51: 441-461.
495. Fitch, H. S. 1978. Two new anoles (Reptilia: Iguanidae) from Oaxaca with comments on other Mexican species. *Milwaukee Public Museum Contributions in Biology and Geology* 20: 1-15.

496. Fitch, H. S. 1981. Sexual size differences in reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 70: 1–72.
497. Fitch, H. S. 1982. Reproductive cycles in tropical reptiles. Occasional Papers of the Museum of Natural History, University of Kansas, Lawrence. 96: 1-53.
498. Fitch, H. S. 1985. Variation in clutch and litter size in New World reptiles. University of Kansas Museum of Natural History Miscellaneous Publications 76: 1-76.
499. Fitch, H. S. and Henderson, R. W. 1973. A new Anole (Reptilia: Iguanidae) from southern Veracruz, Mexico. *Journal of Herpetology*, 7: 125-128.
500. Fitch, H. S. and Henderson, R. W. 1976. A field study of the rock anoles (Reptilia, Lacertilia, Iguanidae) of southern Mexico. *Journal of Herpetology*, 10: 303-311.
501. Fitch, H. S. and Hillis, D. M. 1984. The *Anolis* dewlap: interspecific variability and morphological associations with habitat. *Copeia*, 1984: 315-323.
502. Fitzgerald, L. A., Chani, J. M. and Donadio, O. E. 1991. *Tupinambis* Lizards in Argentina: Implementing Management of a Traditionally Exploited Resource. Pages 303-316 in J. Robinson and K. Redford (editors) *Neotropical wildlife: use and conservation*. University of Chicago Press, Chicago.
503. Fitzgerald, L. A., Cook, J. A. and Aquino, A. L. 1999. Phylogenetics and conservation of *Tupinambis* (Sauria: Teiidae). *Copeia* 1999: 894-905.
504. Fitzgerald, L. A., Cruz, F. B. and Perotti, G. 1999. Phenology of a lizard assemblage in the dry chaco of Argentina. *Journal of Herpetology* 33: 526–535.
505. FitzSimons V. F. 1943. The Lizards of South Africa. Transvaal Museum, Pretoria.
506. Flemming, A. F. and Mouton, P. L. F. N. 2000. Geographic variation in sexual size dimorphism in the rock agama, *Agama atra* (Sauria : Agamidae). *African Zoology* 35: 233-249.
507. Flores-Villela, O. and Sanchez-H, S. 2003. A new species of *Abronia* (Squamata: Anguidae) from the Sierra Madre Del Sur of Guerrero, Mexico, with comments on *Abronia deppii*. *Herpetologica*, 59: 524–531
508. Flores-Villela, O., Canseco-Marquez, L., Smith, E. N. and Campbell, J. A. 2005. Rediscovery and redescription of the night lizard *Lepidophyma radula* Smith, 1942. *Journal of Herpetology* 39: 493-495.
509. Flower, S. S. 1933. Notes on the recent reptiles and amphibians of Egypt, with a list of the species recorded from the kingdom. *Proceedings of the Zoological Society of London* 19: 735-851.
510. Fobes, T. M., Powell, R., Parmerlee, J. S., Lathrop, A. and Smith, D. D. 1992. Natural history of *Anolis cybotes* (Sauria: Polychridae) from an altered habitat in Barahona, Dominican Republic. *Caribbean Journal of Science* 28: 200-207.
511. Fong, G. A. and Garrido, O. H. 2000. Nueva especie de *Anolis* (Sauria: Iguanidae) de la región norte de Cuba oriental. *Revista de Biología Tropical* 48: 665-670.
512. Franco, R. C. and de la Torre, G. G. 1990. Reptiles de la Isla La Pena, Nayarit, Mexico. *Anales del Instituto de Biología, Universidad Nacional Autónoma de México, serie Zoología* 61: 175-187.
513. Frankenberg, E. and Werner, Y. L. 1992. Egg, clutch and maternal sizes in lizards: Intra- and interspecific relations in near-eastern Agamidae and Lacertidae. *Herpetological Journal* 2: 7–18.

514. Franzen, M. and Heckes, U. 1999. *Eremias suphani* Basoglu & Hellmich, 1968 und *Eremias strauchi* Kessler, 1878 in der ostlichen Turkei: Diagnostische Merkmale, Verbreitung und Lebensraume (Sauria: Lacertidae). *Salamandra* 35: 255-266.
515. Freire, E. M. X. 1999. Especie nova de *Coleodactylus* Parker, 1926 das Dunas de Natal, Rio Grande do Norte, Brasil, com notas sobre suas relacoes dicromatismo sexual no genero (Squamata, Gekkonidae). *Boletim do Museu Nacional Nova Serie Rio de Janeiro*, 399: 1-14.
516. Fritts, T. H. 1972. New species of lizards of the genus *Stenocercus* from Peru (Sauria: Iguanidae). *Ocassional Papers of the University of Kansas Museum of Natural History* 10: 1-21.
517. Fry, S. K. 2001. Ecology of the Endangered Sandy Cay Rock Iguana, *Cyclura rileyi cristata*, in the Bahamas. MSc Thesis, Loma Linda University.
518. Fuhn, I. E. 1972. Revision du phylum forestier du genre *Panaspis* Cope (Reptilia, Scincidae, Lygosominae). *Review Roumain de Biologie Série de Zoologie* 17: 257-271.
519. Gadsden, H., Davila-Carrazco, M. L. and Gil-Martinez, R. 2006. Reproduction in the Arenicolous Mexican Lizard *Uma exsul*. *Journal of Herpetology*, 40: 117-122.
520. Gainsbury, A. M. and Colli, G. R. 2003. Lizard assemblages from natural cerrado enclaves in southwestern Amazonia: the role of stochastic extinctions and isolation. *Biotropica* 35: 503-519.
521. Galan, P. 2003. Reproductive Characteristics of an Insular Population of the Lizard *Podarcis hispanica* from Northwest Spain (Cíes Islands, Galicia). *Copeia*, 2003: 657-665.
522. Gallagher, D. S. and Dixon, J. R. 1992. Taxonomic revision of the South American lizard genus *Kentropyx* Spix (Sauria, Teiidae). *Bulletino del Museo Regionale di Scienze Naturali, Torino* 10: 125-171.
523. Gans, C., Laurent, R. F. and Pandit, H. 1965. Notes on a herpetological collection from the Somali Republic. *Annales, Musee Royal de L'Afrique Central serie in 8°, sciences zoologiques* 134: 1-93.
524. Gao, Z-F. and Huo, M. 2002. Description of a new *Japalura* species from western Sichuan Province, China. *Sichuan Journal of Zoology* 21: 3-5.
525. Garcia-Perez, J. E. and Yustiz, E. E. 1995. Una nueva especie de *Proctoporus* (Sauria: Gymnophthalmidae) de los Andes de Venezuela. *Revista de Ecología Latinoamericana* 4: 1-5.
526. Gardner, A. S. 1994. A new species of *Asaccus* (Gekkonidae) from the mountains of northern Oman. *Journal of Herpetology*, 28: 141-145.
527. Garman, S. 1892. The reptiles of the Galapagos Islands. From the collections of Dr. Geo. Baur. *Bulletin of the Essex Institute* 24: 73-87.
528. Garrido, O. H., and Hedges, S. B. 2001. A new anole from the northern slopes of the Sierra Maestra in eastern Cuba. *Journal of Herpetology* 35: 378-383.
529. Garrido, O. H. and Moreno, L. V. 1998. Nueva especie de *Anolis* (Lacertilia: Iguanidae) del Pico Turquino, Sierra Maestra, Cuba. *Avicennia* 8/9: 35-40.
530. Gartshore, M. E. 1985. *Agama gracilimembris* Chabanaud, 1918 (Reptilia: Sauria: Agamidae) in Nigeria. *British journal of herpetology* 1: 23-25.
531. Gaulke, M., Roesler, H. and Brown, R. M. 2007. A new species of *Luperosaurus* (Squamata: Gekkonidae) from Panay Island, Philippines, with comments on the taxonomic status of *Luperosaurus cumingii* (Gray, 1845). *Copeia* 2007: 413-425.

532. Geniez, P. and Arnold, E. N. 2006. A new species of Semaphore gecko *Pristurus* (Squamata: Gekkonidae) from Mauretania, represents a 4700km range extension for genus. *Zootaxa* 1317: 57-68.
533. Geniez, P., Mateo, J. A., Geniez, M. and Pether, J. 2004. Amphibians and reptiles of the Western Sahara and adjacent regions. Frankfurt Contributions to Natural History Volume 19 ISBN 3-930612-67-4
534. Gerber, G. P. and Echternacht, A. C. 2000. Evidence for asymmetrical intraguild predation between native and introduced *Anolis* lizards. *Oecologia* 124: 599–607.
535. Gerlach, J. 2002. The enigmatic giant bronze gecko *Ailuronyx trachygaster*. Part 1: Identity. *Gekko* 3: 29-38.
536. Gerlach, J. and Canning, K. L. 1996. A new species of the western Indian Ocean gecko *Ailuronyx* (Reptilia; Gekkonidae). *Herpetological Journal* 6: 27-42.
537. Gibbons, J. R. H. and Brown, W. C. 1988. A new *Lepidodactylus* (Gekkonidae) from Eua Island, Tonga. *Journal of Herpetology*, 22: 356-360.
538. Gibbons, J. R. H. and Watkins, I. F. 1982. Behavior, ecology, and conservation of South Pacific banded iguanas, *Brachylophus*, including a newly discovered species. Pages 418-441 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the World: Their Behaviour, Ecology and Conservation*. Noyes Publications, New Jersey.
539. Gifford, M. E. and Powell, R. 2007. Sexual dimorphism and reproductive characteristics in five species of *Leiocephalus* lizards from the Dominican Republic. *Journal of Herpetology*, 41: 521-527.
540. Gill, E. V. S. 1997. *Cyrtodactylus aravallensis*, a new Gekkonidae from the Delhi Ridge. *Journal of the Bombay Natural History Society* 94: 121-123.
541. Giri, V. B. and Bauer, A. M. 2008. A new ground-dwelling *Hemidactylus* (Squamata: Gekkonidae) from Maharashtra, with a key to the *Hemidactylus* of India. *Zootaxa* 1700: 21-34.
542. Glaw, F., and M. Vences. 1994. A Field guide to the amphibians and reptiles of Madagascar. Second edition, Serpents Tale
543. Glaw, F., and M. Vences. 2007. A field guide to the amphibians and reptiles of Madagascar. Third edition, Vences and Glaw Verlags, Cologne.
544. Glaw, F., Kosuch, J., Henkel, F. W., Sound, P. and Bohme, W. 2006. Genetic and morphological variation of the leaf-tailed gecko *Uroplatus fimbriatus* from Madagascar, with description of a new giant species. *Salamandra* 42: 129-144.
545. Goa, Z-F. and Huo, M. 2002. Description of a new *Japalura* species from western Sichuan Province, China. *Sichuan Journal of Zoology* 21: 3-5.
546. Goldberg, S. R. 1987. Reproductive cycle of the giant spotted whiptail, *Cnemidophorus burti stictogrammus*, in Arizona. *Southwestern Naturalist* 32: 510-511.
547. Goldberg, S. R., Bursey, C. R. and Camarillo-Rangel, J. L. 2003. Gastrointestinal helminths of seven species of sceloporine lizards from Mexico. *Southwestern Naturalist* 48: 208–217.
548. Goldberg, S. R., Bursey, C. R. and Cheam, H. 1995. Helminth parasites of three sympatric lizards from Grand Cayman Island, *Anolis conspersus*, *Anolis sagrei* (Polychridae) and *Leiocephalus carinatus* (Tropiduridae). *Caribbean Journal of Science*, 31: 339-340.
549. Goldberg, S. R., Bursey, C. R. and Telford, S. R. 2003. Metazoan Endoparasites of 11 Species of Lizards from Pakistan. *Comparative Parasitology* 70: 46-54.

550. Golubev, M. L. and Dunayev, E. A. 1995. *Phrynocephalus nasatus* (Reptilia, Agamidae), a new species of toad agama from Western China. *Russian Journal of Herpetology* 2: 5-9.
551. Gonzalez, M., Lwin, K. S. and Vindum, J. V. 2005. New records for *Scincella victoriana* (Shreve, 1940) from the Chin Hills, Myanmar. *Proceedings of the California Academy of Sciences* 56: 391-392.
552. Gonzalez-Negron, A. J. 2004. Morphometric and molecular analysis of the mabouia- brooki haitianus complex (Sauria: Gekkonidae) at the Western-Central Region of Puerto Rico. MSc Thesis, University of Puerto Rico.
553. Good, D. A. 1994. Species limits in the genus *Gerrhonotus* (Squamata: Anguidae). *Herpetological Monographs* 8: 180-202.
554. Goodman, B. A. 2006. The effects of maternal size on clutch traits in a tropical invariant-clutch lizard, *Carlia rubrigularis* (Scincidae). *Amphibia-Reptilia* 27: 505-511.
555. Goonewardene, S., Hawke, Z., Vanneck, V., Drion, A., de Silva, A., Jayarathne, R. and Perera, J. 2003. Diversity of Nilgala Fire Savannah, Sri Lanka: with special reference to its herpetofauna. Report of Project Hoona – 2003
556. Goris, R. C. and Maeda, N. 2004. Guide to the Amphibians and Reptiles of Japan. Krieger Publ. Co., Malabar, FL.
557. Gorzula S. and Senaris, J. C. 1999. Contribution to the herpetofauna of the Venezuelan Guayana I. A data base. *Scientia Guaianae* 8: 1–270.
558. Graham, A. and Marais, J. 2007. A guide to the reptiles of southern Africa. Struik, Cape Town.
559. Graham, E. D. and Schwarts, A. 1978. Status of the name *Sphaerodactylus cinereus* Wagler and variation in "Sphaerodactylus stejnegeri" Cochran. *Florida Scientist* 41: 243-251.
560. Greckhamer, A. 1995. Bemerkungen zur haltung und zucht sowie zum verhalten von *Phelsuma comorensis* Boettger, 1913. im Terrarium. *Herpetofauna* 17: 6-16.
561. Greenbaum, E. 2005. Systematics of West African skinks in the *Chalcides thierryi* group: composition, distribution, and redescription of types. *African Journal of Herpetology* 54:17–29.
562. Greenbaum, E., and Carr, J. L. 2005. The herpetofauna of Upper Niger National Park, Guinea, West Africa. *Scientific Papers of the Natural History Museum, University of Kansas* 37:1–21.
563. Greenbaum, E., Campbell, A. C. and Raxworthy, C. J. 2006. A revision of sub-Saharan *Chalcides* (Squamata: Scincidae), with redescriptions of two East African species. *Herpetologica* 62: 71–89.
564. Greene, H. W., Rodríguez, J. J. S. and Powell, B. J. 2006. Parental behavior in anguid lizards. *South American Journal of Herpetology* 1: 9-19.
565. Greer, A. E. 1968. Clutch size in the scincid genus *Emoia*. *Copeia* 1968: 417-418.
566. Greer, A. E. 1974. The generic relationships of the scincid lizard genus *Leiolopisma* and its relatives. *Australian Journal of Zoology (Supplement)* 31: 1-67.
567. Greer, A. E. 1977. On the adaptive significance of the loss of an oviduct in reptiles. *Proceedings of the Linnean Society of New South Wales* 101: 242-249.
568. Greer, A. E. 1977. The systematics and evolutionary relationships of the scincid lizard genus *Lygosoma*. *Journal of Natural History* 11: 515-540.
569. Greer, A. E. 1982. A new species of *Geomyersia* (Scincidae) from the Admiralty Islands, with a summary of the genus. *Journal of Herpetology* 16 (1) 1982: 61-66

570. Greer, A. E. 1985. The relationship of the lizard genera *Anelytropsis* and *Dibamus*. *Journal of Herpetology* 19: 116-156.
571. Greer, A. E. 1989. The biology and evolution of Australian lizards. Surrey Beatty and Sons, Chipping Norton, NSW
572. Greer, A. E. 1990. The *Glaphyromorphus isolepis* species group (Lacertilia: Scincidae): diagnosis of the taxon and description of a new species from Timor. *Journal of Herpetology* 24: 372-377.
573. Greer, A. E. 1991. *Lankascincus*, a new genus of scincid lizards from Sri Lanka, with descriptions of three new species. *Journal of Herpetology* 25: 59-64.
574. Greer, A. E. 2001. Distribution of maximum snout-vent length among species of scincid lizards. *Journal of Herpetology* 35: 383-395.
575. Greer, A. E. 2005. Encyclopedia of Australian Reptiles. Australian Museum Online <http://www.amonline.net.au/herpetology/research/encyclopedia.pdf> Version date: 5 August 2005.
576. Greer, A. E. and Haacke, W. D. 1982. A new and unusual species of *Lygosoma* (Lacertilia: Scincidae) from the Horn of Africa. *Annals of the Transvaal Museum* 33: 153-164.
577. Greer, A. E. and Parker, F. 1979. Identity of the New-Guinea scincid lizard *Lygosoma fragile* Macleay 1877, with some notes on its natural history. *Journal of Herpetology* 13: 221-225.
578. Greer, A. E. and Parker, F. A. 1967. New scincid lizard from the northern Solomon Islands. *Breviora* 275: 1-20.
579. Greer, A. E. and Parker, F. A. 1974. The *fasciatus* species group of *Sphenomorphus* (Lacertilia: Scincidae): notes on eight previously described species and descriptions of three new species. *Papua New Guinea Scientific Society Proceedings* 25: 31-61.
580. Greer, A. E. and Shea, G. 2000. A phylogenetically important lygosomine skink resurrected from taxonomic obscurity: *Lygosoma unilineatum* de Rooij, 1915. *Journal of Herpetology* 34: 85-91.
581. Greer, A. E. and Shea, G. 2004. A new character within the taxonomically difficult *Sphenomorphus* group of lygosomine skinks, with a description of a new species from New Guinea. *Journal of Herpetology* 38: 79-87.
582. Greer, A. E. and Simon, M. 1982. *Fojia bumui*, an unusual new genus and species of scincid lizard from New Guinea. *Journal of Herpetology* 16: 131-139.
583. Greer, A. E. and Wadsworth, L. 2003. Body Shape in Skinks: The Relationship between Relative Hind Limb Length and Relative Snout-Vent Length. *Journal of Herpetology* 37: 554-559.
584. Greer, A. E., Allison, A. and Cogger, H. G. 2005. Four new species of *Lobulia* (Lacertilia: Scincidae) from high altitude in New Guinea. *Herpetological Monographs* 19: 153-179.
585. Greer, A. E., Grandison, A. G. C. and Barbult, R. 1985. A new species of *Lygosoma* (Lacertilia: Scincidae) from West Africa, with comments on its biology. *Journal of Herpetology* 19: 365-373.
586. Grillitsch, H. and Cabela, A. 1990. Zum Systematischen Status der Blindschleichen (Squamata: Anguidae) der Peloponnes und der südlichen Ionischen Inseln. *Herpetozoa* 2: 131-153.
587. Grismer, G. L., Leong, T. M. and Yaakob, N. S. 2003. Two new southeast Asian skinks of the genus *Larutia* and intrageneric phylogenetic relationships. *Herpetologica*: 552-564.
588. Grismer, L. L. 2002. Amphibians and Reptiles of Baja California Including its Pacific Islands and the Islands in the Sea of Cortes. University of California Press, Berkeley.

589. Grismer, L. L. 2005. New Species of Bent-Toed Gecko (*Cyrtodactylus* Gray 1827) from Pulau Aur, Johor, West Malaysia. *Journal of Herpetology*, 39: 424–432.
590. Grismer, L. L. 2006. Two new species of skinks (Genus *Sphenomorphus* Fitzinger 1843) from the Seribuat Archipelago. *Herpetological Natural History* 9: 151-162.
591. Grismer, L. L. 2008. A new species of insular skink (Genus *Sphenomorphus* Fitzinger 1843) from the Langkawi Archipelago, Kedah, West Malaysia with the first report of the herpetofauna of Pulau Singa Besar and an updated checklist of the herpetofauna of Pulau Langkawi. *Zootaxa PAGA NUMBERS?*
592. Grismer, L. L. and Das, I. 2006. A new species of gekkonid lizard of the genus *Cnemaspis* Strauch 1887 from Pulau Pemanggil, Johor, West Malaysia. *Herpetological Natural History* 10: 1-7.
593. Grismer, L. L. and Leong, T. M. 2005. New species of *Cyrtodactylus* (Squamata: Gekkonidae) from southern Peninsular Malaysia. *Journal of Herpetology* 39: 584–591.
594. Grossmann, W. and Ulber, T. 1990. Ein neuer Gecko aus Zentral-Thailand: *Gekko siamensis* sp. nov. (Reptilia: Sauria: Gekkonidae). *Sauria* 12: 9–18.
595. Gudynas, E. and Skuk, G. 1983. A new species of the iguanid lizard genus *Tropidurus* from temperate South America (Lacertilia: Iguanidae). *Centro Educativo Don Orione Contribuciones en Biología* 10: 1-10.
596. Guillette, L. J. and Smith, H. M. 1982. A review of the Mexican lizard *Barisia imbricata*, and the description of a new subspecies. *Transactions of the Kansas Academy of Sciences*, 85: 13-33.
597. Gunther, A. 1893. Report on a collection of reptiles and batrachians transmitted by Mr. H. H. Johnston, C. B., from Nyassaland. *Proceedings of the Zoological Society of London* 1892: 555-558
598. Gunther, R, Whiting, A., Bauer, A. 2005. Description of a new species of African skink of the genus *Trachylepis* (Reptilia: Squamata: Scincidae). *Herpetozoa* 18: 11-24.
599. Gunther, R. 1994. A new species of the genus *Gekko* (Reptilia, Squamata, Gekkonidae) from southern Vietnam. *Zoologischer Anzeiger* 233: 57-67.
600. Gunther, R. 2000. In alten sammlungen aus Neuguinea entdeckt: Zwei neue arten der gattung *Lipinia* (Squamata: Scincidae). *Salamandra* 36 (3): 157-174
601. Gunther, R. and Rosler, H. 2003. Eine neue art der gattung *Cyrtodactylus* Gray 1827 aus dem westen von Neuguinea (Reptilia: Sauria: Gekkonidae). *Salamandra* 38: 195-212.
602. Guyer, C. and Donnelly, M. A. 2005. Amphibians and reptiles of La Selva, Costa Rica, and the Caribbean Slope. University of California Press, Berkeley.
603. Haacke, W. D. 1997. Systematics and biogeography of the southern African scincine genus *Typhlacontias* (Reptilia: Scincidae). *Bonner Zoologische Beiträge* 47: 139-163.
604. Haas, G. 1957. Some amphibians and reptiles from Arabia. *Proceedings of the California Academy of Sciences series 4*. 29: 47-86.
605. Haas, G. and Battersby, J. C. 1959. Amphibians and reptiles from Arabia. *Copeia* 1959: 196-202.
606. Haas, G. and Werner, Y. L. 1969. Lizards and snakes from Southwestern Asia, collected by Henry Field. *Bulletin of the Museum of Comparative Zoology*, 138: 327-406.
607. Hallermann, J. 2000. A new species of *Calotes* from the Moluccas (Indonesia) with notes on the biogeography of the genus (Sauria: Agamidae). *Bonn Zoologische Beiträge* 49: 155-163.
608. Hallermann, J. and Bohme, W. 2000. A review of the genus *Pseudocalotes* (Squamata : Agamidae), with description of a new species from West Malaysia. *Amphibia-Reptilia* 21: 193-210.

609. Hallermann, J. and McGuire, J. A. 2001. A new species of *Pseudocalotes* (Squamata: Agamidae) from Bukit Larut, west Malaysia. *Herpetologica* 57: 255-265.
610. Hallowell, E. 1861. Report upon the reptilia of the North Pacific Exploring Expedition, under command of Capt. John Rogers, U. S. N. Proceedings of the Academy of Natural Sciences of Philadelphia 12 [1860]: 480-510.
611. Harmon, L. J. and Gibson, R. 2006. Multivariate phenotypic evolution among island and mainland populations of the ornate day gecko, *Phelsuma ornata*. *Evolution*, 60: 2622-2632.
612. Harris, D. M. 1982. The *Sphaerodactylus* (Sauria: Gekkonidae) of South America. Occasional Papers of the Museum of Zoology, University of Michigan 704: 1-31.
613. Harris, D. M. 1994. Review of the teiid lizard genus *Ptychoglossus*. *Herpetological Monographs*, 8: 226-275.
614. Harris, D. M. and Ayala, S. C. 1987. A new *Anadia* (Sauria: Teiidae) from Colombia and restoration of *Anadia pamplonensis* Dunn to species status. *Herpetologica* 43: 182-190.
615. Harvey, M. B. and Gutberlet, R. L. J. 1998. Lizards of the genus *Tropidurus* (Iguania: Tropiduridae) from the Serranía de Huanchaca, Bolivia: new species, natural history, and a key to the genus. *Herpetologica* 54: 493-520.
616. Harvey, M. B., Rivas, G. A. and Manzanilla, J. 2004. Redescription of *Stenocercus erythrogaster* (Hallowell). *Copeia* 2004: 940-944.
617. Heatwole, H. 1975. Biogeography of reptiles on some of the islands and cays of eastern Papua-New Guinea. *Atoll Research Bulletin* 180: 1-41.
618. Hedges, S. B. and Garrido, O. H. 1993. A new species of gecko (*Sphaerodactylus*) from central Cuba. *Journal of Herpetology* 27: 300-306.
619. Hedges, S. B. and Thomas, R. 1989. A new species of *Anolis* (Sauria: Iguanidae) from the Sierra de Neiba, Hispaniola. *Herpetologica* 45: 330-336.
620. Hedges, S. B. and Thomas, R. 2001. At the lower size limit in amniote vertebrates: A new diminutive lizard from the West Indies. *Caribbean Journal of Science* 37: 168-173.
621. Heller, E. 1903. Papers from the Hopkins Stanford Galapagos Expedition, 1898-1899. WIV. Reptiles. *Proceedings of the Biological Society of Washington* 4: 39-98.
622. Hendrickson, J. R. 1966. Observations on the Fauna of Pulau Tioman and Pulau Tulai. 5. The reptiles. *Bulletin of the National Museum of Singapore* 34: 53-71.
623. Henkel, F. W. and Bohme, W. 2001. A new carphodactyline gecko of the New Caledonian genus *Eurydactylodes* (Sauria: Gekkonidae). *Salamandra* 37: 149-156.
624. Henkel, F. W. and Schmidt, W. 2000. Amphibians and reptiles of Madagascar and the Mascarene, Seychelles, and Comoro Islands. Kreiger, Malabar, Florida.
625. Henle, K. 1991. Life history patterns in lizards of the arid and semiarid zone of Australia. *Oecologia* 88: 347-358.
626. Henle, K. and Bohme, W. 2003. A new species of *Hemidactylus* (Squamata: Gekkonidae) from West Africa, and comments on species hitherto confused with *H. muriceus*. *African Journal of Herpetology*, 52: 23-38.
627. Henle, K. and Ehrl, A. 1991. Zur reptilienfauna Perus nebst beschreibung eines neuen *Anolis* (Iguanidae) und zweier neuer schlängen (Colubridae). *Bonner Zoologische Beiträge* 42: 143-180.

628. Herczeg, G., Torok, J. and Koros, Z. 2007. Size-dependent heating rates determine the spatial and temporal distribution of small-bodied lizards. *Amphibia-Reptilia* 28: 347-356.
629. Hernandez, R. A. and Espinoza, R. E. 2004. Description of the Female of the Enigmatic Lizard, *Liolaemus heliodermis* (Iguania: Liolaemidae). *Herpetological Review*, 35: 227–229.
630. Herrel, A., De Grauw, E. and Lemos-Espinal, J. A. 2001. Head shape and bite performance in xenosaurid lizards. *Journal of Experimental Zoology* 290: 101-107.
631. Herrel, A., Huyghe, K., Vanhooydonck, B., Backeljau, T., Breugelmans, K., Grbac, I., Van Damme, R. and Irschick, D. J. 2008. Rapid large-scale evolutionary divergence in morphology and performance associated with exploitation of a different dietary resource. *Proceedings of the National Academy of Sciences of the USA* 105: 4792-4795.
632. Herrel, A., Meyers, J. J. and Vanhooydonck, B. 2002. Relations between microhabitat use and limb shape in phrynosomatid lizards. *Biological Journal of the Linnean Society* 77: 149–163.
633. Herrel, A., Vanhooydonck, B. and Van Damme, R. 2004. Omnivory in lacertid lizards:adaptive evolution or constraint? *Journal of Evolutionary Biology* 17: 974–984.
634. Herrel, A., Vanhooydonck, B. Joachim, R. and Irschick, D. J. 2004. Frugivory in polychrotid lizards: effects of body size. *Oecologia* 140: 160-168.
635. Herrmann, P. A. and Herrmann, H.-W. 2005. Egg and clutch characteristics of the Mountain Chameleon, *Chamaeleo montium*, in southwestern Cameroon. *Journal of Herpetology* 39: 154-157.
636. Heyer, W. R. 1972. A new limbless skink (Reptilia: Scincidae) from Thailand with comments on the generic status of the limbless skinks of southeast Asia. *Fieldiana, Zoology*, 58: 109-129.
637. Hibbits, T. J., Pianka, E. R., Huey, R. B. and Whiting, M. J. 2005. Ecology of the Common Barking Gecko (*Ptenopus garrulus*) in Southern Africa. *Journal of Herpetology* 39: 509–515.
638. Hikida, T. 1989. A New Species of *Eumeces* (Lacertilia: Scincidae) from Fujian Province, China. *Copeia*, 1989: 89-94.
639. Hikida, T. and Zhao, E. 1989. *Eumeces liui*: a new species of blue-tailed skink (Lacertilia: Scincidae) from China. *Copeia* 1989: 110-114.
640. Hikida, T., Orlov, N. L., Nabhitabhata, J. and Ota, H. 2002. Three new depressed-bodied water skinks of the genus *Tropidophorus* (Lacertilia: Scincidae) from Thailand and Vietnam. *Current Herpetology* 21: 9-23.
641. Hikida, T., Riyanto, A. and Ota, H. 2003. A new water skink of the genus *Tropidophorus* (Lacertilia: Scincidae) from Sulawesi, Indonesia. *Current Herpetology* 22: 29-36.
642. Hillman, P. E. 1969. Habitat specificity in three sympatric species of *Ameiva* (Reptilia: Teiidae). *Ecology* 50: 476-481.
643. Hodge, K. V. D., Censky, E. J. and Powell, R. 2003. The reptiles and amphibians of Anguilla, British West Indies. *Anguilla National Trust ISBN: 0967395895*
644. Hofer, U., Baur, H. and Bersier, L. F. 2003. Ecology of three sympatric species of the genus *Chamaeleo* in a tropical upland forest in Cameroon. *Journal of Herpetology* 37: 203 207.
645. Holman, J. A. 1966. A second specimen of *Ophisaurus ceroni*. *Quarterly Journal of the Florida Academy of Science* 29: 43-46.
646. Honda, M., Nabhitabhata, J., Ota, H. and Hikida, T. A. 1997. new species of *Dibamus* (Squamata: Dibamidae) from Thailand. *Raffles Bulletin of Zoology* 45: 275-279.

647. Honda, M., Ota, H., Hikida, T., Darevsky, I. S. 2001. A new species of the worm-like lizard, *Dibamus* Dumeril & Bibron 1839 (Squamata Dibamidae), from Vietnam. *Tropical Zoology* 14: 119-125.
648. Hoogmoed, M. S. 1973. Notes on the herpetofauna of Surinam IV. : the lizards and amphisbaenians of Surinam. W. Junk Publishers, Den Haag.
649. Hoogmoed, M. S. 1974. Ghanese lizards of the genus *Mabuya* (Scincidae, Sauria, Reptilia). *Zoologische Verhandelingen* 138: 1-62.
650. Hoogmoed, M. S., and Dixon, J. R. 1977. A new species of *Bachia* (Teiidae, Sauria) from Estado Bolívar, Venezuela, with notes on the zoogeography of the genus. *Zoologische Mededelingen* 51: 25-31.
651. Horner, P. 2005. *Gehyra koira* sp. nov. (Reptilia: Gekkonidae), a new species of lizard with two allopatric subspecies from the Ord-Victoria region of north-western Australia and a key to the *Gehyra australis* species complex. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory*, 2005 21: 165-174.
652. Horton, D. R. 1973. A new species of *Mabuya* (Lacertilia: Scincidae) from Venezuela. *J. Herpetol.* 7: 75-77
653. Hoskin, C. J., Couper, P. J. and Schneider, C. J. 2003. A new species of *Phyllurus* (Lacertilia : Gekkonidae) and a revised phylogeny and key for the Australian leaf-tailed geckos. *Australian Journal of Zoology* 51(2) 153 - 164.
654. Hotchkin, P. E., Camp, C. D. and Marshall, J. L. 2001. Aspects of the life history and ecology of the coal skink, *Eumeces anthracinus*, in Georgia. *Journal of Herpetology* 35: 145-148.
655. How, R. A., Dell, J. and Wellington, B. D. 1986. Comparative biology of eight species of *Diplodactylus* gecko in western Australia. *Herpetologica* 42: 471-482.
656. How, R. A., Durrant, B., Smith, L. A. and Najamuddin S. 1998. *Emoia* (Reptilia: Scincidae) from the Banda Arc islands of eastern Indonesia: variation in morphology and description of a new species. *Records of the Western Australian Museum*, 19: 131-139.
657. Huang, S-P. and Tu, M-C. 2008. Heat tolerance and altitudinal distribution of a mountainous lizard, *Takydromus hsuehshanensis*, in Taiwan. *Journal of Thermal Biology* 33: 48-56.
658. Huang, W-S. 2006. Ecological characteristics of the skink, *Mabuya longicaudata*, on a tropical East Asian island. *Copeia* 2006: 293-300.
659. Huang, W-S. 2006. Ecology and Reproductive Patterns of the Grass Lizard, *Takydromus sauteri*, in a Tropical Rain Forest of an East Asian Island. *Journal of Herpetology*, 40: 267-273.
660. Huey, R. B. 1975. A new gecko from Malpelo Island (Sauria: Gekkonidae: Phyllodactylus). *Smithsonian Contributions to Zoology*, 176: 44-46.
661. Huey, R. B. and Dixon, J. R. 1970. A new *Pseudogonatodes* from Peru with remarks on other species of the genus. *Copeia*, 1970: 538-542.
662. Huey, R. B., Pianka, E. R., Egan, M. E. and Coons, L. W. 1974. Ecological shifts in sympatry: Kalahari fossorial lizards (*Typhlosaurus*). *Ecology* 55: 304-316.
663. Hummelinck, P. W. 1940. Studies on the fauna of Curacao, Aruba, Bonaire and the Venezuelan Islands: No. 2. A survey of the mammals, lizards and mollusks. *Studies on the Fauna of Curacao and other Caribbean Islands* 1: 59-108.

664. Husak, J. F., Lappin, A. K., Fox, S. F. and Lemos-Espinal, J. A. 2006. Bite-Force Performance Predicts Dominance in Male Venerable Collared Lizards (*Crotaphytus antiquus*). *Copeia* 2006: 301-306.
665. Ibarguengoytia, N. R. 2004. Prolonged Cycles as a Common Reproductive Pattern in Viviparous Lizards from Patagonia, Argentina: Reproductive Cycle of *Phymaturus patagonicus*. *Journal of Herpetology* 38: 73-79.
666. Ikeuchi, I., Mori, A. and Hasegawa, M. 2005. Natural history of *Phelsuma madagascariensis kochi* from a dry forest in Madagascar. *Amphibia-Reptilia* 26: 475-483.
667. Ilgaz, C. 2006. On specimens of *Darevskia armeniaca* (Sauria: Lacertidae: *Darevskia*) collected from Ardahan. *Turkish Journal of Zoology* 30: 47-54.
668. Ineich, I. 1999. Reptiles & amphibiens de la Republic de Djibouti. Rapport sur la mission herpetologique.
669. Ineich, I. and Chirio, L. 2000. Description d'un nouveau scincide de Republique Centrafricaine (Lacertilia: *Mabuya pendeana*). *Bulletin de la Societe Zoologique de France* 125: 197-204.
670. Ineich, I., and Chirio, L. 2004. L'archipel afro-montagnard et les affinites de son herpetofaune: description d'une espèce nouvelle indiquant des relations phyletiques entre le Cameroun et l'Afrique de l'est (Lacertilia, Scincidae, genre *Trachylepis*). *Bulletin de la Societe Zoologique de France* 129: 317-331.
671. Ineich, I., Schmitz, A., Chirio, L. and LeBreton, M. 2004. New species of *Leptosiaphos* (Scincidae) from Adamaoua Massif, Central-Northern Province, Cameroon. *Journal of Herpetology* 38: 546-550.
672. Inger, R. F. 1960. A review of the agamid lizards of the genus *Phoxophrys* Hubrecht. *Copeia* 1960: 221- 225.
673. Inger, R. F. and Greenberg, B. 1966. Annual reproductive patterns of lizards from a Bornean rain forest. *Ecology* 47: 1007-1021.
674. Inger, R. F., Bradley, S. H., Mammen, K. and Ramesh, B. 1984. A report on a collection of amphibians and reptiles from the Ponmudi, Kerala, South India. *Journal of Bombay Natural History Society* 81: 551-570.
675. Inger, R. F., Lian, T. F., Lakim, M. and Yambun, P. 2001. New species of the lizard genus *Sphenomorphus*, (Lacertilia: Scincidae), with notes on ecological and geographic distribution of species in Sabah, Malaysia. *Raffles Bulletin of Zoology* 49: 181-189.
676. Ingram, G. J. and Covacevich, J. 1989. Revision of the genus *Carlia* (Reptilia, Scincidae) in Australia with comments on *Carlia bicarinata* of New Guinea. *Memoirs of the Queensland Museum* 27: 443-490.
677. Irschick, D. J., Vitt, L. J., Zani, P. A. and Losos, J. B. 1997. A comparison of evolutionary radiations in mainland and Caribbean *Anolis* lizards. *Ecology* 78: 2191-2203.
678. Iskandar, D. 1994. New scincid lizard of the genus *Sphenomorphus* (Reptilia, Scincidae), from Java. *Treubia* 31: 25-30.
679. Iverson, J. B., Smith, G. R. and Pieper, L. 2004. Factors affecting long-term growth of the Allen Cays rock iguana in the Bahamas. Pages 176-192 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.

680. Izhaki, I. and Haim, A. 1996. Adaptive morphometric variations in lizards of the genus *Agama* in Israel. *Israel Journal of Zoology* 42: 385-394.
681. Jacobs, H. J. 2003. A further new emerald tree monitor lizard of the *Varanus prasinus* species group from Waigeo, West Irian (Squamata: Sauria: Varanidae). *Salamandra* 39: 65-74.
682. Jacobson, N. H. G. and Broadley, D. G. 2000. A new species of *Panaspis* Cope (Reptilia: Scincidae) from southern Africa. *African Journal of Herpetology* 49: 61-71.
683. Jaksic, F. M., Nunez, H. and Ojeda, F. P. 1980. Body proportions, microhabitat selection, and adaptive radiation of *Liolaemus* lizards in central Chile. *Oecologia* 45: 178-181.
684. James, B. H., Donnelan, S. C. and Hutchinson, M. N. 2001. Taxonomic revision of the Australian lizard *Pygopus nigriceps* (Squamata: Gekkonidae). *Records of the South Australian Museum* 34: 37-52.
685. James, C. D. 1991. Annual variation in reproductive cycles of scincid lizards, *Ctenotus*, in central Australia. *Copeia* 1991: 744-760.
686. James, C. D. 1991. Growth rates and ages at maturity of sympatric scincid lizards, *Ctenotus*, in central Australia. *Journal of Herpetology* 25: 284-295.
687. James, C. D. 1991. Population dynamics, demography and life history of sympatric scincid lizards (*Ctenotus*) in central Australia. *Herpetologica* 47: 194-210.
688. James, C. D., Losos, J. B. and King, D. R. 1992. Reproductive biology and diets of goannas (Reptilia: Varanidae) from Australia. *Journal of Herpetology* 26: 128-136.
689. Jerdon, T. C. 1853 Catalogue of the Reptiles inhabiting the Peninsula of India. Part 1. *Journal of the Asiatic Society of Bengal* 22: 462-479.
690. Jessop, T. S., Madsen, T., Sumner, J., Rudiharto, H., Phillips, J. A. and Ciofi, C. 2006. Maximum body size among insular Komodo dragon populations covaries with large prey density. *Oikos* 112: 422-429.
691. Jesu, R., Mattioli, F. and Schimmenti, G. 1999. On the discovery of a new large chameleon inhabiting the limestone outcrops of western Madagascar: *Furcifer nicosiae* sp. nov. (Reptilia, Chamaeleonidae). *Doriana (=Annali Del Museo Civico Di Storia Naturale Giacomo Doria)* 7 (or 8), 311: 1-14.
692. Jewell, T. R. and Leschen, R. A. B. 2004. A new species of *Hoplodactylus* (Reptilia: Pygopodidae) from the Takitimu Mountains, South Island, New Zealand. *Zootaxa* 792: 1-11.
693. Jimenez-Cruz, E., Ramirez-Bautista, A., Marshall, J. C., Lizana-Avia, M. and De Oca, A. N-M. 2005. Reproductive cycle of *Sceloporus grammicus* (Squamata: Phrynosomatidae) from Teotihuacan, Mexico. *Southwestern Naturalist* 50: 178-187.
694. Jin, Y. T. and Liu, N. F. 2007. Altitudinal variation in reproductive strategy of the toad-headed lizard, *Phrynocephalus vlangalii* in North Tibet Plateau (Qinghai). *Amphibia-Reptilia* 28: 509-515.
695. Joger, U. 1980. Eine neue art der gattung *Tarentola* (Sauria: Gekkonidae) aus Westafrika. *Amphibia-Reptilia* 1: 137-147.
696. Joger, U. 1984. Die radiation der gattung *Tarentola* in Makaronesien. *Courier Forschungsinstitut Senckenberg* 71: 91-111.
697. Joger, U. 1984. Morphologische und biochemisch-immunologische untersuchungen zur systematik und evolution der gattung *Tarentola* (Reptilia: Gekkonidae). *Zoologische Jahrbucher. Abteilung fur Anatomie und Ontogenie der Tiere*, 112: 137-256.

698. Joger, U. 1993. On two collections of reptiles and amphibians from the Cape Verde Islands, with descriptions of three new taxa. *Courier Forschungsinstitut Senckenberg* 159: 437-444.
699. Joger, U. and Lambert, M. R. K. 1996. Analysis of the herpetofauna of the Republic of Mali, I. Annotated inventory, with description of a new *Uromastyx* (Sauria: Agamidae). *Journal of African Zoology* 110:21–51.
700. Joger, U. and Mayer, W. 2002. A new species of *Mesalina* from Abd al-Kuri, Socotra archipelago, Yemen, and a preliminary molecular phylogeny for the genus *Mesalina*. *Fauna of Saudi Arabia*, 19: 497-505.
701. Johnston, G. and Bouskila, A. 2007. Sexual dimorphism and ecology of the gecko, *Ptyodactylus guttatus*. *Journal of Herpetology*, 41: 506-513.
702. Jongbloed, M. 2000. Wild about reptiles. Field guide to the reptiles and Amphibians of the UAE
703. Kaliontzopoulou, A., Carretero, M. A. and Llorente, G. A. 2008. Head shape allometry and proximate causes of head sexual dimorphism in *Podarcis* lizards: joining linear and geometric morphometrics. *Biological Journal of the Linnean Society*, 93: 111-124.
704. Kargas, J. P. and Wright, J. W. 1987. A new species of *Barisia* (Sauria, Anguidae) from Oaxaca, Mexico. *Contributions in Science of the Natural History Museum of Los Angeles County* 381: 1-11.
705. Karsen, S. J., Lau, M. W. N. and Bogadek, A. 1986. Hong Kong amphibians and reptiles. The Provisional Urban Council, Hong Kong SAR.
706. Karsen, S. J., Lau, M. W. N. and Bogadek, A. 1998. Hong Kong amphibians and reptiles. 2nd edition. The Provisional Urban Council, Hong Kong SAR.
707. Kearney, M. 2002. Appendicular skeleton in amphisbaenians (Reptilia: Squamata). *Copeia*, 2002: 719-738.
708. Kerr, A. M., Powell, R. and Parmerlee, J. S. 2005. *Ameiva erythrocephala* (Teiidae) on Sint Eustatius, Netherlands Antilles: baseline data on a small population in a severely altered habitat. *Caribbean Journal of Science*, 41: 162-169.
709. Khan, M. S. 1988. A new cyrtodactylid gecko from northwestern Punjab, Pakistan. *Journal of Herpetology*, 22: 241-243.
710. Khan, M. S. 1991. A new *Tenuidactylus* gecko from the Sulaiman Range, Punjab, Pakistan. *Journal of Herpetology*, 25: 199-204.
711. Khan, M. S. 2001. Taxonomic notes on angular-toed Gekkota of Pakistan, with description of a new species of genus *Cyrtopodion*. *Pakistan Journal of Zoology* 31: 13-24.
712. Khan, M. S. 2006. The amphibians and reptiles of Pakistan. Krieger Publishing Company,
713. King, M. and Horner, P. 1989. Karyotype evolution in *Gehyra* (Gekkonidae: Reptilia). V. A new species from Papua New Guinea and the distribution and morphometrics of *Gehyra oceanica* (Lesson). *The Beagle* 6: 169-178.
714. Kizirian, D. A. 1995. A new species of *Proctoporus* (Squamata: Gymnophthalmidae) from the Andean Cordillera Oriental of northeastern Ecuador. *Journal of Herpetology* 29: 66-72.
715. Kizirian, D. A. 1996. A review of Ecuadorian *Proctoporus* (Squamata: Gymnophthalmidae) with descriptions of nine new species. *Herpetological Monographs* 10: 85–155.
716. Kizirian, D. A. and Coloma, L. A. 1991. A new species of *Proctoporus* (Squamata Gymnophthalmidae) from Ecuador. *Herpetologica* 47: 420-429.

717. Kizirian, D. A. and McDiarmid, R. W. 1998. A new species of *Bachia* (Squamata: Gymnophthalmidae) with plesiomorphic limb morphology. *Herpetologica* 54: 245-253.
718. Klaver, C. and Bohme, W. 1988. Systematics of *Bradypodion tenue* (Matschie, 1892) (Sauria: Chamaeleonidae) with a description of a new species from the Uluguru and Uzungwe Mountains, Tanzania. *Bonn Zoologische Beitrage* 39: 381-393.
719. Klaver, C. and Bohme, W. 1992. The species of *Chamaeleo cristatus* group from Cameroon and adjacent countries, West Africa. *Bonn Zoologische Beitrage* 43: 433-476.
720. Klein, W., Reuter, C., Bohme, W. and Perry, S. F. 2005. Lungs and mesopneumonia of scincomorph lizards. *Organisms Diversity and Evolution* 5: 47-57.
721. Kluge, A. G. 1964. A revision of the South American gekkonid lizard genus *Homonota* Gray. *American Museum Novitates* 2193: 1-42.
722. Klutsch, C. F. C., Misof, B., Grosse, W.-R. and Moritz, R. F. A. 2007. Genetic and morphometric differentiation among island populations of two *Norops* lizards (Reptilia: Sauria: Polychrotidae) on independently colonized islands of the Islas de Bahia (Honduras). *Journal of Biogeography* 34: 1124-1135.
723. Knight, R. A. and Scudday, J. F. 1985. A new *Gerrhonotus* (Lacertilia: Anguidae) from the Sierra Madre Oriental, Nuevo Leon, Mexico. *Southwestern Naturalist*, 30: 89-94.
724. Koch, C., Venegas, P. J. and Bohme, W. 2006. A remarkable discovery: description of a big-growing new gecko (Squamata: Gekkonidae: *Phyllopezus*) from northwestern Peru. *Salamandra* 42: 145-150.
725. Kohler, G. 1996. A new species of anole of the *Norops pentaprion* group from Isla de Utila, Honduras. (Reptilia: Sauria: Iguanidae). *Senckenbergiana Biologica*, 75: 23-31.
726. Kohler, G. 1996. Additions to the known herpetofauna of the Isla de Utila (Isla de la Bahia, Honduras) with description of a new species of the genus *Norops* (Reptilia: Iguanidae). *Senckenbergiana Biologica* 76: 19-28.
727. Kohler, G. 2001. Type material and use of the name *Anolis bourgeaei* Bocourt (Sauria: Polychrotidae). *Copeia*, 2001: 274-275.
728. Kohler, G. 2003. A new species of *Morunasaurus* from Peru (Reptilia, Squamata, Hoplocercidae). *Senckenbergiana Biologica* 82: 235-241.
729. Kohler, G. 2003. Reptiles of Central America. Herpeton Verlag, Offenbach.
730. Kohler, G. 2003. Two new species of *Euspondylus* (Squamata: Gymnophthalmidae) from Peru. *Salamandra* 39: 5-20.
731. Kohler, G. and Lehr, E. 2004. Comments on *Euspondylus* and *Proctoporus* (Squamata: Gymnophthalmidae) from Peru, with the description of three new species and a key to the Peruvian species. *Herpetologica* 60: 501-518.
732. Kohler, G. and McCranie, J. R. 2001. Two new species of anoles from northern Honduras (Squamata: Polychrotidae). *Senckenbergiana Biologica* 81: 235-245
733. Kohler, G., Bohme, W. and Schmitz, A. 2004. A New Species of *Echinosaura* (Squamata: Gymnophthalmidae) from Ecuador. *Journal of Herpetology*, 38: 52-60.
734. Kohler, G., McCranie, J. R. and Wilson, L. D. 2001. A new species of anole from western Honduras (Squamata: Polychrotidae). *Herpetologica* 5: 247-255.

735. Kohler, G., Schroth, W. and Streit, B. 2000. Systematics of the Ctenosaura group of lizards (Reptilia: Sauria: Iguanidae). *Amphibia-Reptilia* 21: 177-191.
736. Kohler, G., Vesely, M. and Greenbaum, E. 2006. The Amphibians and Reptiles of El Salvador. Krieger Publishing Company, Malabar.
737. Kohler, J., Wagner, P., Visser, S. and Bohme, W. 2004. New country records of *Adolfus africanus* (Sauria: Lacertidae) - a rain forest lizard with disjunct distribution. *Salamandra* 39 (3/4): 241-248.
738. Kohlsdorf, T. and Navas, C. A. 2006. Ecological constraints on the evolutionary association between field and preferred temperatures in Tropidurinae lizards. *Evolutionary Ecology* 20: 549-564.
739. Kohlsdorf, T. and Navas, C. A. 2007. Evolution of jumping capacity in Tropidurinae lizards: does habitat complexity influence obstacle-crossing ability? *Biological Journal of the Linnean Society*, 91: 393–402.
740. Kohlsdorf, T., Garland, T. and Navas, C. A. 2001. Limb and tail lengths in relation to substrate usage in *Tropidurus* lizards. *Journal of Morphology*, 248: 151-164.
741. Kok, P. J. R. 2005. A new genus and species of gymnophthalmid lizard (Squamata: Gymnophthalmidae) from Kaieteur National Park, Guyana. *Biologie*, 75: 35-45.
742. Kolbe, J. J., Colbert, P. L. and Smith, B. E. 2008. Niche relationships and interspecific interactions in Antiguan lizard communities. *Copeia* 2008: 261-272.
743. Kopstein, P. F. 1926. Reptilien von den Molukken und den benachbarten Inseln. *Zoologische Mededelingen* 1: 71-112.
744. Kopstein, P. F. 1927. Die reptilienfauna der Sula-Inseln. *Treubia*, 9: 437-446.
745. Kratochvil, L. and Frynta, D. 2002. Body size, male combat and the evolution of sexual dimorphism in eublepharid geckos (Squamata: Eublepharidae). *Biological Journal of the Linnean Society* 76: 303–314.
746. Kratochvil, L. and Frynta, D. 2006. Body-size effect on egg size in eublepharid geckos (Squamata: Eublepharidae), lizards with invariant clutch size: negative allometry for egg size in ectotherms is not universal. *Biological Journal of the Linnean Society* 88: 527–532.
747. Kraus, F. 2005. The genus *Nactus* (Lacertilia : Gekkonidae): a phylogenetic analysis and description of two new species from the Papuan Region. *Zootaxa* (1061): 1-28.
748. Kraus, F. 2007. A new species of *Cyrtodactylus* (Squamata: Gekkonidae) from western Papua New Guinea. *Zootaxa* 1425: 63-68.
749. Kraus, F. 2007. Taxonomic Partitioning within Papuan Members of the *Carlia novaeguineae* Complex (Squamata: Scincidae). *Journal of Herpetology*, 41: 410-423.
750. Kraus, F. and Allison, A. 2006. A new species of *Cyrtodactylus* (Lacertilia: Gekkonidae) from Papua New Guinea. *Zootaxa* 1247: 59-68.
751. Kruger, J. 1996. Beschreibung einer neuen art aus der gattung *Phelsuma* aus dem Sud-Osten Madagaskars. *Herpetofauna* 18: 14-18.
752. Krysko , K. L., Rehman, H. and Auffenberg, K. 2007. A new species of *Cyrtopodion* (Gekkonidae: Gekkoninae) from Pakistan. *Herpetologica*, 63: 100–113.
753. Kumlutas, Y., Oz, M., Durmus, H., Tunc, M. R., Ozdemur, A. and Dusen, S. 2004. On some lizard species of the Western Taurus range. *Turkish Journal of Zoology* 28 (2004) 225-236

754. La Marca, E. and Garcia Perez, J. E. 1990. A new species of high Andean Anadia (Sauria: Teiidae) from Paramo el Rieciro, Estado Trujillo, Venezuela. *Herpetologica* 46: 275-282.
755. Lamar, W. W. 1985. A new Lepidoblepharis (Sauria: Gekkonidae) from the north coast of Colombia. *Herpetologica* 41: 128-132.
756. Lamborot, M. and Diaz, N. F. 1987. A new species of Pristidactylus (Sauria: Iguanidae) from central Chile and comments on the speciation in the genus. *Journal of Herpetology*, 21: 29-37.
757. Lamborot, M. and Ortiz, J. C. 1990. Liolaemus pseudolemniscatus, a new species of lizard from north Chico Chile (Sauria: Tropiduridae). *Gayana Zoologia* 54: 135-142.
758. Lancini V. A. R. 1968. El genero Euspondylus (Sauria: Teiidae) en Venezuela. *Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas* 12: 1-8.
759. Lancini, A. R. 1963. Una nuova especie del genero Anadia (Sauria: Teiidae) de Venezuela. *Publicaciones Ocasionales del Museo de Ciencias Naturales de Caracas, Zoologia*, 4: 1-2.
760. Lanza, B. 1978. A new Somali Hemidactylus (Reptilia Gekkonidae). *Monitore Zoologico Italiano Supplemento* 11: 111-117.
761. Lanza, B. 1978. Mabuya ferrarai, a new scincoid lizard from Somalia. *Monitore Zoologico Italiano Supplemento* 11: 271-280.
762. Lanza, B. 1978. On some new or interesting east African amphibians and reptiles. *Monitore Zoologico Italiano Supplemento* 10: 229-297.
763. Lanza, B. 1979. Lygosoma simonettai, a new black-headed skink from Somalia (Reptilia Scinidae). *Monitore Zoologico Italiano (supplemento)* 12: 25-32.
764. Lanza, B. 1982. On some Phyllodactylus from the Galapagos Islands (Reptilia Gekkonidae). *Cura del Museo Zoologico dell'Università di Firenze*, 4: 149-182.
765. Lanza, B. and Carfi, S. 1966. Note su alcuni Scincidae della Somalia e descrizione di una nuova specie di Mochlus (Reptilia, Squamata). *Monitore Zoologico Italiano Supplemento* 74: 34-43.
766. Lanza, B. and Carfi, S. 1968. Gli scincidi della Somalia (Reptilia, Squamata). *Monitore Zoologico Italiano* 2: 207-260.
767. Lanza, B. and Sassi, A. R. 1968. On a new genus and species of gekkonid lizard from Somalia. *Monitore Zoologico Italiano*, 2 (supplemento):17-26.
768. Lanza, B. and Vanni, S. 1976. On a small collection of reptiles from north Zaire. *Monitore Zoologico Italiano* 8: 129-160.
769. Lappin, A. K. and Swinney, E. J. 1999. Sexual dimorphism as it relates to natural history of leopard lizards (Crotaphytidae: Gambelia). *Copeia* 1999: 649-660.
770. Lara-Gongora, G. 1983. Two new species of the lizard genus *Sceloporus* (Reptilia, Sauria, Iguanidae) from the Ajusco and Ocuilan Sierras, Mexico. *Bulletin of the Maryland Herpetological Society* 19: 1-14
771. Lara-Gongora, G. 2004. A new species of *Sceloporus* (Reptilia, Sauria: Phrynosomatidae) of the grammicus complex from Chihuahua and Sonora, Mexico. *Bulletin of the Maryland Herpetological Society* 40: 1-41.
772. Largen, M. L. 1995. A new species of chameleon (Reptilia Sauria Chamaeleonidae) from montane forest in Ethiopia. *Tropical Zoology* 8: 333-339.
773. Laspiur, A., Acosta, J. C. and Abdala, C. S. 2007. A new species of *Leiosaurus* (Iguania: Leiosauridae) from central-western Argentina. *Zootaxa* 1470: 47-57.

774. Laurent, R. F. 1952. Batraciens et Reptiles recemment acquis par le Musee du Congo Belge. Revue de Zoologie et de Botanique Africaine 44: 198-203.
775. Laurent, R. F. 1952. Reptiles et batraciens nouveaux de la région des Grands Lacs africains. Revue de Zoologie et de Botanique Africaine, Bruxelles, 46: 269-279.
776. Laurent, R. F. 1952. Reptiles et batraciens nouveaux du massif du Mont Kabobo et du plateau des Marungu. Revue de Zoologie et de Botanique Africaine 46: 18-34.
777. Laurent, R. F. 1964. Reptiles et Amphibiens de l'Angola (Troisieme contribution). Companhia de Diamantes de Angola (Diamang), Servicos Culturais, Museu do Dundo (Angola), 67: 1-165.
778. Laurent, R. F. 1982. Description de trois especes nouvelles du genre *Liolaemus* (Sauria, Iguanidae). Spixiana (Munich) 5: 139-147.
779. Laurent, R. F. 1982. Description de trois especes nouvelles du genre *Liolaemus* (Sauria, Iguanidae). Spixiana (Munich) 5: 139-147.
780. Laurent, R. F. 1982. Deux lezards interessants de la cuvette centrale zairoise. Revue de Zoologie Africaine 96: 439-444.
781. Laurent, R. F. 1986. Descripciones de nuevas Iguanidae del genero *Liolaemus*. Acta Zoologica Lilloana 38: 87-105.
782. Laurent, R. F. 1990. An isolated species of the genus *Liolaemus* Wiegmann Iguanidae Lacertilia. Acta Zoologica Lilloana 39: 79-84.
783. Laurent, R. F. 1992. On some new and little known species of *Liolaemus* Iguanidae from Jujuy Province Argentina. Acta Zoologica Lilloana 40: 91-108.
784. Laurent, R. F. 1992. On some overlooked species of the genus *Liolaemus* Wiegmann (Reptilia Tropiduridae) from Peru. Breviora 494: 1-33.
785. Laurent, R. F. 1998. New forms of lizards of the subgenus *Eulaemus* of the genus *Liolaemus* (Reptilia: Squamata: Tropiduridae) from Peru and Northern Chile. Acta Zoologica Lilloana 44: 1-26.
786. Lazell, J. D. 1972. The anoles (Sauria: Iguanidae) of the Lesser Antilles. Bulletin of the Museum of Comparative Zoology 143: 1-115
787. Lazell, J. D. 1973. The lizard genus *Iguana* in the Lesser Antilles. Bulletin of the Museum of Comparative Zoology, 143: 1-28.
788. Lazell, J. D. 1992. New flying lizards and predictive biogeography of two Asian archipelagos. Bulletin of the Museum of Comparative Zoology 152: 475-505.
789. Lazell, J. D. 1994. A new *Sphaerodactylus* (Sauria: Gekkonidae) from Bequia, Grenada Bank, Lesser Antilles. Breviora 496: 1-20.
790. Lazell, J. D. 2002. The herpetofauna of Shek Kwu Chau, South China Sea, with description of two new colubrid snakes. Memoirs of the Hong Kong Natural History Society 25: 1-82.
791. Le Berre, M. 1989. Faune du Sahara 1. Poissons, Amphibiens, Reptiles. Lechevalier, R. Chabaud, Paris.
792. Leal, M. and Losos, J. B. 2000. Behavior and ecology of the Cuban "Chipojos Bobos" *Chamaeleolis barbatus* and *C. porcus*. Journal of Herpetology, 34: 318-322.
793. Lee, J. C. 2000. A Field Guide to the Amphibians and Reptiles of the Maya World: The Lowlands of Mexico, Northern Guatemala, and Belize. Cornell University Press. ISBN: 0801485878
794. Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 1996. Natural history of the Mexican knob-scaled lizard, *Xenosaurus rectocollaris*. Herpetological Natural History 4: 151–154.

795. Lemos-Espinal, J. A., Smith, G. R. and Ballinger, R. E. 2004. Aspects of the ecology of a distinct population of *Xenosaurus platyceps* from Querétaro, Mexico. *Amphibia-Reptilia* 25: 204-210.
796. Leptien, R. and Lui, W. 1997. Ein Gecko von der alten Seidenstrasse im Nordwesten Chinas, *Teratoscincus roborowskii* Von Bedriaga, 1906. *Sauria* 19, 3-6.
797. Lerner, A. 2004. A new taxonomically isolated species of the genus *Phelsuma* GRAY, 1825 from the Ampasindava peninsula Madagascar. *Phelsuma* 12: 91-98.
798. Leviton, A. E. and Anderson, S. C. 1967. Survey of the reptiles of the Sheikdom of Abu Dhabi, Arabian Peninsula. Part II. Systematic account of the collection of reptiles made in the Sheikdom of Abu Dhabi by John Gasperetti. *Proceedings of the California Academy of Sciences*, 35:157-192.
799. Leviton, A. E., Anderson, S. C., Adler, K. and Minton, S. A. 1992. *Handbook to Middle East Amphibians and Reptiles*. Society for the Study of Amphibians and Reptiles, St. Louis.
800. Licht, P. and Gorman, G. C. 1970. Reproductive and fat cycles in Caribbean Anolis lizards. *University of California Publications in Zoology* 35: 1-52.
801. Lidth de Jeude, T. W. 1887. On a collection of reptiles and fishes from the West-Indies. Notes from the Leyden Museum 9: 129—139.
802. Lim, K. K. P. and Lim, L. J. 1999. The terrestrial herpetofauna of Pulau Tioman, Peninsular Malaysia. *Raffles Bulletin of Zoology*, Supplement 6: 131-155.
803. Lima, A. F. B. and da Rocha, P. L. B. 2006. Ontogenetic change in plant consumption by *Tropidurus psammonastes*, Rodrigues, Kasahara & Yonenaga-Yassuda, 1988 (Tropiduridae), a lizard endemic to the dunes of the São Francisco River, Bahia, Brazil. *Revista Brasileira de Zoociencias* 8: 67-75.
804. Liner, E. A. and Dixon, J. R. 1992. A new species of the *Sceloporus scalaris* group from Cerro Pena Nevada, Nuevo Leon, Mexico (Sauria: Iguanidae). *Texas Journal of Science* 44: 421-427.
805. Linsdale, J. M. 1932. Amphibians and reptiles from lower California. *University of California Publications in Zoology* 38: 345-386.
806. Lobo, F. and Espinoza, R. E. 1999. Two new cryptic species of *Liolaemus* (Iguania: Tropiduridae) from northwestern Argentina: resolution of the purported reproductive bimodality of *Liolaemus alticolor*. *Copeia* 1999: 122-140.
807. Lobo, F. and Espinoza, R. E. 2004. Two new *Liolaemus* from the Puna region of Argentina and Chile: further resolution of purported reproductive bimodality in *Liolaemus alticolor* (Iguania: Liolaemidae). *Copeia* 2004: 850-866.
808. Lobo, F. and Quinteros, S. 2005. A morphology-based phylogeny of *Phymaturus* (Iguania: Liolaemidae) with the description of four new species from Argentina. *Papeis Avulsos de Zoologia* 45: 143-177.
809. "Lobo, F. and Quinteros, S. 2005. Taxonomic studies of the genus *Phymaturus* (Iguania: Liolaemidae): redescription of *Phymaturus patagonicus* Koslowsky 1898, and revalidation and redescription of
810. *Phymaturus spurcus* Barbour 1921. *Jounal of Herpetology* 39: 533-540."
811. Lonnberg, E. 1911. Reptiles, Batrachians and Fishes collected by the swedish Zoological Expedition to British East Africa 1911. *Kungliga Svenska Vetenskaps-Akademiens Handlingar* 47(6): 1-24.
812. Losos, J. B. 1990. Ecomorphology, performane ability and scaling of West Indian Anolis lizards: an evolutionary analysis. *Ecological Monographs* 60: 369-388.

813. Lotzkat, S. 2007. Taxonomie und zoogeographie der herpetofauna des Nirgua-Massivs, Venezuela. MSc Thesis, Johann Wolfgang Goethe-Universität, Frankfurt am Main.
814. Loveridge, A. 1928. Description of a new species of gecko from Tanganyika Territory, Africa. Proceedings of the United States National Museum, Washington 72: 1-2.
815. Loveridge, A. 1932. New races of a skink (*Siaphos*) and frog (*Xenopus*) from the Uganda Protectorate. Proceedings of the Biological Society of Washington 45: 113-115.
816. Loveridge, A. 1932. New reptiles and amphibians from Tanganyika Territory and Kenya Colony. Bulletin of the Museum of Comparative Zoology 72: 375-387.
817. Loveridge, A. 1935. Scientific Results of an Expedition to rain forest regions in Eastern Africa. I. New Reptiles and Amphibians from East Africa. Bulletin of the Museum of Comparative Zoology, 79: 1-19.
818. Loveridge, A. 1936. Scientific Results of an Expedition to rain forest regions in Eastern Africa. V. Reptiles. Bulletin of the Museum of Comparative Zoology 79: 209-337.
819. Loveridge, A. 1941. *Bogertia lutzae*—A new genus and species of gecko from Bahia, Brazil. Proceedings of the Biological Society of Washington 54: 195-196.
820. Loveridge, A. 1941. Report on the Smithsonian-Firestone expedition's collection of reptiles and amphibians from Liberia. Proceedings of the United States National Museum 91: 113-140.
821. Loveridge, A. 1942. Scientific results of a fourth expedition to forested areas in east and central Africa. IV. Reptiles. Bulletin of the Museum of Comparative Zoology 91: 237-373.
822. Loveridge, A. 1944. Revision of the African lizards of the family Cordylidae. Bulletin of the Museum of Comparative Zoology 95: 1-118.
823. Loveridge, A. 1947. Revision of the African lizards of the family Gekkonidae. Bulletin of the Museum of Comparative Zoology 98: 1-469.
824. Loveridge, A. 1948. New Guinean reptiles and amphibians in the Museum of Comparative Zoology and the United States National Museum. Bulletin of the Museum of Comparative Zoology 101: 305-430.
825. Loveridge, A. 1952. A startlingly turquoise-blue gecko from Tanganyika. Journal of the East African Natural History Society, 20: 446.
826. Loveridge, A. 1953. Zoological Results of a fifth expedition to East Africa. III. Reptiles from Nyasaland and Tete. Bulletin of the Museum of Comparative Zoology 110: 142-322.
827. Loveridge, A. 1959. On a fourth collection of reptiles, mostly taken in Tanganyika territory by Mr.C. J. P. Ionides. Proceedings of the Zoological Society of London 133: 29-44.
828. Luiselli, L., Akani, G. C. and Capizzi, D. 1999. Is there any interspecific competition between dwarf crocodiles (*Osteolaemus tetraspis*) and Nile monitors (*Varanus niloticus ornatus*) in the swamps of central Africa? A study from southeastern Nigeria. Journal of Zoology 247: 127-131.
829. Lynch, J. D. and Smith, H. M. 1965. New or unusual amphibians and reptiles from Oaxaca, Mexico. I. Herpetologica 24: 168-177.
830. Macculloch, R. D. and Lathrop, A. 2001. A new species of *Arthrosaura* (Sauria: Teiidae) from the highlands of Guyana. Caribbean Journal of Science 37: 174-181.
831. Macleay, W. 1877. The lizards of the Chevert Expedition. Proceedings of the Linnean Society of New South Wales, 2: 97-104.

832. Magnusson, W. E., de Paiva, L. J., da Rocha, R. M., Franke, C. R., Kasper, L. A. and Lima, A. P. 1985. The correlates of foraging mode in a community of Brazilian lizards. *Herpetologica*, 41: 324-332.
833. Maisano, J. A. 2002. Postnatal Skeletal Ontogeny in Five Xantusiids (Squamata: Scleroglossa). *Journal of Morphology* 254: 1-38.
834. Maisano, J. A. 2002. Terminal fusions of skeletal elements as indicators of maturity in squamates. *Journal of Vertebrate Paleontology* 22: 268-275.
835. Malkmus, R., Manthey, U., Vogel, G., Hoffmann, P. and Kosuch, J. 2002. Amphibians and reptiles of Mount Kinabalu (North Borneo). A.R.G. Gantner Verlag Kommanditgesellschaft. Ruggell (Liechtenstein).
836. Manthey, U. and Denzer, W. 2006. A revision of the Melanesia-Australian angel head lizards of the genus *Hypsilurus* (Sauria: Agamidae: Amphibolurinae), with description of four new species and one new subspecies. *Hamadryad*, 30 (1/2): 28.
837. Manthey, U. and Grossmann, W. 1997. *Amphibien & Reptilien Sudostasiens*. Munster: Natur und Tier-Verlag.
838. Manthey, U. and Schuster, N. 1992. *Agamn. Terrarien Bibliothek*, Munster
839. Manthey, U. and Schuster, N. 1996. *Agamid Lizards*. TFH Publications, Muenster.
840. Manzani, P. R. and Abe, A. S. 1990. A new species of *Tapinurus* from the caatinga of Piaui northeastern Brazil Squamata Tropiduridae [*Tapinurus helenae*]. *Herpetologica* 46: 462-467.
841. Manzani, P. R. and Abe, A. S. 2002. A new species of *Tupinambis* Daudin, 1803 from Southeastern Brazil (Squamata, Teiidae). *Arquivos do Museu Nacional Rio de Janeiro* 60: 295-302.
842. Markezich, A. L. and Taphorn, D. C. 1994. A new Lepidoblepharis (Squamata: Gekkonidae) from the Paraguana Peninsula, Venezuela, with comments on its conservation status. *Herpetologica* 50: 7-14.
843. Markezich, A. L., Cole, C. J. and Dessauer, H. C. 1997. The blue and green whiptail lizards (Squamata, Teiidae, *Cnemidophorus*) of the Peninsula de Paraguana, Venezuela : systematics, ecology, descriptions of two new taxa, and relationships to whiptails of the Guianas. *American Museum novitates* 3207: 1-60.
844. Marquet, P. A., Bozinovic, F., Medel, R. G., Werner, Y. L. and Jaksic, F. M. 1990. Ecology of *Garthia gaudichaudii*, a gecko endemic to the semiarid region of Chile. *Journal of Herpetology*, 24: 431-434.
845. Martins, E. P. 1993. A comparative study of the evolution of *Sceloporus* push-up displays. *American Naturalist* 142: 994-1018.
846. Martins, M. 1991. The lizards of Balbina, Central Amazonia, Brazil: a qualitative analysis of resource utilization. *Studies on Neotropical Fauna and Environment* 26: 179-190.
847. Marx, H. 1956. A new lacertid lizard from Angola. *Fieldiana Zoology*, 39: 5-9.
848. Marx, H. 1960. A new iguanid lizard of the genus *Ctenoblepharis*. *Fieldiana Zoology* 39: 407-409
849. Mata-Silva, V. and Ramirez-Bautista, A. 2005. Reproductive characteristics of two syntopic, widely foraging lizards, *Aspidoscelis deppii* and *Aspidoscelis guttata* from Oaxaca, Mexico. *Southwestern Naturalist* 50: 262-267.
850. Mateo, J. A., Geniez, P., Lopez-Jurado, L. F. and Bons, J. 1999. Chorological analysis and morphological variations of Saurians of the genus *Uromastyx* (Reptilia: Agamidae) in western Sahara. Description of two new taxa. *Rev. Esp. Herp.* 12: 97-109.

851. Mateo, J. A., Marquez, M. G., Juardo, L. F. L. and Barahona, F. 2001. Descripcion del lagarto gigante de La Palma (Islas Canarias) a partir de restos subfosiles. Revista Espanola de Herpetologia 15: 53-59.
852. Matschie, P. 1892. Uber eine kleine sammlung von saugethieren und reptilien, welche Herr L. Conradt aus Usambara (Deutsch Ostafrika) heimgebracht hat. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin (1892): 101-110.
853. Matschie, P. 1893. Uber einige von Herrn Oscar Neumann bei Aden gesammelte u. beobachtete Säugethiere, Reptilien und Amphibien. Sber. Berlinische Gesellschaft Naturforschender Freunde, Berlin 1893: 24-31.
854. Mausfeld, P. and Bohme, W. 2002. A new Mabuya from Java, Indonesia. Salamandra 38: 135-144.
855. Mausfeld, P. and Vrcibradic, D. 2002. On the Nomenclature of the Skink (Mabuya) Endemic to the Western Atlantic Archipelago of Fernando de Noronha, Brazil. Journal of Herpetology, 36: 292–295.
856. Mayer, G. C. and Lazell, J. 2000. A new species of Mabuya (Sauria: Scincidae) from the British Virgin Islands. Proceedings of the Biological Society of Washington 113: 871-886.
857. Maza, E. 2008. unpublished MSc Thesis, Tel Aviv University
858. McConkey, E. H. 1954. A systematic study of the North American lizards of the genus Ophisaurus. American Midland Naturalist 51: 133-171.
859. McConkey, E. H. 1955. A new lizard of the genus Ophisaurus from Mexico. Natural History Miscellanea of the Chicago Academy of Sciences 145: 1-2.
860. McCoy, C. J. 1970. a new alligator lizard from the Cuatro Cienegas basin, Coahuila, Mexico. Southwestern Naturalist 15: 37- 44.
861. McCoy, E. D., Hartmann, P. P. and Mushinsky, H. R. 2004. Population biology of the rare Florida scrub lizard in fragmented habitat. Herpetologica 60: 54–61.
862. McCooY, M. 1980. Reptiles of the Solomon Islands. Wau Ecology Institute, Wau, Papua New Guinea.
863. Mccoy, M. 2006. Reptiles of the Solomon Islands. 2nd edition. Pensoft, Sofia.
864. McCranie, J. R. 1992. Rediscovery of the Honduran Giant Anole—*Norops loveridgei* (Sauria: Polychridae). Caribbean Journal of Science, 28: 233-234.
865. McCranie, J. R., Crus, G. A. and Holm, P. A. 1993. A new species of cloud forest lizard of the *Norops schiedei* group (Sauria: Polychrotidae) from northern Honduras. Journal of Herpetology, 27: 386-392.
866. McCranie, J. R., Nicholson, K. E. and Kohler, G. 2001. A new species of *Norops* (Squamata: Polychrotidae) from northwestern Honduras
867. Mccranie, J. R., Wilson, L. D. and Williams, K. L. 1992. A new species of anole of the *Norops crassulus* group (Sauria: Polychridae) from northwestern Honduras. Caribbean Journal of Science, 28: 208-215.
868. McCranie, J. R., Wilson, L. D. and Williams, K. L. 1993. Another new species of lizard of the *Norops schiedei* group (Sauria: Polychrotidae) from northern Honduras. Journal of Herpetology, 27: 393-399.
869. McGuire, J. A. 1996. Phylogenetic systematics of crotaphytid lizards. Bulletin of the Carnegie Museum 32: 1-143.

870. McGuire, J. A. 1998. Phylogenetic systematics, scaling relationships, and the evolution of gliding performance in flying lizards (genus *Draco*). PhD Dissertation University of Texas at Austin.
871. McGuire, J. A., and A. C. Alcala. 2000. A taxonomic revision of the flying lizards of the Philippine Islands (Iguania: Agamidae: *Draco*), with a description of a new species. *Herpetological Monographs* 14: 81-138.
872. McKay, L. J. 2006. A field guide to the amphibians and reptiles of Bali. Krieger
873. MCranie, J.R., Wilson, L. D. and Kohler, G. 2005. Amphibians and reptiles of the Bay Islands and Cayos Cochinos, Honduras.
874. Medica, P. A. 1967. Food Habits, Habitat Preference, Reproduction, and Diurnal Activity in Four Sympatric Species of Whiptail Lizards (*Cnemidophorus*) in South Central New Mexico. *Bulletin of the Southern California Academy of Sciences*, 66: 251-276.
875. Meerman, J. 1984. *Mabuya brauni hildae* Loveridge 1953. considered a synonym of *M. brauni* Tornier 1902. (Sauria: Scincidae). *Amphibia-Reptilia* 5: 173-175.
876. Méhely L. von 1909 Materialien zu einer Systematik und Phylogenie der muralis-ähnlichen Lacerten. *Annales Historico-Naturales Musei Nationalis Hungarici* 7: 409-621
877. Meier, A. J., Noble, R. E. and Rathbun, S. L. 1993. Population status and notes on the biology and behavior of the St. Croix Ground Lizard on Green Cay (St. Croix, US Virgin Islands). *Caribbean Journal of Science* 29: 147-152.
878. Meier, H. 1980. Zur Taxonomie und okologie der gattung *Phelsuma* (Reptilia: Sauria: Gekkonidae) auf den Komoren, mit beschreibung einer neuen art. *Bonner Zoologische Beiträge* 31: 323-332.
879. Meier, H. 1984. Zwei neue formen der gattung *Phelsuma* von den Komoren (Sauria: Gekkonidae). *Salamandra* 20: 32-38.
880. Meier, H. 1995 Neue nachweise von *Phelsuma borbonica* auf Reunion, Maskarenen, mit dem versuch einer taxonomischen einordnung. *Salamandra* 31: 33-40.
881. Mertens, R. 1928. Neue inselrassen von *Cryptoblepharus boutonii* (Desjardin). *Zoologischer Anzeiger* 78: 82-89.
882. Mertens, R. 1931. Ablepharus boutonii (Desjardin) und seine geographische Variation. *Zoologische Jahrbucher, Abteilung fur Systematik, Geographie und Biologie der Tiere* 61: 63-210.
883. Mertens, R. 1934. Die Inseln-Reptilien, ihre ausbreitung variation und arthbildung. *Zoologica (Stuttgart)* 32, 1-209.
884. Mertens, R. 1950. Notes on some Indo-Australian monitors (Sauria, Varanidae). *American Museum Novitates* 1456: 1-7
885. Mertens, R. 1962. Die Arten und Unterarten der Geckonengattung *Phelsuma*. *Senckenbergiana Biologica* 43: 81-127.
886. Mertens, R. 1963. Studien über die reptilienfauna Madagaskars. IV. Zwei neue arten der geckonengattung *Phelsuma*. *Senckenbergiana Biologica* 44: 349-356.
887. Mertens, R. 1963. The geckos of the genus *Phelsuma* on Mauritius and adjacent islands. *Mauritius Institute Bulletin*, 5: 299-305.
888. Mertens, R. 1964. Das chamaleon der Insel Pemba. *Senckenbergiana Biologica*, 45: 99-116.
889. Mertens, R. 1964. Studien über die reptilienfauna Madagaskars V. Funf neue rassen der geckonengattung *Phelsuma*. *Senckenbergiana Biologica*, 45: 99-112.

890. Mertens, R. 1966. Die nichtmadagassichen arten und unterarten der geckonengattung *Phelsuma*. *Senckenbergiana Biologica* 47: 85-110.
891. Mertens, R. 1966. Liste der rezenten amphibien und reptilien: Chamaeleonidae. *Das Tierreich* 83: 1-37.
892. Mertens, R. 1968. Zur kenntnis der herpetofauna von Kamerun und Fernando Poo. *Bonn Zoologische Beitrage* 19: 69-84.
893. Mesquita, D. O. and Colli, G. R. 2003. Geographical variation in the ecology of populations of some Brazilian species of *Cnemidophorus* (Squamata, Teiidae). *Copeia*, 2003: 285-298.
894. Mesquita, D. O., Colli, G. R., Costa, G. C., Franca, F. G. R. , Garda, A. A. and Peres, A. K. 2006. At the water's edge: ecology of semiaquatic teiids in Brazilian Amazon. *Journal of Herpetology* 40: 221–229.
895. Mesquita, D. O., Colli, G. R., Franca, F. G. R. and Vitt, L. J. 2006. Ecology of a Cerrado Lizard Assemblage in the Jalapao Region of Brazil. *Copeia* 2006: 460–471.
896. Milne, T. and Bull, C. M. 2000. Burrow choice by individuals of different sizes in the endangered pygmy blue tongue lizard *Tiliqua adelaidensis*. *Biological Conservation* 95: 295-301.
897. Milne, T., Bull, C. M. and Hutchinson, M. N. 2002. Characteristics of litters and juvenile dispersal in the endangered Australian skink *Tiliqua adelaidensis*. *Journal of Herpetology*, 36: 110-112.
898. Minton, S. A. 1966. A contribution to the herpetology of West Pakistan. *Bulletin of the American Museum of Natural History* 134: 31-184.
899. "Miralles, A. 2006. A new species of *Mabuya* (Reptilia, Squamata, Scincidae) from the Caribbean Island of San Andrés, with a new interpretation of
900. nuchal scales: a character of taxonomic importance. *Herpetological Journal*, 16: 1-7."
901. Miralles, A., Barrio-Amoros, C. L., Rivas, G. and Chaparro-Auza, J. C. 2006. Speciation in the "Varzea" flooded forest: a new *Mabuya* (Squamata, Scincidae) from Western Amazonia. *Zootaxa* 1188: 1-22.
902. Miralles, A., Rivas Fuenmayor, G. and Barrio-Amoros, C. L. 2005. Taxonomy of the genus *Mabuya* (Reptilia, Squamata, Scincidae) in Venezuela. *Zoosistema* 27: 825-837.
903. Miralles, A., Rivas, G. and Schargel, W. E. 2005. A new species of *Mabuya* (Squamata, Scincidae) from the Venezuelan Andes. *Zootaxa* 895: 1–11.
904. Mitchell, F. J. 1965. Australian geckos assigned to the genus *Gehyra* Gray (Reptilia, Gekkonidae). *Senckenbergiana Biologica* 46: 287-319.
905. Mitchell, P. K., Eaton, S. and Marsh, C. 2007. Biological and socio-economic research of the dry deciduous forests of Ampombofofo, Madagascar. *Frontier Madagascar Environmental Research Report* 13: 1-48.
906. Miyata K. A. 1985. new *Lepidoblepharis* from the Pacific slope of the Ecuadorian Andes (Sauria: Gekkonidae). *Herpetologica* 41: 121-126.
907. Mojica, B. H., Rey, B. H., Serrano, V. H., Ramirez-Pinilla, M. P. 2003. Annual reproductive activity of a population of *Cnemidophorus lemniscatus* (Squamata : Teiidae). *Journal of Herpetology* 37: 35-42.
908. Molina, C. and Senaris, J. C. 2003. Una nueva especie del genero *Riolama* (Reptilia: Gymnophthalmidae) de las tierras altas del Estado Amazonas, Venezuela. *Memoria de la Fundacion La Salle de Ciencias Naturales*, 61: 5-19.

909. Molina, C., Senaris, J. C. and Ayarzagüena, J. 2002. Contribution to the knowledge of the taxonomy, Distribution, and natural history of *Leposoma hexalepis* (Reptilia: Gymnophthalmidae) in Venezuela. *Herpetologica*, 58: 485–491.
910. Molina-Borja, M. 2003. Sexual dimorphism of *Gallotia atlantica atlantica* and *Gallotia atlantica mahoratae* (Lacertidae) from the eastern Canary Islands. *Journal of Herpetology* 37: 769-772.
911. Molina-Borja, M. and Rodriguez-Dominguez, M. A. 2004. Evolution of biometric and life-history traits in lizards (*Gallotia*) from the Canary Islands. *Journal of Zoological Systematics and Evolutionary Research* 42: 44–53.
912. Monard, A. 1940. Resultats de la mission du Dr. Monard en Guinee Portugaise 1937–1938. *Arquivos do Museu Bocage*, Lisbon 11: 147-182.
913. Monard, A. 1949. Vertebres nouveaux du Cameroun. *Revue Suisse de Zoologie* 56: 731-745.
914. Monguillot, J. C., Cabrera, M. R., Acosta, J. C. and Villavicencio, J. 2006. A new species of *Liolaemus* (Reptilia: Iguanidae) from San Guillermo National Park, western Argentina. *Zootaxa* 1361: 33-43.
915. Montanucci, R. R. 1971. Ecological and distributional data on *Crotaphytus reticulatus* (Sauria: Iguanidae). *Herpetologica* 27: 183–197.
916. Montanucci, R. R. 1973. Systematics and evolution of the Andean lizard genus *Pholidobolus* (Sauria: Teiidae). *University of Kansas Museum of Natural History Miscellaneous Publications* 59: 1-52.
917. Montanucci, R. R. 2004. Geographic variation in *Phrynosoma coronatum* (Lacertilia, Phrynosomatidae): Further evidence for a Peninsular Archipelago. *Herpetologica* 60: 117-139.
918. Montgomery, C. E., Mackessy, S. P. and Moore, J. C. 2003. Body size variation in the Texas horned lizard, *Phrynosoma cornutum*, from central Mexico to Colorado. *Journal of Herpetology* 37: 550-553.
919. Montoya, I. and Burns, K. C. 2007. Community-wide character displacement in New Zealand skinks. *Journal of Biogeography* 34: 2139-2147.
920. Moravec, J., El Din, S. B., Seligmann, H., Sivan, N. and Werner, Y. L. 1999. Systematics and distribution of the *Acanthodactylus pardalis* group (Lacertidae) in Egypt and Israel. *Zoology in the Middle East*, 17: 21-50.
921. Moreno, M. R., Moreno, J., Torres-Perez, F., Ortiz, J. C. and Breskovic, A. 2001. Catalogo Herpetologico Del Museo Del Mar De La Universidad Arturo Prat De Iquique, Chile. *Gayana* 65: 149-153.
922. Mosauer, W. 1936. Description of a new *Phyllodactylus* from Mexico, with remarks on the status of *P. tuberculosus*. *Copeia*, 1936: 141-146.
923. Mouton, P. L. N. and VanWyk, J. H. 1993. Sexual dimorphism in cordylid lizards - a case-study of the drakensberg crag lizard, *Pseudocordylus melanotus*. *Canadian Journal of Zoology* 71: 1715-1723.
924. Mukherjee, D., Bhupathy, S. and Nixon, A. M. A. 2005. A new species of day gecko (Squamata, Gekkonidae, *Cnemaspis*) from the Anaikatti Hills, Western Ghats, Tamil Nadu, India. *Current Science* 89: 1326-1328.
925. Müller, L. 1923. Neue oder seltene reptilien und batrachier der Zoologischen Sammlung des bayr. Staates. *Zoologischer Anzeiger* 57: 49-61.

926. Muller, L. and Hellmich, W. 1939. Liolaemus-Arten aus dem westlichen Argentinien. I *Liolaemus darwini* (Bell) und *Liolaemus goetschi* n. sp. Zool. Anz. 128: 1-17
927. Murphy, R. W., Fu, J., MacCulloch, R. D. Darevsky, I. S. and Kupriyanova, L. A. 2000. A fine line between sex and unisexuality: the phylogenetic constraints on parthenogenesis in lacertid lizards. Zoological Journal of the Linnean Society, 130: 527–549.
928. Mushinsky, H. R. 1992. Natural history and abundance of southeastern five-lined skinks, *Eumeces inexpectatus*, on a periodically burned sandhill in Florida. Herpetologica 48: 307-312.
929. Myers, C. W. 1971. Central American lizards related to *Anolis pentaprion*: two new species from the Cordillera de Talamanca. American Museum Novitates 2471: 1-40.
930. Myers, C. W. 1973. Anguid lizards of the genus *Diploglossus* in Panama, with the description of a new species. American Museum Novitates 2523: 1-20.
931. Myers, C. W. and Donnelly, M. A. 2001. Herpetofauna of the Yutaje –Corocoro Massif, Venezuela: second report from the Robert G. Goelet American Museum–Terramar expedition to the northwestern Tepuis. Bulletin of the American Museum of Natural History 261: 1-85.
932. Myers, C. W., Donnelly, M. A. and Goelet, R. G. 1996. A new herpetofauna from Cerro Yaví, Venezuela : first results of the Robert G. Goelet American Museum-Terramar expedition to the northwestern Tepuis. American Museum Novitates 3172: 1-56.
933. Myers, C. W., Williams, E. E. and McDiarmid, R. W. 1993. A new anoline lizard (*Phenacosaurus*) from the highland of Cerro de la Neblina, southern Venezuela. American Museum Novitates 3070: 1-15.
934. Navarro, J. and Nunez, H. 1993. *Liolaemus patriciaiturrae* y *liolaemus isabelae*, dos nuevas especies de lagartijas para el norte de Chile: aspectos biogeográficos y citotaxonomicos (Squamata, tropiduridae). Boletin del Museo Nacional de Historia Natural Santiago 44: 99-113.
935. Navarro, N. P., Fernandez, A. V. and Garrido, O. H. 2001. Taxonomic reconsideration of *Anolis centralis litoralis* and description of a new species of the *argillaceus* group (Sauria: Iguanidae) for Cuba. Solenodon 1: 66-75.
936. Naya, D. E. and Bozinovic, F. 2006. The role of ecological interactions on the physiological flexibility of lizards. Functional Ecology 20: 601-608.
937. Necas, P. 1994. Bemerkungen zur Chamaleon-Sammlung des Naturhistorischen Museums in Wien, mit vorläufiger Beschreibung eines neuen Chamaleons aus Kenia (Squamata: Chamaeleonidae). Herpetozoa 7: 95-108.
938. Necas, P., Modry, D. and Slapeta, J. R. 2003. *Chamaeleo (Trioceros) narraioca* n. sp (Reptilia Chamaeleonidae), a new chameleon species from a relict montane forest of Mount Kulal, northern Kenya. Tropical Zoology, 16: 1-12.
939. Necas, P., Modry, D. and Slapeta, J. R. 2005. *Chamaeleo (Trioceros) ntunte* sp. n., a new chameleon species from Mt. Nyiru, northern Kenya. Herpetozoa 18: 125-132.
940. Nevo, E., Gorman, G. C., Soule, M., Yang, S. Y., Clover, R. and Jovanovic, V. 1972. Competitive exclusion between insular Lacerta species (Sauria: Lacertidae). Notes on experimental introductions. Oecologia, 10: 183–190.
941. Newman, D. 1994. Effects of a mouse, *Mus musculus*, eradication programme and habitat change on lizard populations of Mana Island, New Zealand, with special reference to McGregor's skink, *Cyclodina macgregori*. New Zealand Journal of Zoology 21: 443-456.

942. Nicholson, K. E., Ibanez, R., Jarainillo, C. A. and Lips, K. R. 2001. Morphological variation in the tropical anole, *Anolis casildae* (Squamata: Polychrotidae). *Revista de Biología Tropical* 49: 709-714.
943. Nieden, F. 1913. Neues Verzeichnis der Kriechtiere (außer den Schlangen) von Deutsch-Ostafrika, I. Teil: Reptilia. Mitteilungen aus dem Museum für Naturkunde in Berlin 7: 51-100.
944. Nikolsky, A. M. 1899. *Contia statunini* n. sp., and *Agama ruderata* Oliv., from Transcaucasia [in Russian]. *Annuaire Musée Zoologique de l'Académie Impériale des Sciences de St.-Pétersbourg*, 4: 449-451.
945. Nikolsky, A. M. 1899. Reptiles, amphibia et poissons, recueillis pendant le voyage de Mr. N. A. Zaroudny en 1898. dans la Perse. *Annuaire Musée Zoologique de l'Academie Impériale des Sciences de St.-Petersbourg*, 4 [1899]: 375-417.
946. Nikolsky, A. M. 1915. Faune of Russia and adjacent countries. Reptiles. Volume 1. Chelonia and Sauria. Petrograd. (Isael Program for Scientific Translations, Jerusalem 1963).
947. Nilson, G., Rastegar-Pouyani, N., Rastegar-Pouyani, E. and Andren, C. 2003. Lacertas of South and Central Zagros Mountains, Iran, with descriptions of two new taxa. *Russian Journal of Herpetology* 10: 11-24.
948. Noble, G. K. 1921. Some new lizards from northwestern Peru. *Annals of the New York Academy of Sciences* 29: 133-139.
949. Noble, G. K. 1921. Two new lizards from northwestern Peru. *Annals of the New York Academy of Science* 29: 141-143.
950. Noble, G. K. 1923. A new gekkonid lizard and a new brachycephalid frog from Colombia. *American Museum Novitates*, 88 :1-3.
951. Noble, G. K. 1924. New lizards from northwestern Peru. *Occasional Papers of the Boston Society of Natural History* 5: 107-113.
952. Nogueira, C. and Rodrigues, M. T. 2006. The genus *Stenocercus* (Squamata: Tropiduridae) in extra-Amazonian Brazil, with the description of two new species. *South American Journal of Herpetology* 1: 149-165.
953. Nunez, H. and Fox, S. F. 1989. *Liolaemus puritamensis*, a new species of iguanid lizard previously confused with *Liolaemus multiformis* (Squamata: Iguanidae). *Copeia*, 1989: 456-460.
954. Nunez, H. and Labra, A. M. 1985. *Liolaemus curis*, a new lizard from the Los Andes range, central Chile. *Copeia* 1985: 556-559.
955. Nunez, H. and Navarro, J. 1992. *Liolaemus rosenmanni*, una nueva especie Chilena de lagartija relacionada al grupo 'ruibali'. *Boletín del Museo Nacional de Historia Natural, Chile* 43: 55-62.
956. Nunez, H. and Yanez, J. 1983. *Ctenoblepharis audituvelatus* new species, a lizard from northern Chile (Reptilia Iguanidae). *Copeia* 1983: 454-457.
957. Nunez, H. and Yanez, J. 1984. *Ctenoblepharis erroneus* nov. sp. de Iguanidae para la zona norte de Chile. *Museo Nacional de Historia Natural, Chile, Boletín* 40: 91-95.
958. Nunez, H., Navarro, J. and Loyola, J. 1991. *Liolaemus maldonadae* y *Liolaemus cristiani*, dos especies nuevas de lagartijas para Chile (Reptilia, Squamata). *Boletín del Museo Nacional de Historia Natural (Santiago)* 42: 79-88.

959. Nunez, H., Navarro, J., Garin, C., Pincheira-Donoso D. and Meriggio, V. 2003. *Phrynosaura manueli* y *Phrynosaura torresi*, nuevas especies de lagartijas para el norte de Chile (Squamata: Sauria). Boletín del Museo Nacional de Historia Natural, Chile, 52: 67-88.
960. Nunez, H., Pincheira-Donoso, D. and Garin, C. 2004. *Liolaemus hajeki*, nueva especie de Lagartija de Chile (Squamata, Sauria). Boletín del Museo Nacional de Historia Natural, Chile, 53: 85-97
961. Nunez, H., Schulte, J. A. and Garin, C. 2001. *Liolaemus josephorum*, nueva especie de lagartija para el Norte de Chile. Boletín del Museo Nacional de Historia Natural (Chile) 50: 91-107.
962. Nussbaum, R. A. and Raxworthy, C. J. 1994. A new rainforest gecko of the genus *Paroedura* Gunther from Madagascar. Herpetological Natural History 2 (1): 43-49.
963. Nussbaum, R. A. and Raxworthy, C. J. 1994. The genus *Paragehyra* (Reptilia, Sauria, Gekkonidae) in southern Madagascar. Journal of Zoology 232: 37-59.
964. Nussbaum, R. A. and Raxworthy, C. J. 1995. A new *Mabuya* (Reptilia: Squamata: Scincidae) of the *aureopunctata*-group from Southern Madagascar. Journal of Herpetology, 29: 28-38.
965. Nussbaum, R. A. and Raxworthy, C. J. 1995. New *Uroplatus Dumeril* (Reptilia: Squamata: Gekkonidae) of the *ebenaui*-group from the Anosy Mountains of Southern Madagascar. Copeia, 1995: 118-124.
966. Nussbaum, R. A. and Raxworthy, C. J. 1995. Review of the scincine genus *Pseudoacontias Barboza-Du-Bocage* (Reptilia, Squamata, Scincidae) of Madagascar. Herpetologica 51: 91-99
967. Nussbaum, R. A. and Raxworthy, C. J. 1998. A new species of *Mabuya Fitzinger* (Reptilia: Squamata: Scincidae) from the high Plateau (Isalo National Park) of south-central Madagascar. Herpetologica 54: 336-343.
968. Nussbaum, R. A. and Raxworthy, C. J. 1998. New Long-Tailed *Mabuya Fitzinger* from Lokobe Reserve, Nosy Be, Madagascar (Reptilia: Squamata: Scincidae). Copeia 1998: 114-119.
969. Nussbaum, R. A. and Raxworthy, C. J. 1998. Revision of the genus *Ebenavia Boettger* (Reptilia : Squamata : Gekkonidae). Herpetologica 54: 18-34.
970. Nussbaum, R. A., Raxworthy, C. J. and Ramanamanjato, J. B. 1999. Additional species of *Mabuya Fitzinger* (Reptilia : Squamata : Scincidae) from western Madagascar. Journal of Herpetology 33: 264-280.
971. "Nussbaum, R. A., Raxworthy, C. J., Raselimanana, A. P. and Ramanamanjato, J. B. 2000. New species of day gecko, *Phelsuma Gray* (Reptilia: Squamata: Gekkonidae), from the Reserve Naturelle Integrale d'Andohahela, southern Madagascar. Copeia, 2000: 763-770."
972. Oftedal, O. T. 1974. A revision of the genus *Anadia* (Sauria, Teiidae). Arquivos de Zoologia (Sao Paulo) 25: 203-265.
974. Olsson, M., Shine, R., Wapstra, E., Ujvari, B. and Madsen, T. 2002. Sexual dimorphism in lizard body shape: The roles of sexual selection and fecundity selection. Evolution 56: 1538-1542.
975. Ord, T. J. and Blumstein, D. T. 2002. Size constraints and the evolution of display complexity: why do large lizards have simple displays? Biological Journal of the Linnean Society, 76: 145–161.
976. Orlov, N. L., Nguyen, T. Q. and Nguyen, S. V. 2006. A new *Acanthosaura* allied to *A. capra* Günther, 1861 (Agamidae, Sauria) from Central Vietnam and Southern Laos. Russian Journal of Herpetology 13: 61-76.

977. Ortiz, J. C. 1987. Une nouvelle espece de *Liolaemus* (Sauria, Iguanidae) du Chili. Bulletin du Museum National D'Histoire Naturelle Section A Zoologie Biologie et Ecologie Animales 9: 265-270.
978. Ortiz, J. C. 1989. Description de *Liolaemus silvai* sp. nov. (Sauria, Igaunidae) du 'norte Chico' du Chili. Bulletin du Museum National d'Histoire Naturelle 11: 247-252.
979. Ortiz, J. C. 1994. Una nueva especies de lagarto altoandino del genero *Liolaemus* (Sauria, Tropiduridae). Boletín de la Sociedad de Biología de Concepción 65: 191-195.
980. Ortiz, J. C. and Marquet, P. 1987. Una nueva especie de lagarto altoandino: *Liolaemus islugensis* (Reptilia-Iguanidae). Gayana Zoologia 51: 59-63.
981. Ortiz-Zapata, J. C. 1980. Revision taxonomica del género *Tropidurus* en Chile. Reunion Iberoamericana de Conservasion y Zoologia de Vertebrados 1: 355-377 (1977)
982. Ota, H. 1989. A New Species of *Japalura* (Agamidae: Lacertilia: Reptilia) from Taiwan. Copeia 1989: 569-576.
983. Ota, H. 1989. A review of the geckos (Lacertilia: Reptilia) of the Ryukyu Archipelago and Taiwan. Pages 222-261 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
984. Ota, H. 1989. The status of an Agamid Lizard, *Japalura swinhonis chapaensis* Bourret, 1937, from Vietnam. Journal of Herpetology 23: 447-450.
985. Ota, H. 1991. Taxonomic redefinition of *Japalura swinhonis* Gunther (Agamidae: Squamata), with a description of a new subspecies of *J. polygonata* from Taiwan. Herpetologica 47: 280-294.
986. Ota, H. 2000. On the validity of *Japalura yunnanensis popei* Wettstein, 1938 (Squamata: Agamidae)
987. Ota, H. and Crombie, R. I. 1989. A new lizard of the genus *Lepidodactylus* (Reptilia: Gekkonidae) from Batan Island, Philippines. Proceedings of the Biological Society of Washington 102: 559-567.
988. Ota, H. and Nabhitabhata, J. A 1991. New species of *Gekko* (Gekkonidae: Squamata) from Thailand. Copeia, 1991: 503-509.
989. Ota, H. and Weidenhofer, T. 1992. The first male specimen of the poorly known agamid lizard *Japalura chapaensis* Bourret, 1937 (Reptilia: Sauria), from Northern Vietnam, with notes on its taxonomic status. Raffles Bulletin of Zoology 40: 193-199.
990. Ota, H., Chen, S.-L. and Shang, G. 1998. *Japalura luei*: a new agamid lizard from Taiwan (Reptilia: Squamata). Copeia 1998: 649-656.
991. Ota, H., Darevsky, I. S., Ineich, I. and Yamashiro, S. 2000. Reevaluation of the taxonomic status of two *Lepidodactylus* species (Squamata: Gekkonidae) from the Lesser Sunda Archipelago, Indonesia. Copeia 2000: 1109-1113.
992. Ota, H., Fisher, R. N., Ineich, I. C. and Case, T. J. 1995. Geckos of the genus *Lepidodactylus* (Squamata : Reptilia) in Micronesia: description of a new species and reevaluation of the status of *Gecko moestus* Peters, 1867. Copeia 1995: 183-195.
993. Ota, H., Hikida, T. and Matsui, M. 1991. Re-evaluation of the status of *Gecko verreauxi* Tytler, 1864, from the Andaman Islands, India. Journal of Herpetology, 25: 147-151.
994. Ota, H., Lau, M. W., Weidenhofer, T., Yasukawa, Y. and Bogadek, A. 1995. Taxonomic review of the geckos allied to *Gekko chinensis* Gray 1942 (Gekkonidae Reptilia) from China and Vietnam. Tropical Zoology 8: 181-196.

995. Ota, H., Lue, K. Y., Chen, S. H. and Brown, W. C. 1989. Taxonomic status of the Taiwanese gekko, with comments on the synonymy of *Luperosaurus amissus* Taylor. *Journal of Herpetology* 23: 76-78.
996. Pafilis, P., Foufopoulos, J., Poulopoulos, N., Lymberakis, P. and Valakos, E. 2007. Digestive performance in five Mediterranean lizard species: effects of temperature and insularity. *Journal of Comparative Physiology B* 177: 49-60.
997. Panfilov, A. M. 1999. Mejpoplyatsionnie otiosheniya i vidovaia prinadlezhnost' gornykh ligozomiykh kompleksa Asymbiopharus alaicus Severo-Zapadnogo i Vnutrennego Tian-Shania. *Izvestija nacional'nnoj Akademii Nauk Kyrgyzskoj Respubliki* (Bulletin of the National Academy of Sciences of Kyrgyzstan) 1: 51-55.
998. Papenfuss, T. J. 1969. Preliminary analysis of the reptiles of arid central West Africa. *The Wasmann Journal of Biology* 27: 249-325.
999. Papenfuss, T. P., Macey, J. R. and Schulte, J. A. 2001. A new species of lizard (genus *Xantusia*) from Arizona. *Scientific Papers of the Natural History Museum, University of Kansas* 23: 1-9.
1000. Parker, H. W. 1929. A new Chamaeleon from Mt. Ruwenzori. *Annals and Magazine of Natural History* 3: 280-281.
1001. Parker, H. W. 1932. Two collections of reptiles and amphibians from British Somaliland. *Proceedings of the Zoological Society of London* 1932: 335-367.
1002. Parker, H. W. 1935. A new melanic lizard from Transjordania, and some speculations concerning melanism. *Proceedings of the Zoological Society of London* 1935: 137-142.
1003. Parker, H. W. 1935. The frogs, lizards, and snakes of British Guiana. *Proceedings of the Zoological Society of London* 1935: 505-530.
1004. Parker, H. W. 1936. Dr. Karl Jordan's expedition to South West Africa and Angola: herpetological collections. *Novitates Zoologicae* 40: 115-146.
1005. Parker, H. W. 1942. The lizards of British Somaliland. *Bulletin of the Museum of Comparative Zoology* 91: 1-101.
1006. Parrish, G. R. and Gill, B. J. 2003. Natural history of the lizards of the Three Kings Islands, New Zealand. *New Zealand Journal of Zoology* 30: 205-220.
1007. Pasteur, G. 1962. Notes préliminaires sur les lygodactyles (gekkonides). II. Diagnose de quelques Lygodactylus d'Afrique. *Bulletin l'Institut Fondamental d'Afrique Noire*, 24 :606-614.
1008. Pasteur, G. 1964. Notes préliminaires sur les lygodactyles (gekkonides). IV. *Bulletin du Muséum National d'Histoire Naturelle*, Paris, 36: 311-314.
1009. Pasteur, G. 1964. Recherches sur l'évolution des lygodactyles, lézards Afro-Malagaches actuels. *Travaux de l'Institut Scientifique Cherifien, Serie Zoologie* 29: 1-132.
1010. Pasteur, G. 1967. Note préliminaire sur les geckos du genre *Lygodactylus* rapportés par Charles Blanc du Mont Iby (Madagascar). *Bulletin du Muséum National d'Histoire Naturelle*, Paris, 39: 439-443.
1011. Pasteur, G. 1978. Note sur les sauriens du genre *Chalcides*. III. Description de *Chalcides levitonii* n. sp. D'Arabie Saoudite (Reptilia, Lacertilia, Scincidae). *Journal of Herpetology* 12: 371-372.
1012. Pasteur, G. 1995. Biodiversité et reptiles: diagnoses de sept nouvelles espèces fossiles et actuelles du genre de lézards *Lygodactylus* (Sauria, Gekkonidae). *Dumerilia* 2: 1-21.

1013. Pasteur, G. and Blanc, C. P. 1991. Un lezard parthenogenetique a Madagascar? Description de *Lygodactylus pauliani* sp. no. (Reptilia, Gekkonidae). Bulletin du Museum National d'Histoire Naturelle, Paris, 13: 209-215.
1014. Pasteur, G. and Broadley, D. G. 1988. A remote, insular species of the *Lygodactylus somalicus* superspecies (Sauria: Gekkonidae). *Amphibia-Reptilia* 9: 237-243.
1015. Patchell, F. C. and Shine, R. 1986. Food habits and reproductive biology of the Australian legless lizards (Pygopodidae) . *Copeia*, 1986: 30-39.
1016. Patterson, G. B. 1997. South Island skinks of the genus *Oligosoma*: description of *O. longipes* n. sp. with redescription of *O. otagense* (McCann) and *O. waimatense* (McCann). *Journal of the Royal Society of New Zealand* 27: 439-450.
1017. Patterson, G. B. and Daugherty, C. H. 1990. Four new species and one new subspecies of skinks, genus *Leiolopisma* (Reptilia: Lacertilia: Scincidae) from New Zealand. *Journal of the Royal Society of New Zealand* 20: 65-84.
1018. Patterson, G. B. and Daugherty, C. H. 1994. *Leiolopisma stenotis*, n. sp., (Reptilia: Lacertilia: Scincidae) from Stewart Island. New Zealand. *Journal of the Royal Society of New Zealand* 24: 125-132.
1019. Patterson, J. W. 1990. Female reproductive cycles in two subspecies of the tropical lizard *Mabuya striata*. *Oecologia* 84: 232-237
1020. Paulissen, M. A. and Walker, J. M. 1994. Diet of the insular whiptail lizard *Cnemidophorus nigricolor* (Teiidae) from Grand Rocques Island, Venezuela. *Journal of Herpetology*, 28: 524-526.
1021. Pauwels, O. S. G. David, P., Chimsunchart, C. and Thirakhupt, K. 2003. Reptiles of Phetchaburi Province, Western Thailand: a list of species, with natural history notes, and a discussion on the biogeography at the Isthmus of Kra. *The Natural History Journal of Chulalongkorn University* 3: 23-53.
1022. Pauwels, O. S. G., Bauer, A. M., Sumontha, M. and Chanhome, L. 2004. *Cyrtodactylus thirakhupti* (Squamata: Gekkonidae), a new cave-dwelling gecko from southern Thailand. *Zootaxa* 772: 1-11.
1023. Pengilley, R. 1981. Notes on the biology of *Varanus spenceri* and *V. gouldii*, Barkly Tablelands, Northern Territory. *Australian Journal of Herpetology* 1(1): 23-26.
1024. Peracca, M. G. 1897. Rettili e Anfibi. Viaggio del Dott. Alfredo Borelli nel Chaco boliviano e nella Repubblica Argentina. *Bollettino dei Musei di Zoologia ed Anatomia Comparata della R. Università di Torino*, 12: 1-19.
1025. Peracca, M. G. 1904. Viaggio del Dr. Enrico Festa nell Ecuador e regioni vicine. *Bollettino dei Musei di Zoologia e Anatomia Comparata, Universita del Torino* 19: 1-41.
1026. Peracca, M. G. 1907. Spedizione al Ruwenzori di S.A.R. Luigi Amadeo di Savoia Duca degli Abruzzi. Nuovi Rettili ed Amfibi; diagnosi preventive. *Bollettino dei Musei di Zoologia - Universita del Torino* 22 (553): 1-3
1027. Pereyra, E. A. 1992. Nueva especie de lagarto andino: *Liolaemus vallecurensis* (Tropiduridae, Liolaeminae). *Noticiario Mensual del Museo Nacional de Historia Natural, Santiago* 321: 10-14
1028. Perez-Mellado, V. 1992. Ecology of lacertid lizards in a desert area of eastern Morocco. *Journal of Zoology* 226: 369-386.
1029. Perez-Ramos, E., Saldana de la Riva, L. and Campbell, J. A. 2000. A new allopatric species of *Xenosaurus* (Squamata: Xenosauridae) from Guerrero, Mexico. *Herpetologica* 56: 228-234.

1030. Pernetta, J. C. and Black, D. 1983. Species of gecko (*Lepidodactylus*) in the Port Moresby area, with the description of a new species. *Journal of Herpetology* 17: 121-128.
1031. Perret, J. L. 1973. Contribution a l'etude des *Panaspis* (Reptilia, Scincidae) d'Afrique occidentale avec la description de deux especes nouvelles. *Revue Suisse de Zoologie* 80: 595-630.
1032. Perret, J. L. 1975. Revision critique de quelques types de reptiles et batraciens africains. *Revue suisse de Zoologie* 82: 185-192.
1033. Perret, J. L. 1986. Revision des especes africaines du genre *Cnemaspis* Strauch, sous-genre *Ancylodactylus* Muller (Lacertilia, Gekkonidae), avec la description de quatre especes nouvelles. *Revue Suisse de Zoologie* 93: 457-505.
1034. Perry, G. 1989. Size and mass in five Israeli lizards (Reptilia: Lacertidae). *Israel Journal of Zoology* 36: 129-132.
1035. Perry, G., and Garland, T. Jr. 2002. Lizard home ranges revisited: effects of sex, body size, diet, habitat, and phylogeny. *Ecology* 83: 1870-1885.
1036. Peters, G. 1971. Die intragenerischen Gruppen und die Phylogene der Schmetterlingsagamen (Agamidae: Leiolepis). *Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere* 98: 11-130.
1037. Peters, G. 1982. Eine neue Wirtelschwanzagame aus Ostafrika (Agamidae: Agama). *Mitteilungen aus dem Museum fur Naturkunde in Berlin* 58: 265-268.
1038. Peters, G. 1984. Die krötenkopfagamen zentralasiens (Agamidae: Phrynocephalus). *Mitteilungen aus dem Museum fur Naturkunde in Berlin* 60: 23-67.
1039. Peters, J. A. 1964. The lizard genus *Ameiva* in Ecuador. *Bulletin of the Southern California Academy of Sciences* 63: 113-127.
1040. Peters, J. A. and Orces, V. G. 1956. A third leaf-nosed species of the lizard genus *Anolis* from South America. *Breviora* 62: 1-8.
1041. Peters, W. C. H. 1863. Über einige neue Arten der Saurier-Gattung *Anolis*. *Monatsber. Konigl. Akad. Wiss. Berlin*. 1863: 135-149.
1042. Pethiyagoda, R. and Manamendra-Arachchi, K. 1998. A revision of the endemic Sri Lankan agamid lizard genus *Ceratophora* Gray, 1835, with description of two new species. *Journal of South Asian natural History* 3: 1-50.
1043. Petren, K. and Case, T. J. 1997. A phylogenetic analysis of body size evolution in chuckwalls (*Sauromalus*) and other iguanines. *Evolution* 51: 206-219.
1044. Pianka, E. R. 1971. Comparative ecology of two lizards. *Copeia* 1971: 129-138.
1045. Pianka, E. R. 1982. Observations on the ecology of *Varanus* in the Great Victoria desert. *Western Australian Naturalist* 15: 37-44.
1046. Pianka, E. R. 1986. Ecology and natural history of desert lizards. Princeton University Press, Princeton.
1047. Pianka, E. R. 1994. Comparative ecology of *Varanus* in the Great Victoria desert. *Australian Journal of Ecology* 19: 395-408.
1048. Pianka, E. R. 1995. Evolution of body Size: Varanid lizards as a model system. *American Naturalist* 146: 298-414.
1049. Pianka, E. R. and King, D. R. editors. 2004. *Varanoid lizards of the world*. Indiana University Press.

1050. Pianka, E. R. and Parker, W. S. 1975. Ecology of Horned Lizards: A Review with Special Reference to *Phrynosoma platyrhinos*. *Copeia*, 1975: 141-162.
1051. Pianka, E. R. and Vitt, L. J. 2003. Lizards: windows to the evolution of diversity. University of California Press, Berkeley.
1052. Piantoni, C., Ibargüengoytí, N. R. and Cussac, V. E. 2006. Age and growth of the Patagonian lizard *Phymaturus patagonicus*. *Amphibia-Reptilia* 27: 385-392.
1053. Pincheira Donoso, D. 2004. Una nueva especie del genero *Phymaturus* (Iguania: Tropiduridae: Liolaemini) del centro-sur de Chile. *Multequina* 13: 57-70.
1054. Pincheira Donoso, D. and Nunez, H. 2003. *Liolaemus robertoi* sp. nov. puede distinguirse de cualquier otra especie del grupo ruibali. *Multequina* 12: 1-15.
1055. Pincheira-Donoso, D. and Scolaro, A. 2007. Iguanian species-richness in the Andes of boreal Patagonia: Evidence for an additional new *Liolaemus* lizard from Argentina lacking precloacal glands (Iguania, Liolaeminae). *Zootaxa* 1452: 55-68.
1056. Pinto, A. C. S., Wiederhecker, H. C. and Colli, G. R. 2005. Sexual dimorphism in the Neotropical lizard, *Tropidurus torquatus* (Squamata, Tropiduridae). *Amphibia-Reptilia* 26: 127-137.
1057. Poe, S. and Ibanez, R. 2007. A new species of *Anolis* lizard from the Cordillera de Talamanca of Western Panama. *Journal of Herpetology*, 41: 263-270.
1058. Poglayen, I. and Smith, H. M. 1958. Noteworthy herptiles from Mexico. *Herpetologica* 14: 11-15.
1059. Pope, C. H. 1928. Four new snakes and a new lizard from South China. *American Museum Novitates* 325: 1-4.
1060. Pope, C. H. 1929. Notes on reptiles from Fukien and other Chinese provinces. *Bulletin of the American Museum of Natural History* 58: 335-487.
1061. Pough, F. H., Preest, M. R. and Fusari, M. H. 1997. Prey-handling and the evolutionary ecology of sand-swimming lizards (*Lerista* : Scincidae). *Oecologia* 112: 351-361.
1062. Powell, R. 1999. Herpetology of Navassa Island, West Indies. *Caribbean Journal of Science* 35: 1-13.
1063. Powell, R. and Henderson, R. W. 2001. On the taxonomic status of some Lesser Antillean lizards. *Caribbean Journal of Science*, 37: 288-290.
1064. Powell, R. and Henderson, R. W. 2005. A new species of *Gonatodes* (Squamata: Gekkonidae) from the West Indies. *Caribbean Journal of Science*, 41: 709-715.
1065. Powell, R., Henderson R. W. and Parmerlee, J. S. 2005. The Reptiles and Amphibians of the Dutch Caribbean St Eustatius, Saba, and St Maarten. International Union for the Conservation of Nature ISBN: 0967395887.
1066. Pregill, G. K. 1986. Body size of insular lizards: a pattern of Holocene dwarfism. *Evolution* 40: 997-1008.
1067. Pregill, G. K. 1992. Systematics of the West Indian lizard genus *Leiocephalus* (Squamata: Iguania: Tropiduridae). *University of Kansas Museum of Natural History Miscellaneous Publications* 84: 1-69
1068. Pregill, G. K. and Steadman, D. W. 2004. South Pacific iguanas: Human impacts and a new species. *Journal of Herpetology* 38: 15-21.
1069. Puente, M., Raselimanana, A. P. and Vences, M. 2005. Rediscovery and redescription of the Malagasy dwarf gecko *Lygodactylus klemmeri*. *Zootaxa* 1073: 31-35.

1070. Punzo, F. 2007. Life history, demography, diet and habitat associations in the southwestern earless lizard, *Cophosaurus texanus scitulus* from northern and southern limits of its geographical range. *Amphibia-Reptilia* 28: 65-76.
1071. Qualls, C. P., Shine, R. Donnellan, S. and Hutchinson, M. 1995. The evolution of viviparity within the Australian scincid lizard *Lerista bougainvillii*. *Journal of Zoology* 237: 13-26.
1072. Quinteros, A. S., Abdala, C. S. and Lobo, F. J. 2008. Redescription of *Liolaemus dorbignyi* Koslowsky, 1898 and description of a new species of *Liolaemus* (Iguania: Liolaemidae). *Zootaxa* 1717: 51-67.
1073. Rabosky, D. L., Reid, J., Cowan, M. A. and Foulkes, J. 2007. Overdispersion of body size in Australian desert lizard communities at local scales only: no evidence for the Narcissus effect. *Oecologia* 154: 561-570.
1074. Radder, R. and Shine, R. 2007. Germinal bed condition in a polyautochronic single-clutched lizard, *Bassiana duperreyi* (Scincidae). *Amphibia-Reptilia* 28: 159-162.
1075. Radtkey, R. R., Fallon, S. M. and Case, T. J. 1997. Character displacement in some *Cnemidophorus* lizards revisited: A phylogenetic analysis. *Proceedings of the National Academy of Sciences of the United States of America* 94: 9740-9745.
1076. Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of *Mabuya* Fitzinger (Reptilia: Squamata: Scincidae) from the Onilahy River of south-west Madagascar. *Herpetological Journal* 9: 65-72.
1077. Ramanamanjato, J. B., Nussbaum, R. A. and Raxworthy, C. J. 1999. A new species of *Mabuya* Fitzinger (Squamata: Scincidae: Lygosominae) from northern Madagascar. *Occasional Papers of the Museum of Zoology, University of Michigan* 728: 1-22.
1078. Ramírez Leyton, G. M. and Pincheira Donoso, D. 2005. Fauna del Altiplano y Desierto de Atacama. Phrynosaura Ediciones, Chile.
1079. Ramirez-Bautista, A. and Gonzalez-Romero, A. 2002. Some reproductive and feeding characteristics of the viviparous Mexican lizard *Sceloporus torquatus* (Phrynosomatidae). *Southwestern Naturalist* 47: 98-102.
1080. Ramirez-Bautista, A. and Gutierrez-Mayen, G. 2003. Reproductive ecology of *Sceloporus utiformis* (Sauria : Phrynosomatidae) from a tropical dry forest of Mexico. *Journal of Herpetology* 37: 1-10.
1081. Ramirez-Bautista, A. and Olivera-Becerril, V. 2004. Reproduction in the boulder spiny lizard, *Sceloporus pyrocephalus* (Sauria: Phrynosomatidae), from a tropical dry forest of Mexico. *Journal of Herpetology* 38: 225-231.
1082. Ramirez-Bautista, A. and Pardo-De La Rosa, D. 2002. Reproductive cycle and characteristics of the widely-foraging lizard, *Cnemidophorus communis*, from Jalisco, Mexico. *Southwestern Naturalist* 47: 205-214.
1083. Ramirez-Bautista, A. and Vitt, L. J. 1997. Reproduction in the lizard *Anolis nebulosus* (Polychrotidae) from the Pacific coast of Mexico. *Herpetologica* 53: 423-431.
1084. Ramirez-Bautista, A. and Vitt, L. J. 1998. Reproductive biology of *Urosaurus bicarinatus* (Sauria : Phrynosomatidae) from a tropical dry forest of Mexico. *Southwestern Naturalist* 43: 381-390.
1085. Ramirez-Bautista, A., Balderas-Valdivia, C. and Vitt, L. J. 2000. Reproductive ecology of the whiptail lizard *Cnemidophorus lineatissimus* (Squamata : Teiidae) in a tropical dry forest. *Copeia* 2000: 712-722.

1086. Ramirez-Bautista, A., Barba-Torres, J. and Vitt, L. J. 1998. Reproductive cycle and brood size of *Eumeces lynxe* from Pinal de Amoles, Queretero, Mexico. *Journal of Herpetology* 32: 18-24.
1087. Ramirez-Bautista, A., Jimenez-Cruz, E. and Marshall, J. C. 2004. Comparative life history for populations of the *Sceloporus grammicus* complex (Squamata : Phrynosomatidae). *Western North American Naturalist* 64: 175-183.
1088. Ramirez-Bautista, A., Ortiz-Cruz, A. L., Arizmendi, M. D. and Campos, J. 2005. Reproductive characteristics of two syntopic lizard species, *Sceloporus gadoviae* and *Sceloporus jalapae* (Squamata : Phrynosomatidae), from Tehuacan Valley, Puebla, Mexico. *Western North American Naturalist* 65: 202-209.
1089. Ramirez-Bautista, A., Vitt, L. J., Ramirez-Hernandez, A., Quijano, F. M. and Smith, G. R. 2008. Reproduction and sexual dimorphism of *Lepidophyma sylvaticum* (Squamata: Xantusiidae), a tropical night lizard from Tlanchinol, Hidalgo, Mexico. *Amphibia-Reptilia* 29: 207-216.
1090. Ramirez-Sandoval, E., Ramirez-Bautista, A. and Vitt, L. J. 2006. Reproduction in the lizard *Phyllodactylus lanei* (Squamata: Gekkonidae) from the Pacific coast of Mexico. *Copeia* 2006: 1-9.
1091. Rand, A. S. 1963. Notes on the *Chamaeleo betaeniatus* complex. *Bulletin of the Museum of Comparative Zoology* 130: 1-29.
1092. Rand, A. S., Gorman, G. C. and Rand, W. M. 1975. Natural history, behavior, and ecology of *Anolis agassizi*. *Smithsonian Contributions to Zoology* 176: 27-38.
1093. Randriamahazo, H. J. A. R. 2002. Sexual size dimorphism in the lizard *Oplurus cuvieri cuvieri* (Squamata, Opluridae) from Madagascar. *African Zoology* 35: 287-293.
1094. Raselimanana, A. P., Raxworthy, C. J. and Nussbaum, R. A. 2000. A Revision of the Dwarf *Zonosaurus* Boulenger (Reptilia: Squamata: Cordylidae) from Madagascar Including the Description of Three New Species. *Scientific Papers of the Natural History Museum, University of Kansas* 18: 1-16.
1095. Rastegar-Pouyani, N. 2000. Taxonomic status of *Trapelus ruderatus* (Olivier) and *T. persicus* (Blanford), and validity of *T. lessonae* (De Filippi). *Amphibia-Reptilia* 21: 91-102.
1096. Rastegar-Pouyani, N. and Rastegar-Pouyani, E. 2001. A new species of *Eremias* (Sauria: Lacertidae) from highlands of Kermanshah Province, western Iran. *Asiatic Herpetological Research* 9: 107-112.
1097. Raxworthy, C. J. 1991. Field observations on some dwarf chameleons (*Brookesia* spp) from rain-forest areas of Madagascar, with the description of a new species. *Journal of Zoology* 224: 11-25.
1098. Raxworthy, C. J. and Nussbaum, R. 1995. Systematics, speciation and biogeography of the dwarf chameleons (*Brookesia*; Reptilia, Squamata, Chamaeleontidae) of northern Madagascar. *Journal of Zoology* 235: 525-558.
1099. Raxworthy, C. J. and Nussbaum, R. A. 1993. A New Madagascan *Phelsuma*, with a review of *Phelsuma Trilineata* and Comments on *Phelsuma Cepediana* in Madagascar (Squamata: Gekkonidae). *Herpetologica*, 49: 342-349.
1100. Raxworthy, C. J. and Nussbaum, R. A. 1993. Four new species of *Amphiglossus* from Madagascar (Squamata: Scincidae). *Herpetologica* 49: 326-341.
1101. Raxworthy, C. J. and Nussbaum, R. A. 1994. A partial systematic revision of the day geckos, *Phelsuma* Gray, of Madagascar (Reptilia, Squamata, Gekkonidae). *Zoological Journal of the Linnean Society* 112: 321-335.

1102. Raxworthy, C. J. and Nussbaum, R. A. 2006. Six new species of occipital-lobed *Calumma* chameleons (Squamata: Chamaeleonidae) from montane regions of Madagascar, with a new description and revision of *Calumma brevicorne*. *Copeia* 2006: 711–734.
1103. Razzetti, E. and Msuya, C. A. 2002. Field guide to the amphibians and reptiles of Arusha National Park (Tanzania). Tanzania National Parks
1104. Reaney, L. T. and Whiting, M. J. 2002. Life on a limb: ecology of the tree agama (*Acanthocercus a. atricollis*) in southern Africa. *Journal of Zoology* 257: 439-448.
1105. Reed, C. A. and Marx, H. 1959. A herpetological collection from northeastern Iraq. *Transactions of the Kansas Academy of Sciences* 62: 91-122.
1106. Reeder, T. W. 1996. A new species of *Pholidobolus* (Squamata: Gymnophthalmidae) from the Huancabamba depression of northern Peru. *Herpetologica* 52: 282-289.
1107. Reeve, W. L. 1952. Taxonomy and distribution of the horned lizards genus *Phrynosoma*. *The University of Kansas Science Bulletin*, 34: 817-960.
1108. Richmond, J. Q. and Jockusch, E. L. 2007. Body size evolution simultaneously creates and collapses species boundaries in a clade of scincid lizards. *Proceedings of the Royal Society B*. 274: 1701-1708.
1109. Rivas, G., Schargel W. E. and Meik, J. M. 2005. A new species of *Riama* (Squamata: Gymnophthalmidae), endemic to the Península de Paria, Venezuela. *Herpetologica* 61: 461-468.
1110. Robb, J. 1980. New Zealand Amphibians and reptiles in colour. Collins, Auckland.
1111. Rocha, C. F. D. 2000. Selectivity in plant food consumption in the lizard *Liolaemus lutzae* from southeastern Brazil. *Studies on Neotropical Fauna and Environment* 35: 14–18.
1112. Rocha, C. F. D., Araujo, A. F. B., Vrcibradic, D. and Costa, E. M. M. 2000. New *Cnemidophorus* (Squamata; Teiidae) from coastal Rio de Janeiro state, southeastern Brazil. *Copeia* 2000: 501–509.
1113. Rocha, C. F. D., Vrcibradic, D. and Van Sluys, M. 2004. Diet of the lizard *Mabuya agilis* (Sauria; Scincidae) in an insular habitat (Ilha Grande, RJ, Brazil). *Brazilian Journal of Biology*, 64: 135-139.
1114. Rochebrune, A. T. de 1884. Faune de la Senegambie. Reptiles. Octave Doin, Paris, 1-221.
1115. Rodrigues, M. T. 1984. Sobre *Platynotus Wagler*, 1830, pre-ocupado substituido por *Tapinurus Amaral*, 1933. , com a descripcão de uma nova especie (Sauria, Iguanidae). *Papeis Avulsos de Zoologia* 35: 367-373.
1116. Rodrigues, M. T. 1984. Uma nova especie brasileira de *Tropidurus* com crista dorsal (Sauria, Iguanidae). *Papeis Avulsos de Zoologia* 35: 169-175.
1117. Rodrigues, M. T. 1986. Uma nova especie do genero *Phyllopezus* de Cabaceiras: Paraiba: Brasil; com comentarios sobre a fauna de lagartos da area (Sauria Gekkonidae). *Papeis Avulsos de Zoologia* 36: 237-250.
1118. Rodrigues, M. T. 1987. Sistematica, ecologia e zoogeografia dos *Tropidurus* do grupo *torquatus* ao sul do Rio Amazonas (Sauria, Iguanidae). *Arquivos de Zoologia (Sao Paulo)* 31: 105-230.
1119. Rodrigues, M. T. 1997. A new species of *Leposoma* (Squamata: Gymnophthalmidae) from the Atlantic forest of Brazil. *Herpetologica* 53: 383-389.
1120. Rodrigues, M. T. 2000. A new species of *Mabuya* (Squamata: Scincidae) from the semiarid Caatingas of northeastern Brazil. *Papeis Avulsos de Zoologia* 41: 313-328.

1121. Rodrigues, M. T. and Avila-Pires, T. C. S. 2005. New lizard of the genus *Leposoma* (Squamata, Gymnophthalmidae) from the lower Rio Negro, Amazonas, Brazil. *Journal of Herpetology*, 39: 541–546.
1122. Rodrigues, M. T. and Borges, D. M. 1997. A new species of *Leposoma* (Squamata: Gymnophthalmidae) from a relictual forest in semiarid northeastern Brazil. *Herpetologica* 53: 1-6.
1123. Rodrigues, M. T., Dixo, M., Pavan D. and Verdade, V. K. 2002. A new species of *Leposoma* (Squamata, Gymnophthalmidae) from the remnant Atlantic Forests of the state of Bahia, Brazil. *Papeis Avulsos de Zoologia* 42: 335-350.
1124. Rodrigues, M. T., Freire, E. M. X., Pellegrino, K. C. M. and Sites, J. W. 2005. Phylogenetic relationships of a new genus and species of microteiid lizard from the Atlantic forest of northeastern Brazil (Squamata, Gymnophthalmidae). *Zoological Journal of the Linnean Society* 144: 543–557.
1125. Rodrigues, M. T., Freitas, M. A., Silva, T. F. S. and Bertolotto, C. E. V. 2006. A new species of lizard genus *Enyalius* (Squamata, Leiosauridae) from the highlands of Chapada Diamantina, state of Bahia, Brazil, with a key to species. *Phylomedusa* 5: 11-24.
1126. Rodrigues, M. T., Zaher, H. and Curcio, F. 2001. A new species of lizard, genus *Calyptommatus*, from the Caatingas of the state of Piauí, northeastern Brazil (Squamata, Gymnophthalmidae). *Papeis Avulsos de Zoologia* 41 (28): 529-546
1127. Rogner, M. 1997. Lizards. Volume 1. Krieger Publishing Company, Malabar, FL.
1128. Rogner, M. 1997. Lizards. Volume 2. Krieger Publishing Company, Malabar, FL.
1129. Rojas-Gonzalez, R. I., Jones, C. P., Zuniga-Vega, J. J. and Lemos-Espinal, J. A. 2008. Demography of *Xenosaurus platyceps* (Squamata: Xenosauridae): a comparison between tropical and temperate populations. *Amphibia-Reptilia* 29: 245-256.
1130. Roll, B. 2000. Two sympatric *Lygodactylus* species in coastal areas of Eastern Africa (Reptilia, Gekkonidae). Pages 189–198 in G. Rheinwald, ed. Isolated vertebrate communities in the tropics: Bonner Zoologische Monographien 46. Zoologisches Forschungsinstitut und Museum A. Koenig, Bonn, Germany.
1131. Rosler, H. 2000. Kommentierte Liste der rezent, subrezent und fossil bekannten Geckotaxa (Reptilia: Gekkonomorpha). *Gekkota* 2: 28-153.
1132. Rosler, H. 2001. Eine neue grosswuchige *Cyrtodactylus*-Art von Neuguinea (Reptilia: Sauria: Gekkonidae). *Zoologische Abhandlungen, Staatliches Museum fur Tierkunde, Dresden* 51: 61-71.
1133. Rosler, H. and Tiedemann, F. 2007. *Gekko melli* Vogt, 1922 and its types (Reptilia, Sauria, Gekkonidae). *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe*
1134. Rosler, H. and Wranik, W. 2006. The reptiles of the Socotra archipelago with special remarks on the slender blind snakes (Leptotyphlopidae: *Leptotyphlops*). pages 125-128 in Vences, M., Kohler, J., Ziegler, T. and Bohme, W. (eds): *Herpetologia Bonnensis II. Proceedings of the 13th Congress of the Societas Europaea Herpetologica*.
1135. Rosler, H., Kohler, J. and Bohme, W. 2008. A new species of the diurnal gekkonid genus *Pristurus* Rüppell, 1835 from the Red Sea island Hanish al-Kabir, Yemen. *Amphibia-Reptilia* 29: 217-227.
1136. Rosler, H., Obst, F. J. and Seipp, R. 2000. A new species of day gecko from western Madagascar: *Phelsuma hielscheri* sp. n. (Reptilia: Sauria: Gekkonidae). *Zoologische Abhandlungen, Staatliches Museum für Tierkunde, Dresden* 51: 51-60.

1137. Rosler, H., Ziegler, T., Thanh, V. N. Herrmann, H.-W., and Bohme, W. 2004. A new lizard of the genus *Gekko* Laurenti, 1768 (Squamata: Sauria: Gekkonidae) from the Phong Nha - Ke Bang National Park, Quang Binh Province, Vietnam. *Bonner Zoologische Beitrage* 53: 135-148.
1138. Roughgarden, J. 1995. *Anolis Lizards of the Caribbean: Ecology, Evolution, and Plate Tectonics*. Oxford University Press, Oxford.
1139. Routman, E. J. and Hulse, A. C. 1984. Ecology and reproduction of a parthenogenetic lizard, *Cnemidophorus sonorae*. *Journal of Herpetology*, 18: 381-386.
1140. Roux, J. 1927. Contribution a l'erpetologie du Venezuela. *Verhandlungen der Naturforschenden Gesellschaft in Basel* 38: 252-261.
1141. Rueda J. V. and Hernandez-Camacho, J. I. 1988. *Phenacosaurus inderenae* (Sauria: Iguanidae), nueva especie gigante proveniente de la cordillera oriental de Colombia. *Trianea* 2: 339-350.
1142. Rueda, J. V. Williams, E. E. 1986. Una nueva especie de saurio para la Cordillera Oriental de Colombia (Sauria: Iguanidae). *Caldasia* 15: 511-524.
1143. Rueda-Almonacid, J. V. 1989. Un nuevo y extraordinario saurio de color rojo (Iguanidae: Anolis) para la Cordillera Occidental de Colombia. *Trianea* 3: 85-92.
1144. Rueda-Almonacid, J. V. and Rances Caicedo, J. 2004. Una especie nueva de *Anadia* (Reptilia, Sauria, Gymnophthalmidae) para el noroccidente de la cordillera Oriental de Colombia. *Revista de la Academia Colombiana de Ciencias Exactas, Fisicas, y Naturales* 107: 281-284.
1145. Ruibal, R. 1952. Revisionary studies of some South American Teiidae. *Bulletin of the Museum of Comparative Zoology* 106: 477-529.
1146. Russell, A. P. and Bauer, A. M. 1986. Le gecko geant *Hoplodactylus delcourtii* et ses relations avec le gigantisme et l'endemisme insulaire chez les Gekkonidae. *Mesogee* 46: 25-28.
1147. Ruthven, A. G. 1916. Three new species of *Anolis* from the Santa Marta Mountains, Colombia. *Occasional Papers of the Museum of Zoology, University of Michigan* 32: 1-8.
1148. Ruthven, A. G. 1925. Lizards of the genus *Bachia*. *Proceedings of the Boston Society of Natural History* 28: 101-109.
1149. Ruthven, A. G. 1926 A new species of *Anadia* from the Santa Marta Mountains, Colombia. *Occasional Papers of the Museum of Zoology, University of Michigan* 117: 1-3.
1150. Sadlier, R. A., Bauer, A. M. and Smith, S. A. 2006. A new species of *Nannoscincus* Günther (Squamata: Scincidae) from high elevation forest in southern New Caledonia. *Records of the Australian Museum* 58: 29-36.
1151. Sadlier, R. A., Couper, P. J., Colgan, D. J., Vanderduys, E. and Rickard, E. 2005. A new species of scincid lizard, *Saproscincus eungellensis*, from mid-eastern Queensland. *Memoirs of the Queensland Museum* 51: 559-571.
1152. Sadlier, R. A., O'Meally, D. and Shea, G. M. 2005. A new species of Spiny-tailed gecko (Squamata: Diplodactylidae: *Strophurus*) from inland Queensland. *Memoirs of the Queensland Museum* 51: 573-582.
1153. Sadlier, R. A., Smith, S. A., Bauer, A. M. and Whitaker, A. H. 2004. A New Genus and Species of Live-Bearing Scincid Lizard (Reptilia: Scincidae) from New Caledonia. *Journal of Herpetology* 38: 320-330.
1154. Sakata, S. and Hikida, T. 2003. A fossorial lizard with forelimbs only: description of a new genus and species of Malagasy skink (Reptilia: Squamata: Scincidae). *Current Herpetology* 22: 9-15.

1155. Sakata, S. and Hikida, T. 2003. A new fossorial scincine lizard of the genus *Pseudoacontias* (Reptilia: Squamata: Scincidae) from Nosy Be, Madagascar. *Amphibia-Reptilia* 24: 57-64.
1156. Sallaberry, M., Nunez, H. and Yanez, J. 1982. *Liolaemus hernani* n. sp. de Iguanidae de la zona central de Chile. *Boletin del Museo Nacional de Historia Natural, Chile* 39: 93-99.
1157. Salvidio, S., Menegon, M., Sindaco, R. and Moyer, D. 2004. A new species of elongate seps from Udzungwa grasslands, southern Tanzania (Reptilia, Gerrhosauridae, *Tetradactylus Merrem*, 1820). *Amphibia-Reptilia* 25: 19-27.
1158. Sarre, S. and Dearn, J. M. 1991. Morphological variation and fluctuating asymmetry among insular populations of the sleepy lizard *Trachydosaurus rugosus* (Squamata: Scincidae). *Australian Journal of Zoology* 39: 91-104.
1159. Savage, J. M. 2002. *The Amphibians and Reptiles of Costa Rica*. The University of Chicago Press, Chicago.
1160. Savage, J. M. and Talbot, J. J. 1978. The giant anoline lizards of Costa Rica and western Panama. *Copeia* 1978: 480-492.
1161. Schall, J. J. 1993. Community ecology of *Cnemidophorus* lizards in southwestern Texas: a test of the weed hypothesis. pages 319-343 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
1162. Schatti, B. and Desvoignes, A. 1999. The herpetofauna of southern Yemen and the Sokotra Archipelago. *Museum d'Histoire Naturelle*, Geneve.
1163. Schettino, L. R. 1999. *The iguanid lizards of Cuba*. University Press of Florida, Miami.
1164. Schimmenti, G. and Jesu, R. 1996. *Brookesia exarmata* sp. nov. (Reptilia, Chamaeleonidae); a new dwarf chameleon from the limestone outcrops of western Madagascar. *Italian Journal of Zoology*, 63: 193-197.
1165. Schleich, H. H. and Kastle, W. 2002. *Amphibians and Reptiles of Nepal*. Gantner Verlag, Koenigstein.
1166. Schleich, H. H., Kastle, W. and Kabisch, K. 1996. *Amphibians and reptiles of North Africa*. Biology, systematics, field guide. Koeltz Scientific, Koenigstein, Germany.
1167. Schlüter, U. 2004. Bemerkungen über warantejus, *Tejovaranus flavigeckii* (Dumeril & Bibron 1839). *Sauria*, 26: 17-21.
1168. Schmidt, K. P. 1919. Contributions to the herpetology of the Belgian Congo based on the collection of the American Museum Congo expedition, 1909-1915 part I. turtles, crocodiles, lizards and chameleons. *Bulletin of the American Museum of Natural History*, 39: 385-624.
1169. Schmidt, K. P. 1921. New species of North American lizards of the genera *Holbrookia* and *Uta*. *American Museum novitates* 22: 1-6.
1170. Schmidt, K. P. 1923. A list of Fijian lizards. *Copeia*, 116: 50-52.
1171. Schmidt, K. P. 1927. Notes on Chinese reptiles. *Bulletin of the American Museum of Natural History* 54: 467-551.
1172. Schmidt, K. P. 1927. The reptiles of Hainan. *Bulletin of the American Museum of Natural History* 54: 395-465.
1173. Schmidt, K. P. 1932. Reptiles and amphibians of the Mandel Venezuelan Expedition. *Field Museum of Natural History, Zoology Series* 18: 159-163.

1174. Schmidt, K. P. 1939. Contributions to the Herpetology of the Belgian Congo based on the collection of the American Museum Congo expedition, 1909-1915. Part II - Snakes. Field Museum of Natural History Zool. Ser. 24: 49-92.
1175. Schmidt, K. P. 1939. Reptiles and amphibians from southwestern Asia. Field Museum of Natural History, Zoology Series 24: 49-92.
1176. Schmidt, K. P. 1943. Amphibians and reptiles from the Sudan. Field Museum of Natural History, Zoology Series 24: 331-338.
1177. Schmidt, K. P. 1957. Notes on lizards of the genus *Dicrodon*. Fieldiana Zoology 39: 65-71.
1178. Schmidt, K. P. and Bogert, C. M. 1947. A new fringe-footed sand lizard from Coahuila, Mexico. American Museum novitates 1339: 1-9.
1179. Schmidt, K. P., and Noble, G. K. 1998. Contributions to the Herpetology of the Belgian Congo. Society for the study of Amphibians and reptiles.
1180. Schmidt, K. P., Lang, H. and Chapin, J. P. 1919. Contributions to the herpetology of the Belgian Congo based on the collection of the American Museum Congo Expedition, 1909-1915. Part 1, Turtles, crocodiles, lizards and chameleons. Bulletin of the American Museum of Natural History 39: 385-624.
1181. Schmidtler, J. F. and Bischoff, W. 1999. Revision des levantinischen *Lacerta laevis/kulzeri*-Komplexes: 1. Die Felseneidechse *Lacerta cyanisparsa* sp. n. Salamandra, 35: 129-146.
1182. Schmidtler, J. F., Eiselt, J. and Darevsky, I. S. 1994. Untersuchungen an Feldeidechsen (*Lacerte-saxicola*-Gruppe) in der östlichen Türkei: 3. Zwei neue parthogenetische Arten. Salamandra 30: 55-70.
1183. Schoener, T. W. 1970. Size patterns in West Indian *Anolis* lizards. II. Correlations with the sizes of particular sympatric species—displacement and convergence. American Naturalist 104: 155–174.
1184. Schoener, T. W. and Schoener, A. 1982. Intraspecific variation in home-range size in some *Anolis* lizards. Ecology 63: 809-823.
1185. Schoener, T. W., Slade, J. B. and Stinson, C. H. 1982. Diet and sexual dimorphism in the very catholic lizard genus, *Leiocephalus*, of the Bahamas. Oecologia 53: 160-169.
1186. Schonecker, P., Bach, S. and Glaw, F. 2004. Eine neue taggecko-art der gattung *Phelsuma* aus Ost-Madagaskar (Reptilia: Squamata: Gekkonidae). Salamandra 40: 105-112.
1187. Schulte, J. A., Losos, J. B., Cruz, F. B. and Nunez, H. 2004. The relationship between morphology, escape behaviour and microhabitat occupation in the lizard clade *Liolaemus* (Iguanidae: Tropidurinae: Liolaemini). Journal of Evolutionary Biology 17: 408-420.
1188. Schulte, J. A., Vindum, J. V., Win, H., Thin, T., Lwin, K. S. and Shein, A. K. 2004. Phylogenetic Relationships of the Genus *Ptyctolaemus* (Squamata: Agamidae), with a Description of a New Species from the Chin Hills of Western Myanmar. Proceedings of the California Academy of Sciences 55: 222-247.
1189. Schwartz, A. 1959. Variation in lizards of the *Leiocephalus cubensis* complex in Cuba and the Isla de Pinos. Bulletin of the Florida State Museum 4: 97-143.
1190. Schwartz, A. 1968. The *Leiocephalus* (Lacertilia, Iguanidae) of Hispaniola. III. *Leiocephalus schreibersi*, *L. semilineatus*, and *L. pratensis*. Journal of Herpetology 24: 39-63.
1191. Schwartz, A. 1980. Variation in Hispaniolan *Anolis whitemani* Williams. Journal of Herpetology, 14: 399-406.

1192. Schwartz, A. and Henderson, R. W. 1991. *Amphibians and Reptiles of the West Indies*. University of Florida Press, Gainesville.
1193. Schwarzkopf, L. 2005. Sexual dimorphism in body shape without sexual dimorphism in body size in water skinks (*Eulamprus quoyii*). *Herpetologica* 61: 116-123.
1194. Scolaro, J. A. 2005. *Reptiles Patagonicos Sur. Una Guia de Campo*. Ediciones Universidad Nacional de la Patagonia, Trelew.
1195. Scolaro, J. A. 2006. *Reptiles Patagonicos Norte. Una Guia de Campo*. Ediciones Universidad Nacional de la Patagonia, Trelew.
1196. Scolaro, J. A. and Cei, J. M. 1997. Systematic status and relationships of *Liolaemus* species of the archeforus and kingii groups: a morphological and taxonumerical approach (Reptilia: Tropiduridae). *Bulletino del Museo Regionale di Scienze Naturali, Torino* 15: 369-406.
1197. Scolaro, J. A. and Cei, J. M. 2003. Some models of ecogeographic speciation explaining the herpetological Diversity of the Andean-Patagonian region. *Historia Natural* 2: 73-83.
1198. Scolaro, J. A. and Cei, J. M. 2003. Una excepcional nueva especie de *Phymaturus* de la precordillera de Chubut, Argentina (Liolaemidae, Iguania, Lacertilia, Reptilia). *Facena*, 19: 107-112.
1199. Scolaro, J. A. and Cei, J. M. 2005. *Phymaturus calcogaster*: rectificacion de la localidad tipo y descripcion de la hembra (Reptilia, Iguania, Liolaemidae). *Facena*, 19: 107-112.
1200. Scolaro, J. A. and Cei, J. M. 2006. A new species of *Liolaemus* from central steppes of Chubut, Patagonia Argentina (Reptilia: Iguania: Iguanidae). *Zootaxa* 1133: 61-68.
1201. Scolaro, J. A. and Cei, J. M. 2006. A new species of *Liolaemus* from central steppes of Chubut, Patagonia Argentina (Reptilia: Iguania: Iguanidae). *Zootaxa* 1133: 61-68.
1202. Scolaro, J. A., Tapari, F. O. and Gonzalez, C. 2005. *Phymaturus calcogaster*: rectificacion de la localidad tipo y descripcion de la hembra (Reptilia, Iguania, Liolaemidae). *Facena* 21: 29-36.
1203. Scortecci, G. 1928. Rettilli dell'Eritrea esistenti nelle Collezioni del Museo Civico de Milano. *Atti della Societa Italiana di Scienze Naturali, e del Museo Civico di Storia Naturale, Milano* 67: 290-339.
1204. Scortecci, G. 1948. Un nuovo *Hemidactylus* della Somalia. *Bollettino dei Musei e degli Istituti Biologici dell'Università di Genova*, 22: 51-55.
1205. Seipp, R. 1994. Eine neue art der gattung *Phelsuma* Gray 1825 aus Zentral-Madagaskar (Reptilia: Sauria: Gekkonidae). *Senckenbergiana Biologica*, 74: 193-197.
1206. Sharma, R. C. 2002. The fauna of India and the adjacent countries: Reptilia: Volume 2: Sauria. Fauna of India and the adjacent countries. Zoological Survey of India.
1207. Shaw, C. E. 1960. Notes on the eggs, incubation and young of *Chamaeleo basiliscus*. *British Journal of Herpetology* 2: 182-185.
1208. Shcherbak, N. N. and Nekrasova, O. D. 1994. A contribution to the knowledge of gekko lizards of southern Vietnam with description of a new species (Reptilia, Gekkonidae). *Vestnik Zoologii* 1: 48-52.
1209. Shea, G. M. 1991. The identity of *Lygosoma (Rhodona) goerlingi* Ahl, 1935. (Squamata: Scincidae). *Records of the Western Australian Museum* 15: 303-306.
1210. Shea, G. M. and Greer, A. E. 2002. From *Sphenomorphus* to *Lipinia*: generic reassignment of two poorly known New Guinea skinks. *Journal of Herpetology* 36:148-156.

1211. Shenbrot, G. I. and Semyonov, D. V. 1990. A new species of the genus *Phrynocephalus* (Reptilia, Agamidae) from Turkmenia. *Zoologicheskii Zhurnal* 69: 154-156.
1212. Sherbrooke, W. C. 1975. Reproductive cycle of a tropical teiid lizard, *Neusticurus ecleopus* Cope, in Peru. *Biotropica* 7: 194-207.
1213. Sherbrooke, W. C. 1997. Ditmars' horned lizard, or rock horned lizard: an historical update since rediscovery (1970). *Sonoran Herpetologist* 10: 6-8.
1214. Sherbrooke, W. C. 2002. *Phrynosoma modestum* (Round-tailed horned lizard). Death due to prey (beetle) ingestion. *Herpetological Review* 33: 312.
1215. Sherbrooke, W. C. 2002. Seasonally skewed sex-ratios of road-collected Texas horned lizards (*Phrynosoma cornutum*). *Herpetological Review* 33: 21-24.
1216. Sherbrooke, W. C. 2003. *Introduction to Horned Lizards of North America*. University of California Press, Berkeley, CA.
1217. Sherbrooke, W. C. and Middendorf, G. A. 2001. Blood-Squirting Variability in Horned Lizards (*Phrynosoma*). *Copeia* 2001: 1114-1122.
1218. Shine, R. 1986. Food habits, habitats and reproductive biology of four sympatric species of varanid lizards in tropical Australia. *Herpetologica*, 42: 346-360.
1219. Shine, R. and Greer, A. E. 1991. Why are clutch sizes more variable in some species than in others? *Evolution* 45:1696-1706.
1220. Shine, R., Harlow, P. S., Keogh, J. S. and Boeadi. 1998. The allometry of life-history traits: insights from a study of giant snakes (*Python reticulatus*). *Journal of Zoology*, 244: 405-414.
1221. Shine, R., Keogh, J. S., Doughty, P. and Giragossyan, H. 1998. Costs of reproduction and the evolution of sexual dimorphism in a 'flying lizard' *Draco melanopogon* (Agamidae). *Journal of Zoology* 246: 203-213.
1222. Shrestha, T. K. 2001. *Herpetology of Nepal: A study of amphibians and reptiles of Trans-Himalayan region of Nepal, India, Pakistan and Bhutan*. Pragati Pustaka Sadana
1223. Shreve, B. 1940. Reptiles and amphibians from Burma with descriptions of three new skinks. *Proceedings of the New England Zoological Club* 18: 17-26.
1224. Shreve, B. 1949. On Venezuelan reptiles and amphibians collected by Dr. H.G. Kugler. *Bulletin of the Museum of Comparative Zoology* 99: 519-537.
1225. Shukla, V. N. 1983. A new species of the lizard *Hemidactylus* from Kanpur (India). *Indian Journal of Zootomy* 24: 81-83.
1226. Sinitis, D. T. 1930. Description of a new species of *Neusticurus* from South America (Lizards, Teiidae). *American Museum Novitates* 408: 1.
1227. Smedley, N. 1931. Amphibians and reptiles from the Cameron Highlands, Malay Peninsula. *Bulletin of the Raffles Museum*, 6: 105-123.
1228. Smirina, E. M. and Ananjeva, N. B. 2007. Growth layers in bones and acrodont teeth of the agamid lizard *Laudakia stoliczkana* (Blanford, 1875) (Agamidae, Sauria). *Amphibia-Reptilia* 28: 193-204.
1229. Smith, G. R. 1992. Sexual dimorphism in the curly-tailed lizard, *Leiocephalus psammmodromus*. *Caribbean Journal of Science* 28: 99-101.
1230. Smith, G. R. and Iverson, J. B. 1993. Reproduction in the curly-tailed lizard *Leiocephalus psammmodromus* from the Caicos Islands. *Canadian Journal of Zoology* 71: 2147-2151.

1231. Smith, G. R. and Nickel A. M. 2002. Sexual dimorphism in three Cuban species of curly-tailed lizards (*Leiocephalus*). Caribbean Journal of Science, 38: 140-142.
1232. Smith, G. R., Lemos-Espinal, J. A. and Ballinger, R. E. 2003. Body size, sexual dimorphism, and clutch size in two populations of the lizard, *Sceloporus ochotteranae*. Southwestern Naturalist 48: 123-126.
1233. Smith, G. R., Lemos-Espinal, J. A., Ballinger, R. E. 1997. Sexual dimorphism in two species of knob-scaled lizards (genus *Xenosaurus*) from Mexico. Herpetologica 53: 200-205.
1234. Smith, H. M. 1934. Notes on some Mexican lizards of the genus *Anolis* with the description of a new species, *A. megapholidotus*. Transactions of the Kansas Academy of Science 36: 318-320.
1235. Smith, H. M. 1937. A synopsis of the *Scalaris* group of the lizard genus *Sceloporus*. Occasional Papers of the Museum of Zoology, University of Michigan 361: 1-8.
1236. Smith, H. M. 1939. Notes on Mexican reptiles and amphibians. Zoological Series of Field Museum of Natural History 24 (4): 15-35.
1237. Smith, H. M. 1939. The Mexican and Central American lizards of the genus *Sceloporus*. Field Museum of Natural History, Chicago.
1238. Smith, H. M. 1942. Mexican herpetological miscellany. Proceedings of the United States National Museum 92: 349-395.
1239. Smith, H. M. 1946. Handbook of lizards. Lizards of the United States and Canada. Cornell University Press, Ithaca.
1240. Smith, H. M. 1951. A new species of *Leiolopisma* (Reptilia: Sauria) from Mexico. University of Kansas Science Bulletin 34: 195-200.
1241. Smith, H. M. 1968. Another new lizard from Mexico of the *schiedi* group of *Anolis*. Southwestern Naturalist, 13: 368-370
1242. Smith, H. M. 1968. Two new lizards, one new, of the genus *Anolis* from Mexico. Journal of Herpetology, 2: 143-146.
1243. Smith, H. M. 1972. A new satellite of the *Anolis gadovii* species swarm (Reptilia: Sauria) in Mexico. Journal of Herpetology, 6: 179-181.
1244. Smith, H. M. 1972. The sonoran subspecies of the lizard *Ctenosaura hemilopha*. Great Basin Naturalist 32: 104-111.
1245. Smith, H. M. and Bumzahem, C. B. 1953. A new lizard of the genus *Sceloporus* from the Isthmus of Tehuantepec. Herpetologica 9: 183-188.
1246. Smith, H. M. and Iverson, J. B. 1993. A new species of knobscale lizard (Reptilia: Xenosauridae) from Mexico. Bulletin of the Maryland Herpetological Society 29: 51-66.
1247. Smith, H. M. and Larsen, K. R. 1975. A new species of the formosus group of the lizard genus *Sceloporus*. Copeia, 1975: 47-50.
1248. Smith, H. M. and Van Gelder, R. G. 1955. New and noteworthy amphibians and reptiles from Sinaloa and Puebla, Mexico. Herpetologica 11: 145-149.
1249. Smith, H. M., Lemos-Espinal, J. A., Chiszar, D. and Ingrasci, M. J. 2003. The Madrean alligator lizard of the Sierra del Nido, Chihuahua, Mexico (Reptilia: Sauria: Anguidae). Bulletin of the Maryland Herpetological Society 39: 99-102.
1250. Smith, H. M., Martin, R. L. and Swain, T. A. 1977. A new genus and two new species of South American geckos (Reptilia: Lacertilia). Papéis Avulsos de Zoologia, 30: 195-213.

1251. Smith, H. M. and Hall, W. P. 1974. Contributions to the concepts of reproductive cycles and the systematics of the scalaris group of the lizard genus *Sceloporus*. *Great Basin Naturalist* 34: 97-104.
1252. Smith, L A and Henry, J. 1999. *Aprasia picturata* (Squamata: Pygopodidae), a new legless lizard from the interior of Western Australia. *Journal of the Royal Society of Western Australia* 82: 75-77.
1253. Smith, M. A. 1930. The reptilia and amphibia of the Malay peninsula from the Isthmus of Kra to Singapore, including the adjacent islands. *Bulletin of the Raffles Museum* 3: 1-149.
1254. Smith, M. A. 1931. The herpetology of Mt. Kinabalu, North Borneo, 13,455 ft. *Bulletin of the Raffles Museum*, 5: 8-32.
1255. Smith, M. A. 1937. A review of the genus *Lygosoma* (Scincidae: Reptilia) and its allies. *Records of the Indian Museum* 39: 213-234.
1256. Smith, M. A. 1937. Un nouveau lezard de Cochinchine. *Bulletin du Muséum d'histoire naturelle* 2 Ser. 9 p. 366.
1257. Smith, M. A. 1940. The Amphibians and Reptiles obtained by Mr. Ronald Kaulback in Upper Burma. *Records of the Indian Museum* 42: 465-486.
1258. Smith, M. A., 1935. The Fauna of British India, including Ceylon and Burma. *Reptilia and Amphibia*. Vol. II. Sauria. Taylor & Francis, London.
1259. Song, M. 1985. A new species of *Gekko* from Shaanxi. *Acta Herpetologica Sinica* 4: 329-330.
1260. Song-Mingtao 1987. Survey of the reptiles of southern Shaanxi. *Acta Herpetologica Sinica* 6 (1): 59-64
1261. Soule, M. E. 1966. Trends in insular radiation of a lizard. *American Naturalist* 100: 47-64.
1262. Spawls, S., Howell, K., Drewes, R. and Ashe, J. 2002. A field guide to the reptiles of East Africa: Kenya, Tanzania, Uganda, Rwanda and Burundi. Academic Press, San Diego.
1263. Spellerberg , I. F. 2002. *Amphibians and Reptiles of North-west Europe: Their Natural History, Ecology and Conservation*. Science Publishers, Enfield, New Hampshire.
1264. Sprackland, R. G. 1991. Taxonomic review of the *Varanus prasinus* group with descriptions of two new species. *Memoirs of the Queensland Museum* 3: 561-576.
1265. Sprackland, R. G. 1999. New species of monitor (Squamata: Varanidae) from Indonesia. *Reptile Hobbyist*, 4: 20-27.
1266. Sprackland, R. G. and Swinney, G. N. 1998. A new species of giant gecko of the genus *Tarentola* (Reptilia: Gekkonidae) from Jamaica. *Journal of Zoology* 245: 73-78.
1267. Stafford, P. J. and Meyer, J. R. 2000. *A Guide to the Reptiles of Belize*. Academic Press, London.
1268. Stamps, J. A. and Andrews, R. M. 1992. Estimating asymptotic size using the largest individuals per sample. *Oecologia* 92: 503-512.
1269. Stamps, J. A., Losos, J. B. and Andrews, R. M. 1997. A comparative study of population density and sexual size dimorphism in lizards. *American Naturalist* 149: 64-90.
1270. Stebbins, R. C. 2003. *A field guide to western reptiles and amphibians*, Third Edition. Houghton Mifflin Company, Boston.
1271. Steinberg, D. S., Powell, S. D., Powell, R., Parmerlee, J. S. and Henderson, R. W. 2007. Population densities, water-loss rates, and diets of *Sphaerodactylus vincenti* on St. Vincent, West Indies. *Journal of Herpetology* 41: 330-336.

1272. Stejneger, L. 1907. Herpetology of Japan and adjacent territory. Bulletin of the United States National Museum, No. 58. Government Printing Office, Washington, D.C.
1273. Sternfeld, R. 1910. Eine neue echse aus Deutsch-Sudwestafrika. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin, 1910: 372.
1274. Sternfeld, R. 1912. Die reptilien aus der expedition professor Hans Meyers nach Deutsch-Ostafrika. Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin 7: 384-388.
1275. Sternfeld, R. 1912. IV. Zoologie II. Lfg. Reptilia. In: Schubotz., R. (ed.): Wissenschaftliche Ergebnisse der Deutschen Zentral-Afrika Expedition 1907- 1908, unter Führung A. Friedrichs, Herzogs zu Mecklenburg. Klinkhard und Biermann, Leipzig: 197-279.
1276. Sternfeld, R. 1918. Zur tiergeographie Papuasiens und der pazifischen Inselwelt. Abhandlungen der Senckenbergischen Naturforschenden Gesellschaft 36: 375-436.
1277. Storr, G. M. 1971. The genus *Lerista* (Lacertilia: Scincidae) in Western Australia. Journal of the Royal Society of Western Australia 54: 59-75.
1278. Storr, G. M. 1974. Agamid lizards of the genera *Caimanops*, *Physignathus* and *Diporiphora* in Western Australia and Northern Territory. Records of the Western Australian Museum 3: 121-146.
1279. Storr, G. M. 1978. The genus *Egernia* (Lacertilia, Scincidae) in Western Australia. Records of the Western Australian Museum 6: 147-187.
1280. Storr, G. M. 1988. The *Diplodactylus ciliaris* complex (Lacertilia: Gekkonidae) in Western Australia. Records of the Western Australian Museum, 14: 121-133.
1281. Stuart, B. L., Sok, K. and Neang, T. 2006. A collection of amphibians and reptiles from hilly eastern Cambodia. Raffles Bulletin of Zoology 54: 129-155.
1282. Stuart, L. C. 1955. A brief review of the Guatemalan lizards of the genus *Anolis*. Miscellaneous Papers of the Museum of Zoology, University of Michigan 91: 1-31.
1283. Stuart-Fox, D. M. and Ord, T. J. 2004. Sexual selection, natural selection and the evolution of dimorphic coloration and ornamentation in agamid lizards. Proceedings of the Royal Society B. 271: 2249-2255.
1284. Stuart-Smith, J., Swain, R. Stuart-Smith, R. D. and Wapstra, E. 2007. Is fecundity the ultimate cause of female-biased size dimorphism in the dragon lizard? Journal of Zoology 273: 266-272.
1285. Swain, T. A., Arp, F. and Younkin, R. D. 1980. A preliminary report on the ecology of a tropical, high altitude lizard, *Anadia brevifrontalis*. Journal of Herpetology, 14: 321-326.
1286. Szczerbak, N. 2003. Guide to the Reptiles of the Eastern Palearctic. Krieger Publishing Company, Malabar.
1287. Szczerbak, N. N. and Golubev, M. L. 1996. Gecko Fauna of the USSR and Contiguous Regions. Society for the Study of Amphibians and Reptiles, St. Louis.
1288. Szyndlar, Z. 1984. A description of a small collection of amphibians and reptiles from the People's Democratic Republic of Korea with notes on the distribution of the herpetofauna in that country. Acta Zoologica Cracoviensia. 27: 1-18.
1289. Takenaka, S. 1989. Reproductive ecology of Japanese lizards. Pages 364-369 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.

1290. Tanaka, S. and Nishihira, M. 1989. Growth and reproduction of the gekkonid lizard *Eublepharis kuroiwae kuroiwae*. Pages 349-357 in M. Matsui, T. Hikida and R. C. Goris, editors. 1989. Current herpetology in East Asia. Herpetological Society of Japan, Kyoto.
1291. Tanner, W. W. 1957. A new skink of the multivirgatus group from Chihuahua. Great Basin Naturalist 17: 111-117.
1292. Taylor, E. H. 1922. The lizards of the Philippine Islands. Manila Bureau of Printing, Manila.
1293. Taylor, E. H. 1933. New species of skinks from Mexico. Proceedings of the Biological Society of Washington 46: 175-182.
1294. Taylor, E. H. 1935. A new skink from Mexico. Zoological Series of Field Museum of Natural History 20: 77-80.
1295. Taylor, E. H. 1936. The rediscovery of the lizard *Eumeces altamirani* (Dugès) with notes on two other mexican species of the genus. Proceedings of the Biological Society of Washington 49: 55-58.
1296. Taylor, E. H. 1937. Two new lizards of the genus *Leiolopisma* from Mexico, with comments on another Mexican species. Copeia 1937: 5-11.
1297. Taylor, E. H. 1942. Some geckos of the genus *Phyllodactylus*. University of Kansas Science Bulletin 28: 91-112.
1298. Taylor, E. H. 1956. A review of the lizards of Costa Rica. University of Kansas Science Bulletin 38: 3-322.
1299. Taylor, E. H. 1963. The lizards of Thailand. University of Kansas Science Bulletin 44: 687-1077.
1300. Taylor, E. H., 1962. New Oriental reptiles. University of Kansas Science Bulletin, 43: 209–263.
1301. Tedesco, M. E. 1998. Una nueva especie de *Pantodactylus* (Squamata, Gymnophthalmidae) de la provincia de Corrientes, Republica Argentina. Facena 14: 53-62.
1302. Teixeira, R. L., Roldi, K. and Vrcibradic, D. 2005. Ecological Comparisons between the Sympatric Lizards *Enyalius bilineatus* and *Enyalius brasiliensis* (Iguanidae, Leiosaurinae) from an Atlantic Rain-Forest Area in Southeastern Brazil. Journal of Herpetology 39: 504–509.
1303. Telford, S. R. 1955. The lizard *Eumeces anthracinus* in central Virginia. Copeia 1955: 143.
1304. Telford, S. R. 1959. A study of the sand skink, *Neoseps Reynoldsi Stejneger*. Copeia, 1959: 110-119.
1305. Teynie, A. 2004. Notes on reptiles of Nam Lan conservation area in Phongsaly province of Lao PDR. Societe d'Histoire Naturelle Alcide d'Orbigny, Aydat, France.
1306. Thomas, B. W. 1981. *Hoplodactylus rakiurae* n. sp. (Reptilia: Gekkonidae) from Stewart Island, New Zealand and comments on the taxonomic status of *Heteropholis nebulosus* McCann. New Zealand Journal of Zoology 8: 33-47.
1307. Thomas, R. and Hedges, S. B. 1988. Two new geckos (*Sphaerodactylus*) from the southern Dominican Republic. Herpetologica 44: 96-104.
1308. Thomas, R. and Hedges, S. B. 1989. A New *Celestus* (Sauria: Anguidae) from the Chaine de la Selle of Haiti. Copeia, 1989: 886-891.
1309. Thomas, R. and Hedges, S. B. 1991. Rediscovery and description of the Hispaniolan lizard *Anolis darlingtoni* (Sauria, Iguanidae). Caribbean Journal of Science 27: 90-93.
1310. Thomas, R. and Hedges, S. B. 1992. An unusual new *Sphaerodactylus* from Hispaniola (Squamata, Gekkonidae). Journal of Herpetology 26: 289-292.

1311. Thomas, R. and Hedges, S. B. 1993. A new banded *Sphaerodactylus* from eastern Hispaniola (Squamata: Gekkonidae). *Herpetologica* 49: 350-354.
1312. Thomas, R. and Hedges, S. B. 1998. A new anguid lizard from Cuba. *Copeia* 1998: 97-103.
1313. Thomas, R. and Hedges, S. B. 1998. A new gecko from the Sierra de Neiba of Hispaniola. *Herpetologica* 54: 333-336.
1314. Thomas, R., Hedges, S. B. and Garrido, O. H. 1992. Two new species of *Sphaerodactylus* from eastern Cuba (Sauria, Gekkonidae). *Herpetologica* 48: 358-367.
1315. Thomas, R., Hedges, S. B. and Garrido, O. H. 1998. A new gecko (*Sphaerodactylus*) from the Sierra Maestra of Cuba. *Journal of Herpetology* 32: 66-69.
1316. Thompson, G. G. and Pianka, E. R. 2001. Allometry of clutch and neonate sizes in monitor lizards (Varanidae: *Varanus*). *Copeia* 2001: 443-458.
1317. Thompson, G. G., and Withers, P. C. 1997. Comparative morphology of Western Australian varanid lizards (Squamata: Varanidae). *Journal of Morphology* 233: 127-152.
1318. Thompson, M. B., Stewart, J. R., Speake, B. K., Russell, K. J., McCartney, R. J. and Surai, P. F. 1999. Placental nutrition in a viviparous lizard (*Pseudemoia pagenstecheri*) with a complex placenta. *Journal of Zoology* 248: 295-305.
1319. Tihen, J. A. 1954. Gerrhonotine lizards recently added to the American Museum collection : with further revisions of the genus *Abronia*. *American Museum novitates* 1687: 1-26.
1320. Tikader, B. K. and Sharma, R. C. 1995. Handbook of Indian lizards. Zoological Survey of India, Calcutta.
1321. Tilbury, C. R. 1991. A new species of *Chamaeleo Laurenti* 1768 (Reptilia: Chamaeleonidae) from a relict montane forest in northern Kenya. *Tropical Zoology* 4: 159-165.
1322. Tilbury, C. R. 1992. A new dwarf forest chameleon (Sauria: *Rhampholeon* Gunther 1874) from Malawi, central Africa. *Tropical Zoology* 5: 1-9.
1323. Tilbury, C. R. 1998. Two new chameleons (Sauria: Chamaeleonidae) from isolated Afromontane forests in Sudan and Ethiopia. *Bonn Zoologische Beitrage* 47: 293-299.
1324. Tilbury, C. R. and Emmrich, D. 1996. A new dwarf forest chameleon (Squamata: *Rhampholeon* Gunther 1874) from Tanzania, East Africa with notes on its infrageneric and zoogeographic relationships. *Tropical Zoology* 9: 61-71.
1325. Tinkle, D. W. 1961. Population structure and reproduction in the lizard *Uta stansburiana stejnegeri*. *American Midland Naturalist* 66: 206–234.
1326. Tinkle, D. W., Wilbur, H. M. and Tilley, S. G. 1970. Evolutionary strategies in lizard reproduction. *Evolution*, 24: 55-74.
1327. Tocher, M. D. 2003. The diet of grand skinks (*Oligosoma grande*) and Otago skinks (*O. otagense*) in Otago seral tussock grasslands. *New Zealand Journal of Zoology* 30: 243–257.
1328. Tornier, G. 1899. Drei reptilien aus Afrika. *Zoologischer Anzeiger* 22: 258-261.
1329. Tornier, G. 1899. Neues über Chamaeleons. *Zoologischer Anzeiger* 22: 408-414.
1330. Tornier, G. 1900. Beschreibung eines neuen chamaeleons. *Zoologischer Anzeiger* 23: 21-23.
1331. Tornier, G. 1900. Neue Liste der Crocodilen, Schildkröten und Eidechsen Deutsch-Ost-Afrikas. *Zoologische Jahrbücher, Abteilung für Systematik* 13: 579-681.
1332. Tornier, G. 1902. Die crocodile, schildkroten und eidechsen in Kamerun. *Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere* 15: 663-677.

1333. Tornier, G. 1902. Herpetologisch neues aus Deutsch-Ostafrika. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 15: 578-590.
1334. Tornier, G. 1904. Drei neue reptilien aus Ost-Africa. Zoologische Jahrbucher, Abteilung für Systematik, Geographie und Biologie der Tiere 19: 173-178.
1335. Torres, S., Scrocchi, G. J. and Harvey, M. B. 2000. The South American tropidurid lizard *Stenocercus marmoratus*: redescription, distribution, and natural history. Journal of Herpetology, Vol. 34: 129-134.
1336. Torres-Carvajal, O. 2004. The abdominal skeleton of tropidurid lizards (Squamata: Tropiduridae). *Herpetologica* 60: 75-83.
1337. Torres-Carvajal, O. 2005. A new species of iguanian lizard (*Stenocercus*) from the western lowlands of southern Ecuador and northern Peru. *Herpetologica* 61: 78–85.
1338. Torres-Carvajal, O. 2005. A new species of *Stenocercus* (Squamata, Iguania) from central-western Brazil with a key to Brazilian *Stenocercus*. *Phylomedusa* 4: 111–120.
1339. Torres-Carvajal, O. 2005. New Species of *Stenocercus* (Squamata: Iguania) from the Andes of Central Peru with a Redescription of *S. variabilis*. *Journal of Herpetology* 39: 471–477.
1340. Torres-Carvajal, O. 2007. A taxonomic revision of south American *Stenocercus* (Squamata: Iguania) lizards. *Herpetological Monographs*, 21: 76-178.
1341. Torres-Carvajal, O. 2007. New Andean species of *Stenocercus* (Squamata: Iguania) from the eastern Cordillera in Colombia. *Copeia*, 2007: 56–61.
1342. Torres-Carvajal, O., Lehr, E. and Lundberg, M. 2005. Resurrection of *Stenocercus torquatus* Boulenger, a spiny-tailed iguanid lizard (Squamata: Iguania) from Peru. *Herpetologica* 61: 440-448.
1343. Towns, D. R. 1994. The role of ecological restoration in the conservation of Whitaker's skink (*Cyclodina whitakeri*), a rare New Zealand lizard (Lacertilia: Scincidae). *New Zealand Journal of Zoology*, 21: 457-471.
1344. Tri, N. V. and Bauer, A. M. 2008. Descriptions of two new species of *Cyrtodactylus* Gray 1827 (Squamata : Gekkonidae) endemic to southern Vietnam. *Zootaxa* 1715: 27-42.
1345. Trivers, R. L. 1976. Sexual selection and resourceaccuring abilities in *Anolis garmani*. *Evolution* 30: 253–269.
1346. Tzarevsky, S. F. 1927. The Lizards of the genus *Phrynocephalus* collected by the expeditions of P. Kozlow in Tibet 1899-1901 and in Mongolia and Sze-chuan 1907-1909. *Comptes Rendus Akademia Sci. USSR, Leningrad, ser.A*. pp.304-305.
1347. Uetz, P. 2006. The reptile database CD-ROM edition, October 2006. Heidelberg, Germany.
1348. Ugueto, G. N., Fuenmayor, G. R., Barros, T., Sanchezpacheco, S. J. and Garcia-Perez, J. E. 2007. A revision of the Venezuelan Anoles I: A new *Anolis* species from the Andes of Venezuela with the redescription of *Anolis jacare* Boulenger 1903 (Reptilia: Polychrotidae) and the clarification of the status of *Anolis nigropunctatus* Williams 1974. *Zootaxa* 1501: 1-30.
1349. Urban, H. 1999. Eine neue agamenart der gattung *Gonocephalus* aus Papua - Neu Guinea (Squamata: Sauria: Agamidae). *Herpetozoa* 11: 185-188.
1350. Uzzell T. 1966. Teiid lizards of the genus *Neusticurus* (Reptilia, Sauria). *Bulletin of the American Museum of Natural History* 132: 277–328.
1351. Uzzell, T. 1973. A revision of the genus *Prionodactylus* with a new genus for *P. leucostictus* and notes on the genus *Euspondylus* (Sauria, Teiidae). *Postilla* 159: 1-67.

1352. Uzzell, T. M. 1958. Teiid lizards related to *Proctoporus luctuosus*, with the description of a new species from Venezuela. Occasional Papers of the Museum of Zoology, University of Michigan 597: 1–15.
1353. Uzzell, T. M. 1970. Teiid lizards of the genus *Proctoporus* from Bolivia and Peru. Postilla 142: 1–39.
1354. Uzzell, T. M. and Barry, J. C. 1971. *Leposoma percarinatum*, a unisexual species related to *L. guianense*; and *Leposoma ioanna*, a new species from Pacific Coastal Colombia (Sauria, Teiidae). Postilla 154: 1-39.
1355. Vaillant, L. 1884. Catalogue raisonne des reptiles et batraciens d'Assinie, donnes par M. Chaper au Museum d'Histoire Naturelle. Bulletin de la Societe Zoologique de France 1884: 343-354.
1356. Valdez-Gonzalez, M. A. and Ramirez-Bautista, A. 2002. Reproductive characteristics of the spiny lizards, *Sceloporus horridus* and *Sceloporus spinosus* (Squamata : Phrynosomatidae) from Mexico. Journal of Herpetology 36: 36-43.
1357. Valido, A. and Nogales, M. 2003. Digestive ecology of two omnivorous Canarian lizard species (*Gallotia*, Lacertidae). Amphibia-Reptilia 24: 331-344.
1358. Valladares, J. F. 2004. Nueva especie de lagarto del género *Liolaemus* (Reptilia: Liolaemidae) del norte de Chile, previamente confundido con *Liolaemus* (= *Phrynosaura*) *reichei*. Cuadernos de Herpetología 18: 43-53.
1359. Valladares, J. P., Etheridge, R., Schulte, J., Manriquez, G. and Spotorno, A. 2002. New lizard species from northern Chile, *Liolaemus molinai* (Reptilia: Liolaeminae). Revista Chilena de Historia Natural 75: 473-489.
1360. van Barneveld, S. 2006. Two new records of *Delma mitella* Shea, 1987 from the wet tropics. Herpetofauna 36: 66-67.
1361. van Buurt, G. 2005. Field guide to the reptiles and amphibians of Aruba, Curacao and Bonaire. Serpents Tale, Frankfurt.
1362. Van Damme, R. and Vanhooydonck, B. 2002. Speed versus manoeuvrability: association between vertebral number and habitat structure in lacertid lizards. Journal of Zoology 258: 327-334.
1363. Van Denburgh, J. 1894. Descriptions of three new lizards from California and Lower California, with a note on *Phrynosoma blainvillii*. Proceedings of the California Academy of Sciences, 2nd Series 4: 296–301.
1364. Van Denburgh, J. 1896. A list of some reptiles from southeastern Arizona, with a description of a new species of *Cnemidophorus*. Proceedings of the California Academy of Sciences 6: 338-349.
1365. Van Denburgh, J. 1912. Expedition of the California Academy of Sciences to the Galapagos Islands, 1905-1906. VI. The geckos of the Galapagos Archipelago. Proceedings of the California Academy of Sciences 1: 405-430.
1366. Van Denburgh, J. 1922. The Reptiles of Western North America. Volume I. Lizards. Occasional Papers of the California Academy of Sciences 10: 1–612.
1367. Van Denburgh, J. and Slevin, J. R. 1913. Expedition of the California Academy of Sciences to the Galapagos Islands, 1905-1906. IX. The Galapagoan lizards of the genus *Tropidurus* with notes on iguanas of the genera *Conolophus* and *Amblyrhynchus*. Proceedings of the California Academy of Science (series 4) 2: 132-202.
1368. Van Devender, R. W. 1982. Growth and ecology of spiny-tailed and green iguanas in Costa Rica, with comments on the evolution of herbivory and large body size. Pages 162-183 in G. M.

- Burghardt and A. S. Rand, editors. *Iguanas of the World: Their Behaviour, Ecology and Conservation*. Noyes Publications, New Jersey.
1369. Vance, T. 1978. The identity of *Cnemidophorus vittatus* Boulenger (Reptilia, Lacertilia, Teiidae) with a redescription of the holotype. *Journal of Herpetology* 12: 98-100.
1370. Vanhooydonck, B. and Van Damme, R. 1999. Evolutionary relationships between body shape and habitat use in lacertid lizards. *Evolutionary Ecology Research*, 1: 785–805.
1371. Vanhooydonck, B., Van Damme, R. and Aerts, P. 2000. Ecomorphological correlates of habitat partitioning in Corsican lacertid lizards. *Functional Ecology* 14: 358–368.
1372. Vanzolini, P. E. 1961. Bachia: especies Brasileiras e conceito generico (Sauria: Teiidae). *Papeis Avulsos de Zoologia* 14: 193-209.
1373. Vanzolini, P. E. 1978. On South American *Hemidactylus* (Sauria, Gekkonidae). *Papeis Avulsos de Zoologia* 31: 307-343.
1374. Vanzolini, P. E. 1982. A new *Gymnodactylus* from Minas Gerais, Brasil, with remarks on the genus on the area and on the montane endemisms in Brasil (Sauria, Gekkonidae). *Papeis Avulsos de Zoologia* 34: 403-413.
1375. Vanzolini, P. E. 2005. On *Gymnodactylus amarali* Barbour, 1925, with the description of a new species (Sauria, Gekkonidae). *Anais da Academia Brasileira de Ciencias* 77: 595-611.
1376. Vanzolini, P. E. and Ramos, A. M. M. 1977. A new species of *Colobodactylus*, with notes on the distribution of a group of stranded microteiid lizards (Sauria, Teiidae). *Papeis Avulsos de Zoologia* 31: 19-47.
1377. Vanzolini, P. E. and Reboucas-Spieker, R. 1976. Distribution and differentiation of animal along the coast and on continental islands of the state of São Paulo, Brazil. 3. Reproductive differences between and within *Mabuya caissara* and *Mabuya macrorhyncha* (Sauria: Scincidae). *Papeis Avulsos de Zoologia* 29: 95-109.
1378. Vaz-Ferreira, R. and Sierra de Soriano, B. 1961. Un nuevo Gekkonidae del Uruguay *Wallsaurus uruguayensis* n. Sp. *Comunicaciones Zoologicas del Museo de Historia Natural de Montevideo*, 5: 1-11.
1379. Vega, L. E., Bellagamba, P. J. and Fitzgerald, L. A. 2000. Long-term effects of anthropogenic habitat disturbance on a lizard assemblage inhabiting coastal dunes in Argentina. *Canadian Journal of Zoology* 78: 1653–1660.
1380. Velasco, J. A. and Herrel, A. 2007. Ecomorphology of *Anolis* lizards of the Choco region in Colombia and comparisons with Greater Antillean ecomorphs. *Biological Journal of the Linnean Society*, 92: 29–39.
1381. Vences, M., Galan, P. and Vieites, D. R. 2004. Weak expression of reproductive seasonality in a dwarf gecko (*Lygodactylus verticillatus*) from arid southwestern Madagascar. *Journal of Arid Environments* 56: 329–338.
1382. Vences, M., Ziegler, T., Visser, S. and Andreone, F. 1999. New data on the zoogeography and genital morphology of the lizards *Zonosaurus brygooi* Lang & Bohme 1990 and *Z. aeneus* (Grandison 1872) from Madagascar (Reptilia Squamata Gerrhosauridae). *Tropical Zoology* 12: 145-155.
1383. Verrastro, L., Veronese, L., Bujes, C. and Dias Filho, M. M. 2003. A new species of *Liolaemus* from southern Brazil (Iguania: Tropiduridae). *Herpetologica*, 59: 105–118.

1384. Verwaijen, D. and Van Damme, R. 2008. Foraging mode and locomotor capacities in Lacertidae. *Amphibia-Reptilia* 29: 197-206.
1385. Verwaijen, D., Van Damme, R. and Herrel, A. 2002. Relationships between head size, bite force, prey handling efficiency and diet in two sympatric lacertid lizards. *Functional Ecology* 16: 842-850.
1386. Vesey-Fitzgerald, D. 1947. Reptiles and amphibians from the Seychelles Archipelago. *Annals and Magazine of Natural History* (11) 14: 577-584.
1387. Vidal, M. A., Veloso, A. and Mendez, M. A. 2006. Insular morphological divergence in the lizard *Liolaemus pictus* (Liolaemidae). *Amphibia-Reptilia* 27: 103-111.
1388. Vindum, J. V., Win, H., Thin, T., Lwin, K. S., Shein, A. K. and Tun, H. 2003. A New Calotes (Squamata: Agamidae) from the Indo-Burman Range of Western Myanmar (Burma). *Proceedings of the California Academy of Sciences* 54: 1-8.
1389. Vinson, J., and Vinson, J.-M. 1969. The saurian fauna of the Mascarene Islands. *Mauritius Institute Bulletin*, 6: 203-320.
1390. Visser, J. 1987. A new Homopholis (Sauria, Gekkonidae) from the northern Transvaal with a discussion of some generic characters. *South African Journal of Zoology* 22: 110-114.
1391. Vitt, L. J. 1985. On the biology of the little known anguid lizard, *Diploglossus lessonae* in northeast Brazil. *Papeis Avulsos de Zoologia*, 36: 69-76.
1392. Vitt, L. J. 1986. Reproductive tactics of sympatric gekkonid lizards with a comment on the evolutionary and ecological consequences of invariant clutch size. *Copeia* 1986: 773-786.
1393. Vitt, L. J. 1991. Ecology and life history of the wide-foraging lizard *Kentropyx calcarata* (Teiidae) in Amazonian Brazil. *Canadian Journal of Zoology* 69: 2791-2799.
1394. Vitt, L. J. 2000. Ecological consequences of body size in neonatal and small-bodied lizards in the neotropics. *Herpetological Monographs* 14: 388-400.
1395. Vitt, L. J. and Blackburn, D. G. 1991. Ecology and Life History of the viviparous lizard *Mabuya bistrigata* (Scincidae) in the Brazilian Amazon. *Copeia* 1991: 916-927.
1396. Vitt, L. J. and Breitenbach, G. L. 1993. Life histories and reproductive tactics among lizards in the genus *Cnemidophorus* (Sauria: Teiidae). pages 211-243 in J. W. Wright and L. J. Vitt (editors), *Biology of Whiptail Lizards (Genus Cnemidophorus)*. Oklahoma Museum of Natural History, Norman.
1397. Vitt, L. J. and Caldwell, J. P. 1993. Ecological observations on cerrado lizards in Rondonia, Brazil. *Journal of Herpetology* 27: 46-52.
1398. Vitt, L. J. and Cooper, W. E. 1986. Foraging and diet of a diurnal predator (*Eumeces laticeps*) feeding on hidden prey. *Journal of Herpetology*, 20: 408-415.
1399. Vitt, L. J. and de Carvalho, C. M. 1992. Life in the trees: the ecology and life history of *Kentropyx striatus* (Teiidae) in the lavrado area of Roraima, Brazil, with comments on the life histories of tropical teiid lizards. *Canadian Journal of Zoology* 70: 1995-2006.
1400. Vitt, L. J. and de Carvalho, C. M. 1995. Niche partitioning in a tropical wet season: lizards in the lavrado area of northern Brazil. *Copeia* 1995: 305-329.
1401. Vitt, L. J. and Zani, P. A. 1998. Ecological relationships among sympatric lizards in a transitional forest in the northern Amazon of Brazil. *Journal of Tropical Ecology* 14: 63-86.

1402. Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A. and Esposito, M. C. 2002. Life in shade: the ecology of *Anolis trachyderma* (Squamata: Polychrotidae) in Amazonian Ecuador and Brazil, with comparisons to ecologically similar anoles. *Copeia*, 2002: 275-286.
1403. Vitt, L. J., Avila-Pires, T. C. S., Zani, P. A., Esposito, M. C. and Sartorius, S. S. 2003. Life at the interface: ecology of *Prionodactylus oshaughnessyi* in the western Amazon and comparisons with *P-argulus* and *P-eigenmanni*. *Canadian Journal of Zoology* 81: 302-312.
1404. Vitt, L. J., Pianka, E. R., Cooper, W. E. and Schwenk, K. 2003. History and the global ecology of squamate reptiles. *American Naturalist* 162: 44-60.
1405. Vitt, L. J., Sartorius, S. S., Avila-Pires, T. C. S., Zani, P. A. and Esposito, M. C. 2005. Small in A big world: ecology of leaf-litter geckos in New world tropical forests. *Herpetological Monographs*, 19: 137-152.
1406. Vitt, L. J., Shepard, D. B., Vieira, G. H. C. Caldwell, J. P., Colli, G. R. and Mesquita, D. O. 2008. Ecology of *Anolis nitens brasiliensis* in Cerrado Woodlands of Cantao. *Copeia* 2008: 144-153.
1407. Vitt, L. J., Souza, R. A., Sartorius, S. S., Avila-Pires, T. C. S. and Esposito, M. C. 2000. Comparative ecology of sympatric *Gonatodes* (Squamata: Gekkonidae) in the western Amazon of Brazil. *Copeia*, 2000: 83-95.
1408. Vitt, L. J., Zani, P. A., Caldwell, J. P. and Durtsche, R. D. 1993. Ecology of the whiptail lizard *Cnemidophorus deppii* on a tropical beach. *Canadian Journal of Zoology* 71: 2391-2400.
1409. Vitt, L. J., Zani, P. A., Caldwell, J. P., Araujo, M. C. and Magnusson, W. E. 1997. Ecology of whiptail lizards (*Cnemidophorus*) in the Amazon region of Brazil. *Copeia* 1997: 745-757.
1410. Vogt, T. 1932. Beitrag zur reptilienfauna der ehemaligen kolonie Deutsch-Neuguinea. *Sitzungsberichte der Gesellschaft Naturforschender Freunde zu Berlin* 5-7: 281-294.
1411. Vrcibradic, D. and Rocha, C. F. D. 1996. Ecological differences tropical sympatric skinks (*Mabuya agilis* and *Mabuya macrorhyncha*) in Southeastern Brazil. *Journal of Herpetology*, 30: 60-67.
1412. Vrcibradic, D. and Rocha, C. F. D. 2005. Observations on the natural history of the lizard *Mabuya macrorhyncha* Hoge (Scincidae) in Queimada Grande Island, Sao Paulo, Brazil. *Revista Brasileira de Zoologia* 22: 1185 -1190.
1413. Vrcibradic, D., Almeida-Gomes, M., Borges-Junior, V. N. T., Kiefer, M. C., Van Sluys, M. and Reptilia, Rocha, C. F. D. 2006. Scincidae, *Mabuya frenata*: distribution extension. Check List 2:
1414. Wake, D. B. and Kluge, A. G. 1961. The Machris expedition to Tchad, Africa: amphibians and reptiles. *Contributions in Science, Natural History Museum of Los Angeles County* 40: 1-12.
1415. Walker, C. F. 1955. Two new lizards of the genus *Lepidophyma* from Tamaulipas. *Occasional Papers of the Museum of Zoology, University of Michigan* 564: 1-10
1416. Walker, J. M. 1981. Population structure and reproductive characteristics in *Cnemidophorus parvisocius* (Lacertilia: Teiidae). *American Midland Naturalist*, 105: 217-224.
1417. Walker, J. M., Cordes, J. E. and Taylor, H. L. 1997. Parthenogenetic *Cnemidophorus tesselatus* complex: a neotype for diploid *C. tesselatus* (Say, 1823), redescription of the taxon and description of a new triploid species. *Herpetologica*, 53: 233-239.
1418. Walker, J. M., Cordes, J. E., Mendoza Quijano, F. and Hernandez Garcia, E. 1996 Implications of extraordinary variation in the little striped whiptail lizard, *Cnemidophorus inornatus* Baird (Sauria: Teiidae) in Chihuahua, Mexico. *Journal of Herpetology* 30: 271-275.

1419. Walker, J. M., Lemos-Espinal, J. A., Cordes, J. E., Taylor, H. L. and Smith, H. M. 2001. Allocation of populations of whiptail Lizards to *septemvittatus* Cope, 1892 (genus *Cnemidophorus*) in Chihuahua, Mexico, and the scalaris problem. *Copeia*, 2001: 747–765.
1420. Wall, M. and Shine, R. 2007. Dangerous food: lacking venom and constriction, how do snake-like lizards (*Lialis burtonis*, Pygopodidae) subdue their lizard prey? *Biological Journal of the Linnean Society*, 91: 719–727.
1421. Waltner, R. C. 1991. Altitudinal ecology of *Agama tuberculata* Gray in the western Himalayas. *University of Kansas Museum of Natural History Miscellaneous Publications* 83: 1-74.
1422. Wang, G., Fan, Y., Jai, R. X., Li, X. J. and Chan, S. R. 1989. A new species of *Teratoscincus* from Xinjiang, China. *Journal of August 1st Agriculture College* 4 (12): 10-14.
1423. Wang, Y., Zeng, X., Fang, Z., Liu, Z., Wu, G., Papenfuss, T., and Macey, R. 1996. A New Species of the Genus *Phrynocephalus*—*Phrynocephalus zetanensis* (zetangensis) sp. nov., *Zoological Research* 17: 27–29.
1424. Watkins, G. G. 1996. Proximate causes of sexual size dimorphism in the iguanian lizard *Microlophus occipitalis*. *Ecology*, 77: 1473-1482.
1425. Webb, J. and Shine, R. 1994. Feeding habits and reproductive biology of Australian pygopodid lizards of the genus *Aprasia*. *Copeia* 1994: 390-398.
1426. Webb, R. G. 1970. Another new night lizard (*Xantusia*) from Durango, Mexico. *Los Angeles County Museum Contributions in Science* 194: 1-10.
1427. Werler, J. E., and Campbell, J. A. 2004. A new lizard of the genus *Diploglossus* (Anguidae: Diploglossinae) from the Tuxtlan Faunal Region, Veracruz, Mexico. *Southwestern Naturalist* 49: 327-333.
1428. Werner, F. 1894. Herpetologische nova. *Zoologischer Anzeiger* 17: 410-415.
1429. Werner, F. 1895. Über eine sammlung von reptilien aus Persien, Mesopotamien und Arabien. *Verhandlungen der Kaiserlich-kongiglichen Zoologish-Botanischen Gesellschaft in Wien* 45: 13-22.
1430. Werner, F. 1908. Ergebnisse der mit subvention aus der erbschaft treitl unternommenen zoologischen Forschungsreise Dr. Franz Werner's nach nach dem Ägyptischen Sudan und Norduganda. XII. die reptilien und amphibien. *Sitzungsber Akademie der Wissenschaften Wien* 116: 1823-1926.
1431. Werner, F. 1910. Über neue oder seltene reptilien des Naturhistorischen Museums in Hamburg. ii. Eidechsen. *Hamburg Jahrbucher Wiss. Anst.* 27, suppl. no. 2, pp. 1-46.
1432. Werner, F. 1916. Bemerkungen über einige niedere wirbeltiere der Anden von Kolumbien mit beschreibungen neuer arten. *Zoologischer Anzeiger* 47: 305-311.
1433. Werner, F. 1929. Beitrage zur Kenntnis der Fauna von Syrien und Persien. *Zoologischer Anzeiger* 81: 238-245.
1434. Werner, Y. L. 2004. A new species of the *Acanthodactylus pardalis* group (Reptilia: Lacertidae) from Jordan. *Zoology in the Middle East*, 32: 39–46.
1435. Werner, Y. L. and Igic P. G. 2002. The middle ear of gekkonoid lizards: interspecific variation of structure in relation to body size and to auditory sensitivity. *Hearing Research* 167: 33 -45.
1436. Werner, Y. L. and Seifan, T. 2006. Eye size in geckos: asymmetry, allometry, sexual dimorphism, and behavioral correlates. *Journal of Morphology* 267: 1486-1500.

1437. Whitaker, A. H., Tocher, M. and Blair, T. 2002. Conservation of lizards in Otago Conservancy, 2002-2007. Department of Conservation, Wellington.
1438. Whitaker, T. and Lyall, J. 2004. Conservation of Lizards in West Coast/Tai Poutini Conservancy. Department of Conservation, Wellington.
1439. Wickramasinghe, L. J. M. 2006. A new species of *Cnemaspis* (Sauria: Gekkonidae) from Sri Lanka. *Zootaxa* 1369: 19-33.
1440. Wickramasinghe, L. J. M., Rodrigo, R., Dayawansa, N. and Jayantha, U. L. D. 2007. Two new species of *Lankascincus* (Squamata: Scincidae) from Sripada Sanctuary (Peak Wilderness), in Sri Lanka. *Zootaxa* 1612: 1-24.
1441. Wiens, J. J. and Slingluff, J. L. 2001. How lizards turn into snakes: A phylogenetic analysis of body-form evolution in anguid lizards. *Evolution*, 55: 2303-2318.
1442. Wiens, J. J., Brandley, M. C. and Reeder, T. W. 2006. Why does a trait evolve multiple times within a clade? Repeated evolution of snake-like body form in squamate reptiles. *Evolution* 60: 123-141.
1443. Wiewandt, T. A. 1982. Adaptations to herbivory in iguanine lizards. Pages 119-141 in G. M. Burghardt and A. S. Rand, editors. *Iguanas of the World: Their Behaviour, Ecology and Conservation*. Noyes Publications, New Jersey.
1444. Wikelski, M. 2005. Evolution of body size in Galapagos marine iguanas. *Proceedings of the Royal Society B*, 272: 1985-1993.
1445. Wikelski, M. and Carbone, C. 2004. Environmental scaling of body size in island populations of Galapagos marine iguanas. Pages 148-157 in Alberts, A. (editor). *Iguanas: Biology and Conservation*. University of California Press, Berkeley.
1446. Williams, E. E. 1974. A case history in retrograde evolution: the onca lineage in anoline lizards. I. *Anolis annectens* new species, intermediate between the genera *Anolis* and *Tropidodactylus*. *Breviora* 421: 1-21.
1447. Williams, E. E. 1974. South American Anolis: Three new species related to *Anolis nigrilineatus* and *A. dissimilis*. *Breviora* 422: 1-15.
1448. Williams, E. E. 1983. Ecomorphs, faunas, island size and diverse end points in island radiations of *Anolis*. Pages 326-370 in Huei, R. B., Pianka, E. R. and Schoener, T. W. (eds). *Lizard ecology, studies of a model organism*. Harvard University Press, Cambridge, Mass.
1449. Williams, E. E. 1984. New or problematic *Anolis* from Colombia. 2. *Anolis propinquus*, another new species from the cloud forest of western Colombia. *Breviora* 477: 1-7.
1450. Williams, E. E. 1984. New or problematic *Anolis* from Colombia. 3. Two new semiaquatic anoles from Antioquia and Choco, Colombia. *Breviora* 478: 1-22.
1451. Williams, E. E. 1986. *Anolis vicarius*, new species, related to *A. granuliceps*. *Caldasia* 15: 451-459.
1452. Williams, E. E. 1988. New or problematic *Anolis* from Colombia. 5. *Anolis danieli*, a new species of the latifrons species group and a reassessment of *Anolis apollinaris* Boulenger, 1919. *Breviora* 489: 1-25.
1453. Williams, E. E. 1992. New or problematic *Anolis* from Colombia. 7. *Anolis lamari*, a new anole from the Cordillera Oriental of Colombia, with a discussion of *tigrinus* and *punctatus* species group boundaries. *Breviora* 495: 1-24.

1454. Williams, E. E. and Duellman, W. E. 1984. *Anolis fitchi*, a new species of the *Anolis aequatorialis* group from Ecuador and Colombia. Publications of the Museum of Natural History, University of Kansas 10: 257-266.
1455. Williams, E. E., Orces V, G., Matheus, J. A. and Bleiweiss, R. 1996. A new giant phenacosaur from Ecuador. *Breviora* 505: 1-32.
1456. Williams, E. E., Praderio, M. J. and Gorzula, S. 1996. A Phenacosaur from Chimanta Tepui, Venezuela. *Breviora* 506: 1-15.
1457. Wilms, T. and Bohme, W. 2000. A new *Uromastyx* species from south-eastern Arabia, with comments on the taxonomy of *Uromastyx aegyptia* (Forskål, 1775) (Squamata: Sauria: Agamidae). *Herpetozoa* 13: 133-148.
1458. Wilms, T. and Bohme, W. 2001. Revision der *Uromastyx acanthinura* - artengruppe, mit beschreibung einer neuen art aus der Zentralsahara (Reptilia: Sauria: Agamidae). *Zoologische Abhandlungen, Staatliches Museum fur Tierkunde, Dresden* 51: 73-104.
1459. Wilms, T. M. and Schmitz, A. 2007. A new polytypic species of the genus *Uromastyx* Merrem 1820 (Reptilia: Squamata: Agamidae: Leiolepidinae) from southwestern Arabia. *Zootaxa* 1394: 1-23.
1460. Wilson, S. and Swan, G. 2003. A complete field guide to reptiles of Australia. Reed New Holland, Sydney.
1461. Wright, J. L., Bauer, A. M. and Sadlier, R. A. 2000. Two new gecko species allied to *Bavayia sauvagii* and *Bavayia cyclura* (Reptilia: Diplodactylidae) from New Caledonia. *Pacific Science* 54: 39-55.
1462. Wright, J. W. 1967. A new uniparental whiptail lizard (genus *Cnemidophorus*) from Sonora, Mexico. *Journal of the Arizona Academy of Science* 4: 185-193.
1463. Wright, J. W. and Lowe, C. H. 1965. The rediscovery of *Cnemidophorus arizonae* Van Denburgh. *Journal of the Arizona Academy of Science* 3: 164-168.
1464. Wright, J. W. and Lowe, C. H. 1993. Synopsis of the subspecies of the little striped whiptail lizard, *Cnemidophorus inornatus* BAIRD. *Journal of the Arizona-Nevada Academy of Sciences* 27: 129-157.
1465. Wymann, M. N. and Whiting, M. J. 2002. Foraging ecology of rainbow skinks (*Mabuya margaritifer*) in Southern Africa. *Copeia* 2002: 943-957.
1466. Xu, X-F. and Ji, X. 2006. Ontogenetic shifts in thermal tolerance, selected body temperature and thermal dependence of food assimilation and locomotor performance in a lacertid lizard, *Eremias brenchleyi*. *Comparative Biochemistry and Physiology A* 143: 118-124.
1467. Yanez, J. L. and Nunez, H. 1983. *Liolaemus fabiani*, a New Species of Lizard from Northern Chile (Reptilia: Iguanidae). *Copeia*, 1983: 788-790.
1468. Yanez-Munoz, M., Ortiz M. F. and Altamirano B. M. 2006. Reptilia, Polychrotidae, *Polychrus peruvianus*: new country record, Ecuador. *Check List* 2: 63-64.
1469. Yang, D. T, Su, C. Y. and Li, S. M. 1979. New species and new subspecies of amphibians and reptiles from Gaoligong Shan, Yunnan. *Acta Zootaxonomica Sinica* 4: 185-188.
1470. Yang, R. 1983. A new species of the genus *Ophisaurus* from Hainan Island. *Acta Herpetologica Sinica* 2: 67-69.
1471. Yeriomchenko, V. K. and Panfilov, A. M. 1990. Ablepharus darvazi sp. nov. - new species Ablepharus (Sauria, Scincidae [Scincidae]) from Tadzhikistan. *Izvestiya Akademii Nauk Kirgizskoi Ssr Khimiko-Tekhnologicheskie Biologicheskie Nauki* 1990 (4): 56-63.

1472. Young-Downey, A. and Moreno, J. 1991. A new species of tropidurine lizard (Squamata: Tropiduridae) from Los Andes of north Chile. *Gayana Zoologia* 55: 391-396.
1473. Zaldivar-Riveron, A. and de Oca, A. N.-M. 2002. Variation in the Rare Lizard *Barisia rudicollis* (Wiegmann) (Anguidae) with Description of a New Species from Central Mexico. *Herpetologica*, 58: 313-326.
1474. Zamudio, K. R. and Parra-Olea, G. 2000. Reproductive Mode and Female Reproductive Cycles of Two Endemic Mexican Horned Lizards (*Phrynosoma taurus* and *Phrynosoma braconnieri*). *Copeia*, 2000: 222-229.
1475. Zhao, E. and Li, S. 1984. A new species of *Calotes* (Lacertilia: Agamidae) from Xizang (Tibet). *Acta Herpetologica Sinica* 3: 77-78.
1476. Zhao, E. and Li, S. 1987. A new lizard of *Tenuidactylus* and a new Tibetan snake record of *Amphiesma*. *Acta Herpetologica Sinica* 6: 48-51.
1477. Zhao, E. M. 1998. A new species of *Laudakia* from Xizang (Tibet) (Sauria: Agamidae). *Zoological Research*, 19: 401-404.
1478. Zhao, E. M. 1998. A new species of the genus *Laudakia* from Xizang (Tibet) Autonomus Region. *Acta Zootaxonomica Sinica*, 23: 440-444.
1479. Zhao, E. M., Zha, K. T. and Zhou, K. Y. (Editors). 1999. *Fauna Sinica. Reptilia Vol. 2. Squamata. Lacertilia*. Science Press, Beijing.
1480. Zhao, K. 1979. A Study of the classification and distibution of the toad-headed agamids (*Phrynocephalus*) in China. *Acta Scientiarum Naturalium Universitatis Intramongolicae* 1979: 111-121.
1481. Ziegler, T. 2002. Die Amphibien und Reptilien eines Tieflandfeuchtwald-Schutzgebietes in Vietnam. Natur und Tier-Verlag
1482. Ziegler, T., Bohme, W. and Schmitz, A. 2007. A new species of the *Varanus indicus* group (Squamata, Varanidae) from Halmahera Island, Moluccas: morphological and molecular evidence. *Mitteilungen aus dem Museum für Naturkunde in Berlin - Zoologische Reihe* 83 (Supplement): 109-119.
1483. Ziegler, T., Ohler, A., Thanh, V. N., Quyet, L. C., Thuan, N. X., Tri, D. H. and Thanh, B. N. 2006. Review of the amphibian and reptile diversity of Phong Nha – Ke Bang National Park and adjacent areas, central Truong Son, Vietnam. *Proceedings of the 13th Congress of the Societas Europaea Herpetologica*. pp. 247-262.
1484. Ziegler, T., Rosler, H., Herrmann, H.-W. and Vu, N. T. 2002. *Cyrtodactylus phongnhakebangensis* sp. n., ein neuer Bogenfingergecko aus dem annamitischen Karstwaldmassiv, Vietnam. *Herpetofauna*, 24: 11-25.
1485. Ziegler, T., Schmitz, A., Koch, A. and Bohme, W. 2007. A review of the subgenus *Euprepiosaurus* of *Varanus* (Squamata: Varanidae): morphological and molecular phylogeny, distribution and zoogeography, with an identification key for the members of the *V. indicus* and the *V. prasinus* species groups. *Zootaxa* 1472: 1-28.
1486. Ziegler, T., Thanh, V. N. and Thanh, B. N. 2005. A new water skink of the genus *Tropidophorus* from the Phong Nha-Ke Bang National Park, central Vietnam. *Salamandra*, 41: 137-146.
1487. Zug, G. R. 1985. A new skink (Reptilia: Sauria: Leiolopisma) from Fiji. *Proceedings of the Biological Society of Washington* 98: 221-231.

1488. Zug, G. R. 1985. Pacific Island Lizards: Status of Type Specimens from the US Exploring Expedition 1838-1842. *Copeia* 1985: 150-154.
1489. Zug, G. R. 1991. The lizards of Fiji: natural history and systematics. *Bishop Museum Bulletin of Zoology* 2: 1-136.
1490. Zug, G. R. 2004. Systematics of the *Carlia "fusca"* lizards (Squamata: Scincidae) of New Guinea and nearby islands. *Bishop Museum Bulletin in Zoology* 5: 1-84.
1491. Zug, G. R. and Allison, A. 2006. New *Carlia fusca* complex lizards (Reptilia: Squamata: Scincidae) from New Guinea, Papua-Indonesia. *Zootaxa* 1237: 27-44.
1492. Zug, G. R. and Ineich, I. 1995. A new skink (Emoia: Lacertilia: Reptilia) from the forest of Fiji. *Proceedings of the Biological Society of Washington* 108: 395-400.
1493. Zug, G. R., Brown, H. H. K., Schulte, J. A. and . Vindum, J. V. 2006. Systematics of the Garden Lizards, *Calotes versicolor* Group (Reptilia, Squamata, Agamidae), in Myanmar: Central Dry Zone Populations. *Proceedings of the California Academy of Sciences* 57: 35–68.
1494. Zug, G. R., Vitt, L. J. and Caldwell, J. P. 2001. Herpetology. 2nd edition. Academic Press, San Diego.
1495. Zug, G. R., Watling, D., Alefaio, T., Alefaio, S. and Ludescher, C. 2003. A new gecko (Reptilia: Squamata: genus *Lepidodactylus*) from Tuvalu, South-central Pacific. *Proceedings of the Biological Society of Washington* 116: 38-46.
1496. Zug, G. R., Win, H., Thin, T., Min, T. Z., Lhon, W. Z. and Kyaw, K. 1998. Herpetofauna of the Chatthin Wildlife Sanctuary, north-central Myanmar with preliminary observations of their Natural History. *Hamadryad* 23: 111-120.
1497. Zugmayer, E. 1909. Beiträge zur Herpetologie von Zentral-Asien. *Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere* 27: 481-508.
1498. Zweifel, R. G. 1966. A new lizard of the genus *Tribolonotus* (Scincidae) from New Britain. *American Museum novitates* 2264:
1499. Zweifel, R. G. 1979. Variation in the scincid lizard *Lipinia noctua* and notes on other *Lipinia* from the New Guinea region. *American Museum Novitates* 2676: 1-21.
1500. Zweifel, R. G. 1980. Results of the Archbold Expeditions No. 103. Frogs and lizards from the Huon Peninsula, Papua New Guinea. *Bulletin of the American Museum of Natural History* 165: 387-434.